


ENLARGED DEMO PLAN
3/8"=1'-0" 1



LEGEND:

- EXIST TO REMAIN
- EXISTING TO BE REMOVED
- \$ EXIST ELECT SWITCH
- ⊕ EXIST ELECT OUTLET

KEY NOTES

- ① EXIST EXTERIOR WALL
- ② EXIST WINDOW
- ③ EXIST INTERIOR PARTITION WALL
- ④ EXIST CARPET

DEMOLITION NOTES

- A EXIST COMPACT SHELVING TO BE REMOVED. CONTRACTOR TO COORDINATE WITH CLIENT FOR DISPOSAL.
- B EXIST FLOOR TRACK TO BE REMOVED

DEMOLITION NOTES:


1. THE PLANS ON THIS PAGE ARE BASED ON A LIMITED SURVEY OF THE EXISTING CONDITIONS. THE CONTRACTOR SHALL VERIFY ALL CONDITIONS SHOWN AND BECOME FAMILIAR WITH SITE CONDITIONS PRIOR TO BEGINNING WORK.
2. THE CONTRACTOR SHALL DEMOLISH AND REMOVE FROM THE CONSTRUCTION AREA ELEMENTS WITHIN THE AREA OF THE NEW WORK WHICH ARE NOT A PART OF THE NEW WORK, AND ARE NOT TO BE SAVED.
3. THE CONTRACTOR SHALL REMOVE, CAP, OR CONCEAL BEHIND FINISHED SURFACES ANY PROJECTING OR SURFACE MOUNTED ITEMS WHICH ARE NOT A PART OF THE NEW CONDITION.
4. THE CONTRACTOR SHALL PATCH AND LEVEL THE EXISTING FLOOR SURFACE WHERE DEMOLITION CAUSES UNEVENNESS OR Voids.
5. THE CONTRACTOR SHALL PROVIDE SHORING, BRACING, OR OTHER SUPPORT AS REQUIRED DURING DEMOLITION.
6. PROTECT EXISTING STRUCTURES AND UTILITIES WHICH ARE NOT TO BE DEMOLISHED.
7. CONTRACTOR TO PROVIDE, ERECT AND MAINTAIN TEMPORARY BARRIERS AS REQUIRED FOR SAFETY AND IN ORDER TO PROVIDE A COMPLETE DUST FREE ENVIRONMENT.
8. PROTECT EXISTING STRUCTURES AND UTILITIES WHICH ARE NOT TO BE DEMOLISHED.
9. PREVENT MOVEMENT AND SETTLEMENT OF ADJACENT STRUCTURES, PROVIDE BRACING AND SHORING AS NECESSARY.
10. MARK LOCATION OF UTILITIES.
11. CEASE OPERATIONS IMMEDIATELY IF ADJACENT STRUCTURES APPEAR TO BE IN DANGER. NOTIFY ENGINEER BEFORE PROCEEDING.
12. DO NOT INTERFERE WITH NORMAL BUSINESS ACTIVITIES.

REVISIONS	DATE

RETIT

ENGINEERING • ARCHITECTURE • CONSTRUCTION MANAGEMENT

1787 POMONA RD., STE. D
CORONA, CALIFORNIA 92678
PHONE (951) 736-8161
FAX (951) 736-9879



OWNER/CLIENT
CITY OF CORONA
400 S. VICENTIA AVE
CORONA, CA 92882


PROJECT TITLE
CORONA PUBLIC LIBRARY –
HERITAGE ROOM T.I.
650 S. MAIN ST.
CORONA, CA 92882

SHEET TITLE
DEMOLITION PLAN

DATE 2/8/23
DRAWN RC
CHECKED _____
JOB NO. 22040
SCALE AS SHOWN
DRAWING No. 22-109


D-1
REV. **00**

CIP MANAGER/ASSIST CITY ENGINEER _____ DATE _____
SAVAT KHAMPHOU, PE, PLS _____ DATE _____
CITY ENGINEER
R.C.E. NO. 62019



ENLARGED DEMO PLAN

1/8"=1'-0" 2



LEGEND:

- EXIST TO REMAIN
- EXISTING TO BE REMOVED
- EXIST ELECT OUTLET
- EXIST DATA JACK
- FE EXIST FIRE EXTINGUISHER

KEY NOTES

- ① EXIST EXTERIOR WALL
- ② EXIST WINDOW
- ③ EXIST INTERIOR PARTITION WALL
- ④ EXIST CARPET
- ⑤ EXIST BUILDING COLUMN FURRED OUT
- ⑥ EXIST ELEVATOR
- ⑦ EXIST SECURITY CAMERA (ABOVE)
- ⑧ EXIST CURB
- ⑨ EXIST BEAM FURRED OUT
- ⑩ EXIST PULL STATION FIRE ALARM

DEMOLITION NOTES

- A PORTION OF EXIST STUD WALL TO BE REMOVED
- B EXIST ELECT SWITCH TO BE REMOVED & CAPPED
- C EXIST DOOR, HARDWARE & FRAME TO BE REMOVED
- D EXIST OUTLET TO BE REMOVED & CAPPED
- E EXIST STUD WALL TO BE REMOVED
- F EXIST WALL & BASE CABINETY TO BE REMOVED
- G EXIST SINK TO BE REMOVED. CAP WATER & DRAIN LINES
- H EXIST LOCK BOX TO BE RELOCATED. CONTRACTOR TO COORDINATE WITH CLIENT FOR NEW LOCATION/INSTALLATION
- J EXIST HEAT PUMP CONTROL TO BE RELOCATED. CONTRACTOR TO COORDINATE WITH CLIENT FOR NEW LOCATION/INSTALLATION
- K EXIST ELECT PANEL TO BE RELOCATED. CONTRACTOR TO COORDINATE WITH CLIENT FOR NEW LOCATION/INSTALLATION. CONTRACTOR TO MODIFY WIRING AS NECESSARY PER CODE
- L EXIST WINDOW & FRAME TO BE REMOVED
- M EXIST TIMER TO BE RELOCATED. CONTRACTOR TO COORDINATE WITH CLIENT FOR NEW LOCATION/INSTALLATION
- N EXIST THERMOSTAT BE RELOCATED. CONTRACTOR TO COORDINATE WITH CLIENT FOR NEW LOCATION/INSTALLATION. CONTRACTOR TO MODIFY WIRING AS NECESSARY PER CODE
- O EXIST DISPLAY CASE TO BE REMOVED. CONTRACTOR TO COORDINATE WITH CLIENT FOR DISPOSAL
- P EXIST GUARDRAILING TO BE REMOVED
- R EXIST DIRECTIONAL EXIT SIGN TO BE RELOCATED
- S EXIST CEILING MOUNTED TRACK LIGHTING TO BE REMOVED & CAPPED. CONTRACTOR TO COORDINATE WITH CLIENT FOR DISPOSAL
- T EXIST EXIT SIGN TO BE RELOCATED
- U EXIST DATA/PHONE JACK TO BE REMOVED & CAPPED
- V EXIST PULL STATION FIRE ALARM TO BE RELOCATED. CONTRACTOR TO COORDINATE WITH CLIENT FOR NEW LOCATION/INSTALLATION & CORONA FIRE DEPT

DEMOLITION NOTES:

1. THE PLANS ON THIS PAGE ARE BASED ON A LIMITED SURVEY OF THE EXISTING CONDITIONS. THE CONTRACTOR SHALL VERIFY ALL CONDITIONS SHOWN AND BECOME FAMILIAR WITH SITE CONDITIONS PRIOR TO BEGINNING WORK.
2. THE CONTRACTOR SHALL DEMOLISH AND REMOVE FROM THE CONSTRUCTION AREA ELEMENTS WITHIN THE AREA OF THE NEW WORK WHICH ARE NOT A PART OF THE NEW WORK, AND ARE NOT TO BE SAVED.
3. THE CONTRACTOR SHALL REMOVE, CAP, OR CONCEAL BEHIND FINISHED SURFACES ANY PROJECTING OR SURFACE MOUNTED ITEMS WHICH ARE NOT A PART OF THE NEW CONDITION.
4. THE CONTRACTOR SHALL PATCH AND LEVEL THE EXISTING FLOOR SURFACE WHERE DEMOLITION CAUSES UNEVENNESS OR VOIDS.
5. THE CONTRACTOR SHALL PROVIDE SHORING, BRACING, OR OTHER SUPPORT AS REQUIRED DURING DEMOLITION.
6. PROTECT EXISTING STRUCTURES AND UTILITIES WHICH ARE NOT TO BE DEMOLISHED.
7. CONTRACTOR TO PROVIDE, ERECT AND MAINTAIN TEMPORARY BARRIERS AS REQUIRED FOR SAFETY AND IN ORDER TO PROVIDE A COMPLETE DUST FREE ENVIRONMENT.
8. PROTECT EXISTING STRUCTURES AND UTILITIES WHICH ARE NOT TO BE DEMOLISHED.
9. PREVENT MOVEMENT AND SETTLEMENT OF ADJACENT STRUCTURES, PROVIDE BRACING AND SHORING AS NECESSARY.
10. MARK LOCATION OF UTILITIES.
11. CEASE OPERATIONS IMMEDIATELY IF ADJACENT STRUCTURES APPEAR TO BE IN DANGER. NOTIFY ENGINEER BEFORE PROCEEDING.
12. DO NOT INTERFERE WITH NORMAL BUSINESS ACTIVITIES.

REVISED	DATE

PETTIT

ENGINEERING • ARCHITECTURE • CONSTRUCTION MANAGEMENT

1787 POWONA RD. STE. D
CORONA, CALIFORNIA 92878
PHONE (951) 736-8161
FAX (951) 736-9879

OWNER/CLIENT	
CITY OF CORONA	
400 S. VICENTIA AVE CORONA, CA 92882	
PROJECT TITLE	
CORONA PUBLIC LIBRARY – HERITAGE ROOM T.I. 650 S. MAIN ST. CORONA, CA 92882	
SHEET TITLE	
DEMOLITION PLAN	

DATE	2/8/23
DRAWN	RC
CHECKED	
JOB NO.	22040
SCALE	AS SHOWN
DRAWING No. 22-110	

CIP MANAGER/ASSIST CITY ENGINEER	DATE	SAVAT KHAMPHOU, PE, PLS	DATE
		CITY ENGINEER	
		R.C.E. NO. 62019	

D-11


REV. 00

SIXTH STREET

N 82°44'12"W 385.22'

SEE SHEET A-1.3.2 FOR DRIVE CLOSURE NOTES AND DETAILS

FOR CONSTRUCTION OF THIS PORTION OF THE SEWER SEE ARCHITECTURAL PLANS SHEET P-1



BUILDING SECTION DETAIL "F-F"
N.T.S.

NOTE:- SEE ARCHITECTURAL SITE PLAN SHEET A-1.1.1 FOR LAYOUT DIMENSIONS ADJACENT TO BUILDING ADDITION

CONSTRUCTION NOTES

- 1 Place 3" thick A.C. paving over 7" thick crushed aggregate base per City of Corona Std. and soils engineers recommendations.
- 2 Construct handicap ramp per City of Corona Std. 104-0.
- 3 Construct type 6-A concrete curb only per City of Corona Std. 104-0.
- 4 Construct sidewalk per City of Corona Std. 103.
- 5 Construct type 6 - 6" high concrete curb and gutter per City of Corona Std. 104-0.
- 6 Construct 4' wide concrete ribbon gutter per detail shown hereon and City of Corona standards.
- 7 Construct concrete cross-gutter per City of Corona Std. 106.
- 8 Construct modified handicap ramp per detail shown hereon.
- 9 Construct schedule 80 P.V.C. water/ electrical sleeve. Size as noted; see typical trench detail shown hereon.
- 10 Construct parkway underdrain per City of Corona Std. 107-0.
- 11 Construct A.C. overlay per City of Corona Standard.
- 12 Install 12" x 12" Brooks Products No. 1212 6 parkway drain grate or approved equal.
- 13 Construct fire hydrant lateral and connection per City of Corona modified Std. 412.
- 14 Construct concrete curb through.
- 15 Adjust to grade.
- 16 Construct 8" P.V.C. 10-900, CL150 waterline per City of Corona specifications.
- 17 Construct hot tap connection using a power seal model 3490 S.S. tapping sleeve with 8" R.S. gate valve or approved equal.
- 18 Construct hot tap connection using a power seal model 3490 S.S. tapping sleeve with 8" R.S. gate valve or approved equal.
- 19 Construct 6" CL150 waterline stub and 6" R.S. gate valve for future fire service.
- 20 Construct 6" sewer lateral per City of Corona Standard No. 305. (Flat wye)

NOTE: SITE PLAN PREPARED BY ANOTHER COMPANY AND APPROVED BY CITY OF CORONA IN 1991. USED HERE AS REFERENCE.

(E) CORONA PUBLIC LIBRARY

PARCEL 1

LIBRARY

ERSIDE TOMAS

FF = 678.87

LEGEND:

→ → → ADA ACCESSIBLE ROUTE OF TRAVEL CLEAR PATH WITH NO OBSTRUCTIONS & LEVEL FLOOR SURFACE ENTIRE PATH. 5% MAX SLOPE & 2% MAX CROSS SLOPE

NOTE: WALKS AND SIDEWALKS SHALL HAVE A CONTINUOUS COMMON SURFACE, NOT INTERRUPTED BY STEPS OR BY ANY ABRUPT CHANGES IN LEVEL EXCEEDING 1/2" PER 11B-302, AND SHALL BE A MINIMUM OF 48" IN WIDTH. WALKING SURFACES CROSS SLOPES SHALL NOT BE STEEPER THAN 1:48.

1 STORY BLOCK BUILDING
FF = 468.80

PARCEL 4

CONSTRUCT 122 L.F. OF 8" C-900, CL150 PVC WATER LINE

SEE SHEET 11 OF 17

EXIST. PARKING LOT

SEVENTH STREET

N 82°48'32"W 385.07'

SEE ARCHITECTURAL SHEET A-1.3.2 FOR DRIVE CLOSURE NOTES AND DETAILS

SCALE: 1" = 20'

REFERENCE ONLY

IFD
 3881 Linden Street, Suite 200
 P.O. Box 403
 Corona, CA 92626
 Phone: 951-744-8888
 Fax: 951-744-8888

Designed by: M. SAMBITO
 Drawn by: C. FARABOLLEN
 Checked by: J.M. FARAH
 2064.2065
 W-288.1897A.1899
 Reference Plans for these improvements:
 Date: 1/18/91
 R.C.E. No. 44521 EXP. 3/3/94


BENCH MARK FOUND 2-1/2" BRASS DISK STAMPED C-116 & NORTH OF N.W. COR AT INT. OF SIXTH AND MAIN.
 Scale: 1" = 20'
 Engineering: [Signature]
 Utilities: [Signature]
 Date: [Signature]

Approved: JUNE 3, 1991
 by: [Signature]
 District City Engineer

CITY OF CORONA
PUBLIC LIBRARY EXPANSION
PRECISE GRADING & SITE IMPROVEMENT PLAN

Sheet No: 91-048
 A-1

REFERENCE ONLY



NOTE:
FLOOR PLAN PREPARED BY:
ANOTHER COMPANY AND APPROVED
BY CITY OF CORONA IN 1991.
USED HERE AS REFERENCE


LEGEND:
→ → → PATH OF EXIT TRAVEL

LEGEND

	EXIST. WALL/STRUCTURE TO REMAIN
	6" STEEL STUD WALL (U.N.O.)
	6" STEEL STUD WALL W/4" STEEL STUD FRAMING
	CONCRETE MASONRY UNIT (C.M.U.)
	POURED CONCRETE WALL/STRUCTURE
	MASONRY BLOCK WALL/STRUCTURE W/4" STEEL STUD FRAMING

INTERIOR ELEVATION REFERENCE INDEX

NO.	DIRECTION	ROOM NAME	Sheet No.	NO.	DIRECTION	ROOM NAME	Sheet No.
1	N.E.W.	Reception	A-110	29	N.E.W.	Storage	A-110
2	N.E.W.	Lobby	A-110	30	N.E.W.	Proposals	A-110
3	N.E.W.	Men's	A-110	31	N.E.W.	Storage	A-110
4	N.E.W.	Women's	A-110	32	N.E.W.	Storage	A-110
5	N.E.W.	Child Study / Health Care	A-110	33	N.E.W.	Storage	A-110
6	N.E.W.	Children's Services Office	A-110	34	N.E.W.	Storage	A-110
7	N.E.W.	Pop Culture	A-110	35	N.E.W.	Storage	A-110
8	N.E.W.	Children's Reading	A-110	36	N.E.W.	Storage	A-110
9	N.E.W.	Low Vision Library	A-110	37	N.E.W.	Storage	A-110
10	N.E.W.	Typing	A-110	38	N.E.W.	Storage	A-110
11	N.E.W.	Computer	A-110	39	N.E.W.	Storage	A-110



Charles Walton Associates AIA Incorporated
Architecture - Planning - Interior Design
320 Arden Avenue - Suite 210
Glendale, California 91203
818-240-5456

Corona Public Library Expansion
650 South Main Street
Corona, California 91720-3493
For: City of Corona
815 West Sixth Street, Corona, California 91720


CITY OF CORONA
PUBLIC WORKS DEPARTMENT
June 2, 1991
APPROVED BY
Short Title

Main Level Floor Plan South
Scale: 1/8" = 1'-0"
Consultant

Revisions	Date
△	
△	
△	
△	
△	


Sheet No. 91-048
Drawn: M.W.
Checked: T.L.
Date: _____
A-2

Scanned with CamScanner



ENLARGED FLOOR PLAN

3/8"=1'-0"



LEGEND:

- EXIST TO REMAIN
- EXIST ELECT SWITCH
- EXIST ELECT OUTLET
- NEW ELECT OUTLET AS REFERENCE. CONTRACTOR TO RUN WIRING AS NEEDED PER CODE
- NEW DATA JACK AS REFERENCE. CONTRACTOR TO RUN WIRING AS NEEDED PER CODE

KEY NOTES


- ① — EXIST EXTERIOR WALL
- ② — EXIST WINDOW
- ③ — EXIST INTERIOR PARTITION WALL
- ④ — NEW CARPET & PADDING TO BE SELECTED BY CLIENT; INSTALLED BY CONTRACTOR
- ⑤ — NEW WORKSTATION TABLE SELECTED BY CLIENT. EXPOSED CORNERS TO BE CHAMFERED OR HAVE RADIUS. ACCESSIBLE (ADA) WORK SURFACE TOPS SHALL BE 28" MIN AND 34" MAX ABOVE THE FINISH SURFACE

NOTES:

1. INTERIOR FINISHES, PAINT COLORS, CARPET, FLOORING, CEILING-TILES, ETC WILL BE SELECTED BY CLIENT AND INSTALLED BY CONTRACTOR. CONTRACTOR TO COORDINATE AND PROVIDE SAMPLES TO CLIENT PRIOR TO ORDERING/INSTALLING.
2. NEW ELECTRICAL SHOWN AS REFERENCE. CONTRACTOR TO COORDINATE WITH CLIENT FOR FINAL LOCATION & QUANTITIES.

REVISED	CHKD	DATE

PETTIT
 ENGINEERING • ARCHITECTURE • CONSTRUCTION MANAGEMENT
 1787 POWONA RD., STE. D
 CORONA, CALIFORNIA 92678
 PHONE (951) 736-8161
 FAX (951) 736-9879




OWNER/CLIENT CITY OF CORONA 400 S. VICENTIA AVE CORONA, CA 92882
PROJECT TITLE CORONA PUBLIC LIBRARY – HERITAGE ROOM T.I. 650 S. MAIN ST. CORONA, CA 92882
SHEET TITLE ENLARGED FLOOR PLAN

DATE	2/8/23
DRAWN	RC
CHECKED	
JOB NO.	22050
SCALE	AS SHOWN
DRAWING No.	22-107
A-2.1	
REV.	00

CIP MANAGER/ASSIT CITY ENGINEER	DATE	SAVAT KHAMPHOU, PE, PLS	DATE
		CITY ENGINEER	
		R.C.E. NO. 62019	

REFERENCE ONLY

NOTE:
FLOOR PLAN PREPARED BY
ANOTHER COMPANY AND APPROVED
BY CITY OF CORONA IN 1991.
USED HERE AS REFERENCE.



Charles Walton
Associates AIA
Incorporated

Architecture - Planning - Interior Design
320 Arden Avenue Suite 210
Glendale, California 91203
818 240-5456

Project
Corona Public Library Expansion
650 South Main Street
Corona, California 91720-3493
For: City of Corona
815 West Sixth Street, Corona,
California 91720

CITY OF CORONA
PUBLIC WORKS DEPARTMENT
June 3, 1991
APPROVED

Sheet Title
Mezzanine Floor Plan
Scale: 1/16" = 1'-0"


Consultant

Revisions	Date
△	
△	
△	
△	
△	
△	

LEGEND:
→ → → PATH OF EXIT TRAVEL

□ INDICATES EXISTING BUILDING AREA
— OCCUPANCY SEPARATION WALL - FINISH FLOOR TO STRUCT. ABOVE. (ONE-HOUR CONSTRUCTION)
- - - ONE-HOUR FIRE RATED WALL - FINISH FLOOR TO STRUCT. ABOVE


LEGEND




KEY PLAN

Job No. 91-048
Drawn W.P.N.
Checked T.L.
Date 3 June 1991 of Sheets

A-2.2



ENLARGED FLOOR PLAN 2
1/8"=1'-0"



LEGEND:

- EXIST TO REMAIN
- EXIST FIRE EXTINGUISHER
- EXIST ELECT OUTLET
- EXIST DATA JACK
- NEW ELECT SWITCH/SENSOR AS REFERENCE. CONTRACTOR TO COORDINATE WITH CLIENT TO DETERMINE TYPE & LOCATION. CONTRACTOR TO RUN WIRING AS NEEDED PER CODE.
- NEW FLOOR ELECT OUTLET AS REFERENCE. FLUSH WITH FLOOR FINISH. CONTRACTOR TO RUN WIRING AS NEEDED PER CODE.
- NEW DATA JACK AS REFERENCE. FLUSH WITH FLOOR FINISH. CONTRACTOR TO RUN WIRING AS NEEDED PER CODE.

KEY NOTES

- 1 EXIST EXTERIOR WALL
- 2 EXIST WINDOW
- 3 EXIST INTERIOR PARTITION WALL
- 4 EXIST CARPET
- 5 EXIST BUILDING COLUMN FURRED OUT
- 6 EXIST ELEVATOR
- 7 EXIST SECURITY CAMERA (ABOVE)
- 8 EXIST CURB
- 9 EXIST BEAM FURRED OUT
- 10 EXIST PULL STATION/HORN STROBE
- 11 OUTLINE OF EXIST CEILING LINE (ABOVE)
- 12 RELOCATED EXIST EXIT SIGN. CONTRACTOR TO RUN WIRING TO COMPLY WITH CODE.
- 13 RELOCATED EXIST THERMOSTAT. CONTRACTOR TO RUN WIRING TO COMPLY WITH CODE.
- 14 RELOCATED EXIST DIRECTIONAL EXIT SIGN. CONTRACTOR TO RUN WIRING TO COMPLY WITH CODE.
- 15 NEW WORKSTATION TABLE SELECTED BY CLIENT. EXPOSED CORNERS TO BE CHAMFERED OR HAVE RADIUS. ACCESSIBLE (ADA) WORK SURFACE TOPS SHALL BE 28" MIN AND 34" MAX ABOVE THE FINISH SURFACE.
- 16 NEW STAFF REFERENCE DESK SELECTED BY CLIENT. TO BE ACCESSIBLE (ADA) COMPLIANT.
- 17 BLACK OUT WINDOW & ADD 5/8" THK GYPBD ON INTERIOR SIDE.
- 18 NEW STOREFRONT GLASS ON TOP OF 36" HIGH GYPBD LOW WALL. SEE DETAIL 19/A-3.

NOTES:

1. CLIENT RESPONSIBLE FOR SECURITY CAMERAS, QUANTITY & LOCATION. CONTRACTOR TO COORDINATE WITH CLIENT FOR INSTALLATION.
2. CONTRACTOR TO COORDINATE WITH CLIENT FOR FURNITURE LOCATION AND INSTALLATION.
3. OUR RESEARCH SHOWS ENTIRE EXISTING MEZZANINE FLOOR WAS ORIGINALLY DESIGNED AS LIBRARY LOADING.

REV. NO.	DATE	BY	CHKD	DATE


PETTIT
ENGINEERING • ARCHITECTURE • CONSTRUCTION MANAGEMENT

1787 POWONA RD., STE. D
CORONA, CALIFORNIA 92678
PHONE (951) 736-8161
FAX (951) 736-9879



OWNER/CLIENT
CITY OF CORONA 400 S. VICENTIA AVE CORONA, CA 92882
PROJECT TITLE
CORONA PUBLIC LIBRARY – HERITAGE ROOM T.I. 650 S. MAIN ST. CORONA, CA 92882
SHEET TITLE
ENLARGED FLOOR PLAN

DATE	2/8/23
DRAWN	RC
CHECKED	
JOB NO.	22050
SCALE	AS SHOWN
DRAWING No.	22-108
A-23	
REV.	00


CIP MANAGER/ASSIST CITY ENGINEER _____	DATE _____	SAVAT KHAMPHOU, PE, PLS _____ CITY ENGINEER R.C.E. NO. 62019
--	------------	--



ENLARGED FLOOR PLAN
1/2"=1'-0" **7**



ENLARGED FLOOR PLAN
1/2"=1'-0" **10**



LEGEND:


- EXIST TO REMAIN
- [FE] EXIST FIRE EXTINGUISHER
- EXIST ELECT OUTLET

KEY NOTES

- 1 EXIST EXTERIOR WALL
- 2 EXIST WINDOW
- 3 EXIST INTERIOR PARTITION WALL
- 4 EXIST CARPET
- 5 EXIST BUILDING COLUMN FURRED OUT
- 6 EXIST TEMPERATURE BOX
- 7 EXIST HANDRAIL & EXTENSION
- 8 EXIST CURB
- 9 EXIST BEAM FURRED OUT
- 10 EXIST PULL STATION FIRE ALARM
- 11 OUTLINE OF EXIST CEILING LINE (ABOVE)
- 12 RELOCATED EXIST EXIT SIGN. CONTRACTOR TO RUN WIRING TO COMPLY WITH CODE
- 13 NEW STOREFRONT GLASS ON TOP OF 36" HIGH GYPBD LOW WALL. SEE DETAILS 19 & 20/THIS SHEET
- 14 NEW 3'-0" WIDE x 7'-0" HIGH GLASS STOREFRONT DOOR W/ FIXED GLASS TRANSOM ABOVE, TEMPERED GLASS, 13" HIGH MIN BOTTOM RAIL, HANDLE ON EXTERIOR SIDE, PUSH PLATE ON INTERIOR SIDE, LOCK & KEY, SELECTED BY CLIENT. SEE DETAIL 19/THIS SHEET


REVISIONS	DATE

PETTIT ENGINEERING • ARCHITECTURE • CONSTRUCTION MANAGEMENT
 1787 POWONA RD, STE. D
 CORONA, CALIFORNIA 92678
 PHONE (951) 736-8161
 FAX (951) 736-9879



ENLARGED FLOOR PLAN
1/2"=1'-0" **14**


NOTE:
 FOR NEW STOREFRONT AND NEW GLASS DOOR, CONTRACTOR TO MATCH EXISTING ON 1ST FLOOR. SEE DETAIL 15/THIS SHEET. POSSIBLE COMPANY IS "STEELCASE". CONTRACTOR TO GET CLIENTS APPROVAL PRIOR TO ORDERING/INSTALLING.




REFERENCE STOREFRONT
(1ST FLOOR) N.T.S. **15**

INC


REGISTERED PROFESSIONAL ENGINEER
 STATE OF CALIFORNIA
 No. 48444
 12/1/24



NEW STOREFRONT ELEVATION
(LOOKING NORTH)
3/8"=1'-0" **19**



STUD WALL CONNECTION DETAIL
3"=1'-0" **20**



CIP MANAGER/ASSIST CITY ENGINEER _____ DATE _____
 SAVAT KHAMPHOU, PE, PLS _____ DATE _____
 CITY ENGINEER
 R.C.E. NO. 62019

OWNER/CLIENT
 CITY OF CORONA
 400 S. VICENTIA AVE
 CORONA, CA 92682

PROJECT TITLE
 CORONA PUBLIC LIBRARY - HERITAGE ROOM T.I.
 650 S. MAIN ST.
 CORONA, CA 92682

SHEET TITLE
 ENLARGED PLANS & INTERIOR ELEVATION

DATE 2/8/23
 DRAWN RC
 CHECKED _____
 JOB NO. 22050
 SCALE AS SHOWN
 DRAWING No. 23-025

A-3
 REV. **00**