



ONE COMPANY, MANY SOLUTIONS

# INNOVATIVE PROPOSAL



FOR: City of Corona

BY: Jason Harrow

DATE: February 21, 2024

COPIERS  
PRINTERS  
WIDE FORMAT  
3D TECHNOLOGY

WORKFLOW  
SOLUTIONS  
DOCUMENT  
MANAGEMENT

IT SERVICES  
VOIP / PHONES  
CONTINUITY  
PLANNING

CREATE ● COLLABORATE ● CONNECT ● COMMUNICATE





ONE COMPANY, MANY SOLUTIONS

EXHIBIT "A"

SCOPE OF SERVICES

- 22 - Kyocera TASKalfa 3554ci - 35 ppm A3 Color MFP
    - ❖ Includes: Single Pass Duplex Scanner, 2-Drawers & Cabinet
    - ❖ PaperCut MF Software and Access Card Reader
  - 14 - Kyocera TASKalfa 5054ci - 50 ppm A3 Color MFP
    - ❖ Includes: Single Pass Duplex Scanner, 2-Drawers & Cabinet
    - ❖ PaperCut MF Software and Access Card Reader
  - 8 - Kyocera TASKalfa 6054ci - 60 ppm A3 Color MFP
    - ❖ Includes: Single Pass Duplex Scanner, 2-Drawers and Cabinet
    - ❖ PaperCut MF Software and Access Card Reader
  - 1 - Kyocera TASKalfa 9003i - 90 ppm A3 B/W MFP
    - ❖ Includes: Single Pass Duplex Scanner, 4 Drawers (4,000 sheet capacity)
    - ❖ 4,000 Sheet Finisher, w/ 65-page stapling
    - ❖ PaperCut MF Software and Access Card Reader
  - 2 - Kyocera TASKalfa 8353ci - 83 ppm A3 Color MFP
    - ❖ Includes: Single Pass Duplex Scanner, 4 Drawers (4,000 sheet capacity)
    - ❖ 4,000 Sheet Finisher, W. 65 Page Stapling
    - ❖ PaperCut MF Software and Access Card Reader
  - 2 - Kyocera Ecosys MA4000cix - 37 ppm A4 Color MFP
  - 3 - Kyocera Ecosys PA4500ci - 47 ppm A4 Color Printer
  - 70 - Kyocera Ecosys PA4500x - 47 ppm A4 Mono Printer
  - 107 - Kyocera Ecosys PA3500cx - 37 ppm A4 Color Printer
- ❖ Additional Finishers, Booklet Folding Units, Paper Drawers, Hole-Punch, Fax and other accessories available at additional cost.

EXHIBIT "B"

SCHEDULE OF SERVICES

Price Includes:

- ❖ Unlimited B/W Copies & Prints
- ❖ Unlimited Color Copies & Prints
- ❖ 2 - 4-hour response time on-site Service
- ❖ All Parts, Software, Firmware
- ❖ All Toner W/ Free Shipping

**\$13,980.00 per month**

- ❖ You can increase or decrease the number of PA4500x or PA3500cx Printers at \$10.00 per month each.

**CREATE ● COLLABORATE ● CONNECT ● COMMUNICATE**



# Schedule "A" page 1

**CUSTOMER NAME: City of Corona**

**Non**

**Exception Reporting**

Exception Device	Reporting Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
<input type="checkbox"/>	1	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	2	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	3	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	4	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	5	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	6	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	7	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	8	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	9	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	10	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	11	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	12	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	13	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	14	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	15	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	16	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	17	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	18	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	19	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	20	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	21	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	22	<input type="checkbox"/>	Kyocera	TASKalfa 3554ci			0	0
<input type="checkbox"/>	23	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0
<input type="checkbox"/>	24	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0
<input type="checkbox"/>	25	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0
<input type="checkbox"/>	26	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0
<input type="checkbox"/>	27	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0
<input type="checkbox"/>	28	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0
<input type="checkbox"/>	29	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0
<input type="checkbox"/>	30	<input type="checkbox"/>	Kyocera	TASKalfa 6054ci			0	0

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE
Authorized Signature/Date	Print Name	Title	Signature

# Schedule "A" page 2

CUSTOMER NAME: **City of Corona**

Non

Exception Reporting

Exception Device	Reporting Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
<input type="checkbox"/>	1	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	2	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	3	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	4	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	5	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	6	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	7	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	8	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	9	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	10	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	11	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	12	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	13	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	14	<input type="checkbox"/>	Kyocera	TASKalfa 5054ci			0	0
<input type="checkbox"/>	15	<input type="checkbox"/>	Kyocera	TASKalfa 9003i			0	0
<input type="checkbox"/>	16	<input type="checkbox"/>	Kyocera	TASKalfa 8353ci			0	0
<input type="checkbox"/>	17	<input type="checkbox"/>	Kyocera	TASKalfa 8353ci			0	0
<input type="checkbox"/>	18	<input type="checkbox"/>	Kyocera	TASKalfa 7353ci			0	0
<input type="checkbox"/>	19	<input type="checkbox"/>	Kyocera	TASKalfa 7353ci			0	0
<input type="checkbox"/>	20	<input type="checkbox"/>	Kyocera	ECOSYS MA4000cix			0	0
<input type="checkbox"/>	21	<input type="checkbox"/>	Kyocera	ECOSYS MA4000cix			0	0
<input type="checkbox"/>	22	<input type="checkbox"/>	Kyocera	ECOSYS PA4500ci			0	0
<input type="checkbox"/>	23	<input type="checkbox"/>	Kyocera	ECOSYS PA4500ci			0	0
<input type="checkbox"/>	24	<input type="checkbox"/>	Kyocera	ECOSYS PA4500ci			0	0
<input type="checkbox"/>	25	<input type="checkbox"/>	ACDI	RSX1000 - pay terminal			n/a	n/a
<input type="checkbox"/>	26	<input type="checkbox"/>	ACDI	RSX1000 - pay terminal			n/a	n/a
<input type="checkbox"/>	27	<input type="checkbox"/>	ACDI	RSX1000 - pay terminal			n/a	n/a
<input type="checkbox"/>	28	<input type="checkbox"/>						
<input type="checkbox"/>	29	<input type="checkbox"/>						
<input type="checkbox"/>	30	<input type="checkbox"/>						

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE
Authorized Signature/Date	Print Name	Title	Signature

# Schedule "A" page 3

CUSTOMER NAME: City of Corona

Non Reporting		Exception Device	Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
<input type="checkbox"/>	1	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	2	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	3	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	4	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	5	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	6	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	7	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	8	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	9	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	10	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	11	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	12	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	13	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	14	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	15	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	16	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	17	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	18	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	19	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	20	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	21	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	22	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	23	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	24	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	25	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	26	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	27	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	28	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	29	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/>	30	<input type="checkbox"/>		Kyocera	ECOSYS PA4500x				0	0

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE
Authorized Signature/Date	Print Name	Title	Signature

# Schedule "A" page 4

CUSTOMER NAME: **City of Corona**

Non

Exception Reporting

Exception Device	Reporting Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
<input type="checkbox"/> 1	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 2	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 3	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 4	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 5	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 6	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 7	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 8	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 9	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 10	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 11	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 12	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 13	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 14	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 15	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 16	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 17	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 18	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 19	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 20	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 21	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 22	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 23	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 24	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 25	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 26	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 27	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 28	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 29	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0
<input type="checkbox"/> 30	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x				0	0

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE
Authorized Signature/Date	Print Name	Title	Signature

# Schedule "A" page 5

CUSTOMER NAME: **City of Corona**

Non

Exception Reporting

Exception Device	Reporting Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
<input type="checkbox"/>	1	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	2	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	3	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	4	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	5	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	6	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	7	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	8	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	9	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	10	<input type="checkbox"/>	Kyocera	ECOSYS PA4500x			0	0
<input type="checkbox"/>	11	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	12	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	13	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	14	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	15	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	16	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	17	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	18	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	19	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	20	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	21	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	22	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	23	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	24	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	25	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	26	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	27	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	28	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	29	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	30	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE	
Authorized Signature/Date	Print Name	Title	Signature	

# Schedule "A" page 6

CUSTOMER NAME: **City of Corona**

Non

Exception Reporting

Exception Device	Reporting Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
<input type="checkbox"/> 1	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 2	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 3	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 4	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 5	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 6	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 7	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 8	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 9	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 10	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 11	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 12	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 13	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 14	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 15	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 16	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 17	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 18	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 19	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 20	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 21	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 22	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 23	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 24	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 25	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 26	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 27	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 28	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 29	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
<input type="checkbox"/> 30	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE
Authorized Signature/Date	Print Name	Title	Signature



# Schedule "A" page 7

CUSTOMER NAME: City of Corona

Non

Exception Reporting

Device	Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
<input type="checkbox"/>	1	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	2	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	3	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	4	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	5	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	6	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	7	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	8	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	9	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	10	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	11	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	12	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	13	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	14	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	15	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	16	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	17	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	18	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	19	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	20	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	21	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	22	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	23	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	24	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	25	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	26	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	27	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	28	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	29	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0
<input type="checkbox"/>	30	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx			0	0

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE
Authorized Signature/Date	Print Name	Title	Signature

# Schedule "A" page 8

CUSTOMER NAME: **City of Corona**

	Exception Device	Non Reporting Device	Manufacturer	Model #	Serial #	Location	IP Address	B/W Meter	Color Meter
1	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
2	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
3	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
4	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
5	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
6	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
7	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
8	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
9	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
10	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
11	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
12	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
13	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
14	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
15	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
16	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
17	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
18	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
19	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
20	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
21	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
22	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
23	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
24	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
25	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
26	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
27	<input type="checkbox"/>	<input type="checkbox"/>	Kyocera	ECOSYS PA3500cx				0	0
28	<input type="checkbox"/>	<input type="checkbox"/>							
29	<input type="checkbox"/>	<input type="checkbox"/>							
30	<input type="checkbox"/>	<input type="checkbox"/>							

**Exception Device** is defined as a device that can be supplied but cannot be covered entirely under the Service Contract for parts and repairs. AIS will monitor the exception device(s) but when service is required this device may need to be replaced with a device that can be serviced by AIS at AIS's discretion. The replacement will be with a comparable model that is also acceptable to the customer at no additional charge to the customer.

**Non Reporting Device** is defined as a device that does not automatically provide meter readings, supply levels, and service alerts. It is the customer's responsibility to alert AIS for meters, supplies, and service.

CUSTOMER ACCEPTANCE			AIS REPRESENTATIVE
Authorized Signature/Date	Print Name	Title	Signature