



# Project Conditions

## City of Corona

**Project Number: TTM2022-0001**

**Description: TTM 36864 - 7 SFR Lots**

**Applied: 2/28/2022**

**Approved:**

**Site Address: 0 0 CORONA, CA 0**

**Closed:**

**Expired:**

**Status: RECEIVED**

**Applicant: FATHI MANASRAH**

**Parent Project:**

**9319 Alta Cresta Ave Riverside CA, 92508**

**Details:**

### LIST OF CONDITIONS

DEPARTMENT	CONTACT
FIRE	Cindi Schmitz
<ol style="list-style-type: none"><li>1. All projects shall comply with the City of Corona Fire Department Site Construction Standard. A copy of which is available at the coronaca.gov. Projects shall have approved all weather access from two (2) directions and fire hydrants providing the required fire flow tested and accepted prior to combustible construction.</li><li>2. Provide turn-around for access drive(s) meeting Fire Department standards/approval.</li><li>3. Provide a minimum twenty-five (25) foot inside and fifty (50) foot outside radius for access drive(s).</li><li>4. Street and drive grades shall not exceed 10% unless approved by the Fire Chief and City Engineer.</li><li>5. A minimum fire flow of 1500 gallons per minute at 20 psi shall be provided for one- and two-family dwellings.</li><li>6. Fire hydrants are to be spaced a maximum 300 feet apart, one- and two-family dwellings only</li><li>7. Provide Class A roofing material on all structures per the Corona Municipal Code.</li><li>8. Groves and weed abatement shall be maintained so as not to pose a fire hazard until time of development.</li><li>9. A specific address, assigned by the City of Corona, Development Services Division, shall be provided for each building as specified by the fire department address standard which can be obtained at coronaca.gov/fire. Addresses must be illuminated during all hours of darkness.</li><li>10. Residential Fire Sprinklers shall be installed per California Fire and Residential Code, and NFPA 13.</li><li>11. In order to meet the minimum fire lane width of 28 feet, on-street parking is limited to one side of the street.</li><li>12. On one side of the street, "No Parking" fire lane signs shall be installed per the City of Corona Fire Lane Guidelines.</li></ol>	
PLANNING	Eva Choi
<ol style="list-style-type: none"><li>1. To the fullest extent permitted by law, the applicant shall defend, indemnify and hold the City of Corona and its directors, officials, officers, employees, volunteers and agents free and harmless from any and all claims, demands, causes of action, proceedings, costs, expenses, liabilities, losses, damages or injuries of any kind, in law or equity, in any manner arising out of, pertaining to, or incident to any attack against or attempt to challenge, set aside, void or annul any approval, decision or other action of the City of Corona, whether such approval, decision or other action was by its City Council, Planning and Housing Commission or other board, director, official, officer, employee, volunteer or agent. To the extent that Government Code Section 66474.9 applies, the City will promptly notify the applicant of any claim, action or proceeding made known to the City to which Government Code Section 66474.9 applies and the City will fully cooperate in the defense. The Applicant's obligations hereunder shall include, without limitation, the payment of any and all damages, consultant and expert fees, and attorney's fees and other related costs and expenses. The City shall have the right to retain such legal counsel as the City deems necessary and appropriate.</li></ol>	

# EXHIBIT 3



# Project Conditions

## City of Corona

PLANNING	Eva Choi
<ol style="list-style-type: none"><li>Nothing herein shall be construed to require City to defend any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action. If at any time Applicant chooses not to defend (or continue to defend) any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action, the City may choose, in its sole discretion, to defend or not defend any such action. In the event that the City decides not to defend or continue the defense, Applicant shall be obligated to reimburse City for any and all costs, fees, penalties or damages associated with dismissing the action or proceeding. If at any time both the Applicant and the City choose not to defend (or continue to defend) any action noted herein, all subject City approvals, decisions or other actions shall be null and void. The Applicant shall be required to enter into any reimbursement agreement deemed necessary by the City to effectuate the terms of this condition.</li><li>The project shall comply with all applicable requirements of the Corona Municipal Code (CMC) and ordinances, including the payment of all required fees. All development and use of this site shall conform to the requirements of the R-1-7.2 (Single Family Residential, 7,200 square foot minimum lots) zone and the Low Density Residential designation in the General Plan.</li><li>All retaining wall exposed to the street shall be constructed of decorative masonry.</li><li>The applicant or his successor in interest shall comply with the mitigation measures established in the Mitigated Negative Declaration prepared for TTM 36864.</li><li>At the time of the map's plan check submittal, the applicant shall submit lot closure calculations for the lots to the Planning and Development Department for review.</li><li>The project is subject to Riverside County's Multiple Species Habitat Conservation Plan fee, which shall be paid at the time of building permit issuance.</li><li>Provide a decorative perimeter wall along the west tract boundary line.</li><li>The tentative tract map shall be recorded prior to issuance of a building permit.</li><li>Prior to issuance of a grading permit for Lot 1, City staff shall have written confirmation from the Federal Emergency Management Agency that the Tuscany Villa residential development has received approval for a Conditional Letter of Map Revision which effectively remove TTM 36864 from the Special Flood Hazard Area thereby allowing development on Lot 1.</li></ol>	
PUBLIC WORKS	
<ol style="list-style-type: none"><li>The Planning and Development Department, Public Works Department, and Utilities Department conditions of approval for the subject application shall be completed at no cost to any government agency. All questions regarding the intent of the conditions shall be referred to the Planning and Development Department, Development Services Division. Should a conflict arise between City of Corona standards and design criteria and any other standards and design criteria, City of Corona standards and design criteria shall prevail.</li><li>The developer shall comply with the State of California Subdivision Map Act and all applicable City ordinances and resolutions.</li><li>Prior to map recordation or issuance of grading permit, the applicant shall demonstrate to the satisfaction of the Public Works Director that the proposed subdivision will not unreasonably interfere with the use of any easement holder of the property.</li><li>All improvement and grading plans shall be drawn on twenty-four (24) inch by thirty-six (36) inch Mylar and signed by a registered civil engineer or other registered/licensed professional as required.</li><li>The submitted tentative tract map shall correctly show all existing easements, traveled ways, and drainage courses. Any omission or misrepresentation of these documents may require said tentative tract map to be resubmitted for further consideration.</li><li>The tentative tract shall be recorded as one final tract map, and shall be developed as one tract. Financial security shall be provided for all improvements within the tract prior to final tract map approval.</li><li>In the event that off-site right-of-way or easements are required for the City of Corona master plan facilities to comply with these conditions of approval, the developer is required to secure such right-of-way or easements at no cost to the City.</li><li>All existing and new utilities adjacent to and on-site shall be placed underground in accordance with City of Corona ordinances.</li><li>Prior to issuance of a Certificate of Occupancy, the developer shall cause the engineer of record to submit project base line work for all layers in AutoCAD DXF format on Compact Disc (CD) to the Public Works Department. If the required files are unavailable, the developer shall pay a scanning fee to cover the cost of scanning the as-built plans.</li></ol>	



# Project Conditions

## City of Corona

### PUBLIC WORKS

10. The developer shall monitor, supervise and control all construction and construction related activities to prevent them from causing a public nuisance including, but not limited to, insuring strict adherence to the following:
  - a) Removal of dirt, debris or other construction material deposited on any public street no later than the end of each working day.
  - (b) Construction operations, including building related activities and deliveries, shall be restricted to Monday through Saturday from 7:00 a.m. to 8:00 p.m., excluding holidays, and from 10:00 a.m. to 6:00 p.m. on Sundays and holidays, in accordance with City Municipal Code 15.04.060, unless otherwise extended or shortened by the Public Works Director or Building Official.
  - (c) The construction site shall accommodate the parking of all motor vehicles used by persons working at or providing deliveries to the site.

Violation of any condition or restriction or prohibition set forth in these conditions shall subject the owner, applicant, developer or contractor(s) to remedies as noted in the City Municipal Code. In addition, the Public Works Director or Building Official may suspend all construction related activities for violation of any condition, restriction or prohibition set forth in these conditions until such time as it has been determined that all operations and activities are in conformance with these conditions.

11. Prior to map recordation or issuance of a building permit, whichever occurs first, the developer shall finish the construction or post security guaranteeing the construction of all public improvements. Said improvements shall include, but are not limited to, the following:
  - a) All street facilities on Street "A" and Corona Avenue.
  - b) All drainage facilities including the construction or reconstruction of catch basins and storm drain pipe as required by the approval Drainage Study and Public Improvement Plans.
  - c) All required grading, including erosion control.
  - d) All required sewer and water facilities.
  - e) All required landscaping facilities.
  - f) All under grounding of overhead utilities, except for cables greater than 32k volts.
12. All the grading design criteria shall be per City of Corona standards, Corona Municipal Code Title 15 Chapter 15.36 and City Council Ordinance Number 2568, unless otherwise approved by the City Engineer or qualified designee.
13. Prior to approval of grading plans, the applicant shall submit two (2) copies of a soils and geologic report prepared by a Registered Engineer to the Planning and Development Department, Development Services Division. The report shall address the soil's stability and geological conditions of the site. If applicable, the report shall also address: deep seated and surficial stability of existing natural slopes; modified natural slopes which are subject to fuel zones; manufactured slopes and stability along proposed daylight lines; minimum required setbacks from structures; locations and length of proposed bench drains, sub-drains or french drains; and any other applicable data necessary to adequately analyze the proposed development.
14. Prior to approval of grading plans, erosion control plans and notes shall be submitted and approved by the Planning and Development Department, Development Services Division.
15. Prior to approval of grading plans, the applicant shall obtain a General Construction Activity Storm Water Permit from the State Water Resources Control Board in compliance with National Pollutant Discharge Elimination System (NPDES) requirements. Proof of filing a Notice of Intent (NOI) will be required by the City. The WDD # shall be displayed on the title sheet of the grading plans.
16. Prior to approval of grading plans, the applicant shall comply with the Federal Clean Water Act and shall prepare a Storm Water Pollution Prevention Plan (SWPPP). The SWPPP shall be available at the project site for review.
17. Prior to issuance of grading permit or construction of any improvements, a letter will be required from a qualified botanist, plant taxonomist or field biologist specializing in native plants, stating that an investigation and/or eradication of scale broom weed (*Lepidospartum Squamatum*) has been completed.
18. Prior to the issuance of a grading permit the developer shall submit recorded slope easements or written letters of permission from adjacent landowners for any areas where grading is proposed to take place outside of the project boundaries.
19. Prior to issuance of building permits, the developer shall cause the civil engineer of record and soils engineer of record for the approved grading plans to submit pad certifications and compaction test reports for the subject lots where building permits are requested.



# Project Conditions

## City of Corona

### PUBLIC WORKS

20. Prior to release of grading security, the developer shall cause the civil engineer of record for the approved grading plans to submit a set of as-built grading plans with respect to Water Quality Control facilities.
21. Prior to issuance of any grading permit, any environmental Phase I and Phase II findings and recommended actions to remove contamination resulting from previous use of the subject site shall be implemented.
22. All City of Corona NPDES permit requirements for NPDES and Water Quality Management Plans (WQMP) shall be met per Corona Municipal Code Title 13 Chapter 13.27 and City Council Ordinance Numbers 2291 and 2828 unless otherwise approved by the Public Works Director.
23. Prior to the issuance of a grading permit, a Final WQMP, prepared in substantial conformance with the approved Preliminary WQMP, shall be submitted to the Planning and Development Department, Development Services Division for approval. Upon its final approval, the applicant shall submit one copy on a CD-ROM in PDF format.
24. Prior to the issuance of the first Certificate of Occupancy, the applicant shall record Covenants, Conditions and Restrictions (CC&R's) or enter into an acceptable maintenance agreement with the City to inform future property owners to implement the approved WQMP.
25. Prior to issuance of the first Certificate of Occupancy, the applicant shall provide proof of notification to the future homeowners and/or occupants of all non-structural BMPs and educational and training requirements for said BMPs as directed in the approved WQMP.
26. Prior to issuance of Certificate of Occupancy, the applicant shall ensure all structural post construction BMPs identified in the approved project specific Final WQMP are constructed and operational.
27. All the drainage design criteria shall be per City of Corona standards and the Riverside County Flood Control and Water Conservation District standards unless otherwise approved by the Public Works Director.
28. The project site or portion of it lies within an unmapped area or flood plain identified by FEMA for the flood plain zones-boundaries. Prior to approval of any grading plans, the applicant shall ensure that a Conditional Letter of Map Revision (CLOMR) has been filed and secure FEMA's approval for construction. Prior to the issuance of the Certificate of Occupancy the applicant shall secure FEMA's approval for the Letter of Map Revision (LOMR).
29. Prior to recordation or approval of any improvement plans, the applicant shall submit a detailed hydrology study. Said study shall include the existing, interim and the ultimate proposed hydrologic conditions including key elevations, drainage patterns and proposed locations and sizes of all existing and proposed drainage devices. The hydrology study shall present a full breakdown of all the runoff generated on- site. The study shall also evaluate the impacts of this project on off-site areas including the capacity of Corona Avenue and existing storm drain infrastructure.
30. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall address the following: The project drainage design shall be designed to accept and properly convey all on- and off-site drainage flowing on or through the site. The project drainage system design shall protect downstream properties from any damage caused by alteration of drainage patterns such as concentration or diversion of flow. All residential lots shall drain toward the street unless otherwise approved by the City Engineer. Lot drainage to the street shall be by side yard swales independent of adjacent lots or by an underground piping system.
31. Street design criteria and cross sections shall be per City of Corona standards, approved Specific Plan design guidelines and the State of California Department of Transportation Highway Design Manual unless otherwise approved by the Public Works Director.
32. Prior to map recordation or issuance of a building permit, whichever comes first, the applicant shall offer for dedication all required street rights-of-way for Street "A" (36 feet curb to curb, 42.5 feet total width) and rededicate any underlying ownership on Corona Avenue across the project frontage as a separate lettered lot. The applicant shall also dedicate a 5-foot public utility easement (PUE) along the northeasterly right-of-way line of Street "A". Said dedications shall continue in force until the City accepts or abandons such offers. All dedications shall be free of all encumbrances and approved by the Public Works Director.
33. Prior to map recordation, the applicant shall release and relinquish all vehicular access rights to the City of Corona along Corona Avenue, except at approved intersections.





# Project Conditions

## City of Corona

### PUBLIC WORKS

34. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall include the following:
  - a) All local and/or major arterial highways' vertical and horizontal alignments shall be approved by the Director of the Public Works Department.
  - b) All driveways shall conform to the applicable City of Corona standards and shall be shown on the street improvement plans.
  - c) All street intersections shall be at ninety (90) degrees or as approved by the Public Works Director.
  - d) All reverse curves shall have a minimum tangent of fifty (50) feet in length.
  - e) Under grounding of existing and proposed utility lines.
  - f) Street lights.
  - g) All other public improvements shall conform to City of Corona standards.
35. Prior to approval of improvement plans, the improvement plans shall show all the streets to be improved to half width plus ten (10) additional feet unless otherwise approved by the Public Works Director. At the discretion of the applicant, the existing pavement maybe cored to confirm adequate section and R values during the design process and any findings shall be incorporated into the project design. Therefore improvements may include full pavement reconstruction, grind and overlay, or slurry seal. All striping shall be replaced in kind.
36. Prior to release of public improvement security, the developer shall cause the civil engineer of record for the approved improvement plans to submit a set of as-built plans for review and approval by the Planning and Development Department, Development Services Division.
37. Prior to acceptance of improvements, the Public Works Director may determine that aggregate slurry, as defined in the Standard Specifications for Public Works Construction, may be required one year after acceptance of street(s) by the City if the condition of the street(s) warrant its application. All striping shall be replaced in kind. The applicant is the sole responsible party for the maintenance of all the improvements until said acceptance takes place.
38. Prior to recordation of the final map, all street names shall be approved by the Public Works Director.
39. All the potable water, reclaimed water, and sewer design criteria shall be per City of Corona Utilities Department standards and Riverside County Department of Health Services Standards unless otherwise approved by the Public Works and Utilities Department Directors.
40. Prior to issuance of any building permits, a domestic water and fire flow system shall be approved by the Public Works Department and constructed by the developer, to the satisfaction of the Public Works Director and Fire Chief.
41. Prior to final map recordation, the developer shall construct or guarantee the relocation of the existing 6-inch water main shown in Lot 1 to Corona Avenue and Street "A". The relocated water main and the section of the existing main within Street "A" shall be constructed with 8-inch DIP and designed per the Utilities Department design policy, standard plans, and specifications. The location and terminus of the relocated water main shall be subject to the approval of the Utilities Department.
42. Prior to issuance of the first Certificate of Occupancy, all weather access road(s) shall be provided to all sewer manholes not located within public right-of-way.
43. Prior to improvement plans approval, the applicant shall ensure that all water meters, fire hydrants or other water appurtenances shall not be located within a drive aisle or path of travel.
44. Prior to issuance of any building permits, the developer shall pay all water and sewer fees, including but not limited to connection fees, wastewater treatment fees, sewer capacity fees and all other appropriate water and sewer fees.
45. Prior to building permit issuance, the applicant shall construct or guarantee the construction of all required public improvements including but not limited to, the potable water line, sewer line, potable water services, and sewer laterals within the public right of way and-or easements.
46. Prior to map recordation or building permit issuance, whichever comes first, the applicant shall construct or guarantee the construction of an 8-inch Ductile Iron Pipe (DIP) water main on Street "A" in accordance with the City of Corona Utilities Department Design Policy and standards. A hydrant shall be installed at the end of the water main per the Design Policy.
47. Prior to map recordation or building permit issuance, whichever comes first, the applicant shall construct or guarantee the construction of an 8-inch SDR 26 PVC or extra-strength VCP sewer main in Street "A" in accordance with the Utilities Department Design Policy and standards.



# Project Conditions

## City of Corona

### PUBLIC WORKS

48. Fire Hydrants shall be a maximum 250-300 feet apart or as directed by the Fire Department.
49. Manhole rim elevations shall be lower than all pad elevations immediately downstream. Otherwise a back flow prevention valve will be required.
50. Static pressures exceeding 80 psi require an individual pressure regulator.
51. Reclaimed water shall be used for any construction activity, unless otherwise approved by the Utilities Director or their designee. Prior to obtaining a reclaimed construction meter from the City, a Reclaimed Water Application shall be submitted for the contractor to receive certification to handle reclaimed water.
52. The applicant shall provide a separate irrigation water service for all CFD landscaped lots or easements.
53. The landscape plans of all parkway and Landscape Maintenance District (LMD) and Community Facilities District (CFD) lots shall be prepared by a licensed Landscape Architect and shall be submitted to the City for review and approval.
54. The developer shall install automatic irrigation to all street trees separated from adjacent residences by a fence or wall prior to the issuance of a Certificate of Occupancy.
55. Prior to map recordation the applicant shall annex this project into a City of Corona Community Facilities District (CFD) 2016-1 (Public Services) and 2016-3 (Maintenance Services). All assessable parcels therein shall be subject to annual CFD charges (special taxes or assessments). The developer shall be responsible for all costs incurred during annexation into the CFDs.
56. Prior to final map recordation the applicant shall prepare a disclosure statement indicating that the property is within an Assessment District, Community Facilities District and/or Landscape Maintenance District and will be subject to an annual levy. The disclosure statement is subject to the review and approval of the Public Works Department and shall be recorded concurrently with the final map.
57. Prior to map recordation, the applicant shall submit for approval all proposed parkway, slope maintenance, and/or landscaping easements to be granted to the Community Facilities District, including the parkways along Corona Avenue and the southwest side of Street "A". Said information shall be submitted to the Planning and Development Department, Development Services Division for approval.
58. Prior to issuance of a Certificate of Occupancy, all proposed parkway and slope maintenance landscaping specified in the tentative map or in these Conditions of Approval shall be constructed.
59. Prior to the issuance of a Certificate of Occupancy, any damage to existing landscape easement areas due to project construction shall be repaired or replaced by the developer, or developer's successors in interest, at no cost to the City of Corona.
60. Prior to map recordation, issuance of a building permit and/or issuance of a Certificate of Occupancy, the applicant shall pay all development fees, including but not limited to Development Impact Fees (DIF) per City Municipal Code 16.23 and Transportation Uniform Mitigation Fees (TUMF) per City Municipal Code 16.21. Said fees shall be collected at the rate in effect at the time of fee collection as specified by the current City Council fee resolutions and ordinances.