



Project Conditions

City of Corona

Project Number: TTM 36634

Description: 11 DETACHE CONDOMINIUMS ON 2.33 ACRES.

Applied: 7/23/2015

Approved:

Site APN: 117252025

Closed:

Expired:

Status: INCOMPLETE

Applicant: POPPYBEND, LCC

Parent Project:

18340 YORBA LINDA BLVD. SUITE 107-200 ORANGE , 92886

Details: FULL DESCRIPTION: 11 DETACHE CONDOMINIUMS ON 2.33 ACRES.

LIST OF CONDITIONS

DEPARTMENT	CONTACT
FIRE	Cindi Schmitz
<ol style="list-style-type: none">1. A minimum fire flow of 1500 gpm shall be provided for one and two family dwellings.2. A fire facilities fee of \$231.00 per acre is required per Corona Municipal Code and must be paid prior to building permit issuance.3. Groves and weed abatement shall be maintained so as not to pose a fire hazard until time of development.4. Fire hydrants are to be spaced a maximum 300 feet apart.	
PLANNING	
<ol style="list-style-type: none">1. The project shall comply with all applicable requirements of the Corona Municipal Code (CMC) and ordinances and the relevant Specific Plan, if any, including the payment of all required fees.2. The applicant or his successor in interest shall comply with the mitigation measures in the Mitigated Negative Declaration for the project.3. To the fullest extent permitted by law, the applicant shall defend, indemnify and hold the City of Corona and its directors, officials, officers, employees, volunteers and agents free and harmless from any and all claims, demands, causes of action, proceedings, costs, expenses, liabilities, losses, damages or injuries of any kind, in law or equity, in any manner arising out of, pertaining to, or incident to any attack against or attempt to challenge, set aside, void or annul any approval, decision or other action of the City of Corona, whether such approval, decision or other action was by its City Council, Planning and Housing Commission or other board, director, official, officer, employee, volunteer or agent. To the extent that Government Code Section 66474.9 applies, the City will promptly notify the applicant of any claim, action or proceeding made known to the City to which Government Code Section 66474.9 applies and the City will fully cooperate in the defense. The Applicant's obligations hereunder shall include, without limitation, the payment of any and all damages, consultant and expert fees, and attorney's fees and other related costs and expenses. The City shall have the right to retain such legal counsel as the City deems necessary and appropriate.4. Nothing herein shall be construed to require City to defend any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action. If at any time Applicant chooses not to defend (or continue to defend) any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action, the City may choose, in its sole discretion, to defend or not defend any such action. In the event that the City decides not to defend or continue the defense, Applicant shall be obligated to reimburse City for any and all costs, fees, penalties or damages associated with dismissing the action or proceeding. If at any time both the Applicant and the City choose not to defend (or continue to defend) any action noted herein, all subject City approvals, decisions or other actions shall be null and void. The Applicant shall be required to enter into any reimbursement agreement deemed necessary by the City to effectuate the terms of this condition.	



Project Conditions

City of Corona

PLANNING	
<ol style="list-style-type: none">5. If human remains are encountered, California Health and Safety Code Section 7050.5 states that no further disturbance shall occur until the Riverside County Coroner has made the necessary findings as to origin. Further, pursuant to California Public Resources Code Section 5097.98(b) remains shall be left in place and free from disturbance until a final decision as to the treatment and disposition has been made. If the Riverside County Coroner determines the remains to be Native American, the Native American Heritage Commission must be contacted within 24 hours. The Native American Heritage Commission must then immediately identify the “most likely descendant(s)” of receiving notification of the discovery. The most likely descendant (s) shall then make recommendations within 48 hours, and engage in consultations concerning the treatment of the remains as provided in Public Resources Code 5097.98.6. The project is subject to Riverside County's MSHCP (Multi-Species Habitat Conservation Plan) fee for residential developments with a density less than 8.0 du/ac. This fee is payable at the time of building permit issuance.7. The applicant shall adhere to the requirements and development standards of the underlying zone or specific plan designation and Conditions of Approval (Exhibit B), as well as be in substantial conformance with the respective application materials presented before the Board or Commission, including but not limited to the site plan, architectural elevations, renderings or photo simulations, landscape plans, etc.8. TTM 36634 shall be recorded prior to the issuance of any building permits associated with this project.9. Prior to submittal for plan check, the tentative tract map shall be revised to show Lot C as an easement to be dedicated to the City for landscape maintenance purposes. Lot C shall be removed from the Parcel Summary table and the Lot 1 area shall be adjusted to include the landscape easement that is erroneously identified as Lot C.10. Construction traffic shall access the project site through Hudson Avenue from Santana Way. Access is prohibited through Hidden Creek Street, Bridgewood Street, Autumn Lane, and Poppyseed Lane. Additionally, no construction parking shall be allowed on Hudson Avenue. All construction parking must be on site.11. Prior to the start of construction, the applicant shall notify the residents in the adjacent neighborhoods on the west side and east side of Hudson Avenue of the construction dates. The notifications shall also provide a point of contact concerning dust and after hours noise complaints. The Community Development Department and Public Works Department shall also be provided a copy of the notice.12. If grading is to occur within the burrowing owl nesting season (March through August)l, the applicant shall submit a pre-construction survey for the burrowing owl to the Community Development Department for review. The survey shall be conducted and submitted for review within 30 days prior to the issuance of a grading permit.	
PUBLIC WORKS	
<ol style="list-style-type: none">1. The Public Works and the Departments of Water and Power, Maintenance and Parks and Landscaping Conditions of Approval for the subject application shall be completed at no cost to any government agency. All questions regarding the intent of the conditions shall be referred to the Public Works Department Land Development Section. Should a conflict arise between City of Corona standards and design criteria and any other standards and design criteria, City of Corona standards and design criteria shall prevail.2. The developer shall comply with the State of California Subdivision Map Act and all applicable City ordinances and resolutions.3. Prior to recordation or issuance of grading permit, the applicant shall demonstrate to the satisfaction of the Public Works Director that the proposed subdivision will not unreasonably interfere with the use of any easement holder of the property.4. All improvement and grading plans shall be drawn on twenty-four (24) inch by thirty-six (36) inch Mylar and signed by a registered civil engineer or other registered/licensed professional as required.5. The submitted tentative tract map shall correctly show all existing easements, traveled ways, and drainage courses. Any omission or misrepresentation of these documents may require said tentative tract map to be resubmitted for further consideration.6. The tentative tract shall be recorded as one final tract map, and shall be developed as one tract. Financial security shall be provided for all improvements within the tract prior to final tract map approval.7. In the event that off-site right-of-way or easements are required for the City of Corona master plan facilities to comply with these conditions of approval, the developer is required to secure such right-of-way or easements at no cost to the City.8. All existing and new utilities adjacent to and on-site shall be placed underground in accordance with City of Corona ordinances.	



Project Conditions

City of Corona

PUBLIC WORKS

9. Prior to issuance of a Certificate of Occupancy, the developer shall cause the engineer of record to submit project base line work for all layers in AutoCAD DXF format on Compact Disc (CD) to the Public Works Department. If the required files are unavailable, the developer shall pay a scanning fee to cover the cost of scanning the as-built plans.
10. The developer shall monitor, supervise and control all construction and construction related activities to prevent them from causing a public nuisance including, but not limited to, insuring strict adherence to the following:
 - (a) Removal of dirt, debris or other construction material deposited on any public street no later than the end of each working day.
 - (b) Construction operations, including building related activities and deliveries, shall be restricted to Monday through Saturday from 7:00 a.m. to 8:00 p.m., excluding holidays, and from 10:00 a.m. to 6:00 p.m. on Sundays and holidays, in accordance with City Municipal Code 15.04.060, unless otherwise extended or shortened by the Public Works Director or Building Official.
 - (c) The construction site shall accommodate the parking of all motor vehicles used by persons working at or providing deliveries to the site.

Violation of any condition or restriction or prohibition set forth in these conditions shall subject the owner, applicant, developer or contractor(s) to remedies as noted in the City Municipal Code. In addition, the Public Works Director or Building Official may suspend all construction related activities for violation of any condition, restriction or prohibition set forth in these conditions until such time as it has been determined that all operations and activities are in conformance with these conditions.

11. Prior to map recordation or issuance of a building permit, whichever occurs first, the developer shall ensure that a homeowner's association is established for the purpose of maintaining all private streets, common areas and private utilities. The association documents, including any necessary Covenants, Conditions and Restrictions (CC&R's), shall also address common water quality basin maintenance, slope maintenance between the rear unit walls and project boundary, and access to Lot A through Lot 1 and shall be subject to the review and approval of the Public Works Department and shall be recorded concurrently.
12. Prior to building permit issuance, an approved condo map shall be submitted to the City of Corona, unless otherwise approved by the Public Works Director.
13. Prior to map recordation or issuance of a building permit, whichever occurs first, the developer shall finish the construction or post security guaranteeing the construction of all public improvements. Said improvements shall include, but are not limited to, the following:
 - a) All missing or deficient street facilities fronting Fullerton Avenue and Hudson Avenue
 - b) All drainage facilities within Fullerton Avenue
 - c) All required grading, including erosion control.
 - d) All required sewer, water and reclaimed water facilities.
 - e) All required landscaping along Fullerton Avenue.
 - f) All under grounding of overhead utilities, except for cables greater than 32k volts.
14. All the grading design criteria shall be per City of Corona standards, Corona Municipal Code Title 15 Chapter 15.36 and City Council Ordinance Number 2568, unless otherwise approved by the Public Works Director.
15. Prior to approval of grading plans, the applicant shall submit two (2) copies of a soils and geologic report prepared by a Registered Engineer to the Public Works Department Land Development Section. The report shall address the soil's stability and geological conditions of the site. If applicable, the report shall also address: deep seated and surficial stability of existing natural slopes; modified natural slopes which are subject to fuel zones; manufactured slopes and stability along proposed daylight lines; minimum required setbacks from structures; locations and length of proposed bench drains, sub-drains or french drains; and any other applicable data necessary to adequately analyze the proposed development.
16. Prior to approval of grading plans, erosion control plans shall be submitted and approved by the Public Works Department Land Development Section.
17. Prior to approval of grading plans, the applicant shall obtain a General Construction Activity Storm Water Permit from the State Water Resources Control Board in compliance with National Pollutant Discharge Elimination System (NPDES) requirements. Proof of filing a Notice of Intent (NOI) will be required by the City. The WDID # shall be displayed on the title sheet of the grading plans.



Project Conditions

City of Corona

PUBLIC WORKS

18. Prior to approval of grading plans, the applicant shall comply with the Federal Clean Water Act and shall prepare a Storm Water Pollution Prevention Plan (SWPPP). The SWPPP shall be available at the project site for review.
19. Prior to issuance of grading permit or construction of any improvements, a letter will be required from a qualified botanist, plant taxonomist or field biologist specializing in native plants, stating that an investigation and/or eradication of scale broom weed (*Lepidospartum Squamatum*) has been completed.
20. Prior to the issuance of a grading permit the developer shall submit recorded slope easements or written letters of permission from adjacent landowners in all areas where grading is proposed to take place outside of the project boundaries.
21. Prior to issuance of building permits, the developer shall cause the civil engineer of record and soils engineer of record for the approved grading plans to submit pad certifications and compaction test reports for the subject lots where building permits are requested.
22. Prior to release of grading security, the developer shall cause the civil engineer of record for the approved grading plans to submit a set of as-built grading plans with respect to Water Quality Control facilities.
23. Prior to issuance of any grading permit, any environmental Phase I and Phase II findings and recommended actions to remove contamination resulting from previous use of the subject site shall be implemented.
24. All City of Corona NPDES permit requirements for NPDES and Water Quality Management Plans (WQMP) shall be met per Corona Municipal Code Title 13 Chapter 13.27 and City Council Ordinance Numbers 2291 and 2828 unless otherwise approved by the Public Works Director.
25. Prior to the issuance of a grading permit, a Final WQMP, prepared in substantial conformance with the approved Preliminary WQMP, shall be submitted to the Public Works Land Development Section for approval. Upon its final approval, the applicant shall submit one copy on a CD-ROM in PDF format.
26. Prior to the issuance of the first Certificate of Occupancy, the applicant shall record Covenants, Conditions and Restrictions (CC&R's) or enter into an acceptable maintenance agreement with the City to inform future property owners to implement the approved WQMP.
27. Prior to issuance of the first Certificate of Occupancy, the applicant shall provide proof of notification to the future homeowners and/or occupants of all non-structural BMPs and educational and training requirements for said BMPs as directed in the approved WQMP.
28. Prior to issuance of Certificate of Occupancy, the applicant shall ensure all structural post construction BMPs identified in the approved project specific Final WQMP are constructed and operational.
29. All the drainage design criteria shall be per City of Corona standards and the Riverside County Flood Control and Water Conservation District standards unless otherwise approved by the Public Works Director.
30. Prior to recordation or approval of any improvement plans, the applicant shall submit a detailed hydrology study. Said study shall include the existing, interim and the ultimate proposed hydrologic conditions including key elevations, drainage patterns and proposed locations and sizes of all existing and proposed drainage devices. The hydrology study shall present a full breakdown of all the runoff generated on- and off-site.
31. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall address the following:
 - a) The project drainage design shall be designed to accept and properly convey all on- and off-site drainage flowing on or through the site.
 - b) The project drainage system design shall protect downstream properties from any damage caused by alteration of drainage patterns such as concentration or diversion of flow.
 - c) All residential lots shall drain toward the street. Lot drainage to the street shall be by side yard swales independent of adjacent lots or by an underground piping system. Concentrated drainage on commercial lots shall be diverted through parkway drains under sidewalks. All non-residential lots shall drain toward an approved water quality or drainage facility. Once onsite drainage has been treated it may continue into an approved public drainage facility or diverted through under-sidewalk parkway drains.
32. Street design criteria and cross sections shall be per City of Corona standards, approved Specific Plan design guidelines and the State of California Department of Transportation Highway Design Manual unless otherwise approved by the Public Works Director.



Project Conditions

City of Corona

PUBLIC WORKS

33. Prior to map recordation or issuance of a building permit, whichever comes first, the applicant shall offer for dedication all required street rights-of-way along Hudson Avenue and Poppyseed Circle to provide for the minimum corner cutoff for pedestrian access in accordance with City Standard 146. Said dedication shall continue in force until the City accepts or abandons such offers. All dedications shall be free of all encumbrances and approved by the Public Works Director.
34. Prior to map recordation, the applicant shall release and relinquish all vehicular access rights to the City of Corona along Fullerton Avenue and Hudson Avenue, except at approved intersections.
35. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall include the following:
 - a) All local street vertical and horizontal alignments shall be approved by the Director of the Public Works Department.
 - b) All driveways shall conform to the applicable City of Corona standards and shall be shown on the street improvement plans.
 - c) All street intersections shall be at ninety (90) degrees or as approved by the Public Works Director.
 - d) All reverse curves shall have a minimum tangent of fifty (50) feet in length.
 - e) Under grounding of existing and proposed utility lines.
 - f) Street lights.
 - g) A NOT A THROUGH STREET sign on the southerly side of proposed Poppyseed Circle Near Hudson Way, or as otherwise approved by the City Traffic Engineer
 - h) Striping modifications for the proposed T - Intersection.
 - i) All other public improvements shall conform to City of Corona standards
36. Prior to approval of improvement plans, the improvement plans shall show all the streets fronting the project, including Fullerton Avenue and Hudson Avenue, to be improved to half width plus ten (10) additional feet unless otherwise approved by the Public Works Director. At the discretion of the applicant, the existing pavement maybe cored to confirm adequate section and R values during the design process and any findings shall be incorporated into the project design. Therefore improvements may include full pavement reconstruction, grind and overlay, or slurry seal. All striping shall be replaced in kind.
37. Prior to map recordation, the developer shall construct or guarantee the construction of all required improvements per the South Corona Community Facilities Plan along Fullerton Avenue fronting the project.
38. Prior to issuance of the first certificate of occupancy, the developer shall complete construction of Fullerton Avenue per the South Corona Community Facilities Master Plan fronting the project.
39. Prior to release of public improvement security, the developer shall cause the civil engineer of record for the approved improvement plans to submit a set of as-built plans for review and approval by the Public Works Department.
40. Prior to acceptance of improvements, the Public Works Director may determine that aggregate slurry, as defined in the Standard Specifications for Public Works Construction, may be required one year after acceptance of street(s) by the City if the condition of the street(s) warrant its application. All striping shall be replaced in kind. The applicant is the sole responsible party for the maintenance of all the improvements until said acceptance takes place.
41. Prior to recordation of the final map, all street names shall be approved by the Public Works Director.
42. The developer shall comply with the approved traffic study recommendations.
43. Prior to map recordation the applicant shall annex this project into a City of Corona Community Facilities District (CFD) 2016-3 (Maintenance Services) for the purpose of maintaining public streets, curb & gutter, street lights, storm drain, parks, and landscaping within master planned street right-of-way and/or CFD easements. All assessable parcels therein shall be subject to annual CFD charges (special taxes or assessments). The developer shall be responsible for all costs incurred during annexation into the CFDs.
44. Prior to map recordation the applicant shall annex this project into a City of Corona Community Facilities District (CFD) 2016-1 (Public Services) for the purpose of maintaining public services including but not limited to emergency services. All assessable parcels therein shall be subject to annual CFD charges (special taxes or assessments). The developer shall be responsible for all costs incurred during annexation into the CFDs.
45. Prior to final map recordation the applicant shall prepare a disclosure statement indicating that the property is within a Community Facilities District and will be subject to an annual levy. The disclosure statement is subject to the review and approval of the Public Works Department and shall be recorded concurrently with the final map.



Project Conditions

City of Corona

PUBLIC WORKS

46. Prior to recordation, the applicant shall submit for approval all proposed parkway, slope maintenance, and/or landscaping easements to be granted to the Community Facilities District, as specified on the tentative map or Conditions of Approval. All down slopes toward Fullerton Avenue shall be included within a separate CFD lot or dedicated easement. Said information shall be submitted to the Public Works Department Land Development Section for approval.
47. Prior to issuance of a Certificate of Occupancy, all proposed parkway, slope maintenance, and/or median landscaping specified in the tentative map or in these Conditions of Approval shall be constructed. Landscape improvements shall conform with the South Corona Community Facilities Plan, or as otherwise approved by the Public Works Director.
48. Prior to the issuance of a Certificate of Occupancy, any damage to existing landscape easement areas due to project construction shall be repaired or replaced by the developer, or developer's successors in interest, at no cost to the City of Corona.
49. Prior to map recordation, issuance of a building permit and/or issuance of a Certificate of Occupancy, the applicant shall pay all development fees, including but not limited to Development Impact Fees (DIF) per City Municipal Code 16.23 and Transportation Uniform Mitigation Fees (TUMF) per City Municipal Code 16.21. Said fees shall be collected at the rate in effect at the time of fee collection as specified by the current City Council fee resolutions and ordinances.
50. Prior to issuance of building permits, the developer shall pay the sewer reimbursement fee for the El Sobrante trunk line.
51. All the potable water, reclaimed water, and sewer design criteria shall be per City of Corona Department of Water and Power standards and Riverside County Department of Health Services Standards unless otherwise approved by the Public Works and Department of Water and Power Directors.
52. Prior to recordation or approval of improvement plans, the applicant shall obtain all necessary easements for any required offsite water and sewer facilities.
53. Prior to issuance of any building permits, including model home permits, a domestic water and fire flow system shall be approved by the Public Works Department and constructed by the developer, to the satisfaction of the Public Works Director and Fire Chief.
54. Prior to issuance of the first Certificate of Occupancy, all weather access road(s) shall be provided to all sewer manholes not located within public right-of-way.
55. Prior to improvement plans approval, the applicant shall ensure that all water meters, fire hydrants or other water appurtenances shall not be located within a drive aisle or path of travel.
56. Prior to issuance of any building permits, the developer shall pay all water and sewer fees, including but not limited to connection fees, wastewater treatment fees, sewer capacity fees and all other appropriate water and sewer fees.
57. Prior to recordation or approval of improvement plans, when applicable, the applicant shall submit detailed potable water, reclaimed water and sewer studies, prepared by a registered civil engineer, which shall be submitted to the Public Works Department Land Development Section for review and approval. The study shall analyze the existing and proposed sewer and water facilities. Results of the system analysis may require special construction for the potable water, reclaimed water and sewer systems, such as upsizing downstream sewer lines, installing pressure regulators, booster pumps, special material for pipeline construction, backwater valves and construction of other appurtenances as necessary to serve the proposed development. Effects of the proposed development, engineering analysis and special construction requirements shall be submitted for review and approval by the Public Works Department and the Department of Water and Power.
58. Prior to building permit issuance, the applicant shall construct or guarantee the construction of all required public improvements including but not limited to, the potable water line, sewer line, reclaimed water line, potable water services, sewer laterals, reclaimed water services, double detector check assemblies and reduced pressure principle assemblies within the public right of way and/or easements.
59. Prior to map recordation or building permit issuance, whichever comes first, the applicant shall construct or guarantee the construction of a new on-site public minimum 8-inch ductile iron waterline in Lot B to serve the project.
60. Prior to map recordation or building permit issuance, whichever comes first, the applicant shall construct or guarantee the construction of a new on-site 8-inch VCP sewer line in Lot B to serve the project.



Project Conditions

City of Corona

PUBLIC WORKS

61. Prior to map recordation or building permit issuance, whichever comes first, the applicant shall construct or guarantee the construction of a reclaimed water irrigation service for the designated Community Facilities District landscaped lots or easements.
62. The applicant shall dedicate easements for all public water, reclaimed water, sewer and electric facilities needed to serve the project in accordance the Department of Water and Power standards. The minimum easement width shall be 20 feet for one utility and 30 feet for more than one public utility facility. All public water and sewer facilities shall be provided a minimum 20 foot wide paved access road unless otherwise approved by the General Manager. Structures and trees shall not be constructed or installed within a public utility easement.
63. Fire Hydrants shall be a maximum 300 feet apart or as directed by the Fire Department.
64. Manhole rim elevations shall be lower than all pad elevations immediately downstream; otherwise a back flow prevention valve will be required.
65. Static pressures exceeding 80 psi require an individual pressure regulator.
66. Reclaimed water shall be used for any construction activity. Prior to obtaining a reclaimed construction meter from the City, a Reclaimed Water Application shall be submitted for the contractor to receive certification to handle reclaimed water.
67. Prior to issuance of a grading permit or approval of building plans, whichever occurs first, the developer shall provide video inspection of all sewer facilities located adjacent to or on-site where construction activity is proposed. Prior to Certificate of Occupancy, the developer shall provide video inspection of all sewer facilities located adjacent to the project or on-site, and will be responsible for any damage caused by the development.
68. The applicant shall provide a separate irrigation water service for all HOA/ CFD landscaped lots or easements.
69. The landscape plans of all parkway and Landscape Maintenance District (LMD) and Community Facilities District (CFD) lots shall be prepared by a licensed Landscape Architect and shall be submitted to the City for review and approval.
70. The developer shall install automatic irrigation to all street trees separated from adjacent residences by a fence or wall prior to the issuance of a Certificate of Occupancy.
71. All common area landscaping shall be planted with California friendly plant pallet.