



Project Conditions

City of Corona

Project Number: PM2017-0103

Description: PARCEL MAP TO SUBDIVIDE 6.8 ACRES INTO 2 LOTS.

Applied: 11/17/2017

Approved:

Site Address: 988 W ONTARIO AV CORONA, CA 92882

Closed:

Expired:

Status: COMPLETE

**Applicant: EVANGELICAL FREE CHURCH OF CORONA
988 W ONTARIO AVE CORONA CA, 92882**

Parent Project: DPR2017-0114

Details:

LIST OF CONDITIONS	
DEPARTMENT	CONTACT
FIRE	
<ol style="list-style-type: none">1. Street and drive grades shall not exceed 10% unless approved by the Fire Chief and City Engineer.2. A minimum fire flow of 1500 gpm shall be provided.3. Fire hydrants are to be spaced a maximum 300 feet apart.	
PLANNING	
<ol style="list-style-type: none">1. To the fullest extent permitted by law, the applicant shall defend, indemnify and hold the City of Corona and its directors, officials, officers, employees, volunteers and agents free and harmless from any and all claims, demands, causes of action, proceedings, costs, expenses, liabilities, losses, damages or injuries of any kind, in law or equity, in any manner arising out of, pertaining to, or incident to any attack against or attempt to challenge, set aside, void or annul any approval, decision or other action of the City of Corona, whether such approval, decision or other action was by its City Council, Planning and Housing Commission or other board, director, official, officer, employee, volunteer or agent. To the extent that Government Code Section 66474.9 applies, the City will promptly notify the applicant of any claim, action or proceeding made known to the City to which Government Code Section 66474.9 applies and the City will fully cooperate in the defense. The Applicant's obligations hereunder shall include, without limitation, the payment of any and all damages, consultant and expert fees, and attorney's fees and other related costs and expenses. The City shall have the right to retain such legal counsel as the City deems necessary and appropriate.2. Nothing herein shall be construed to require City to defend any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action. If at any time Applicant chooses not to defend (or continue to defend) any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action, the City may choose, in its sole discretion, to defend or not defend any such action. In the event that the City decides not to defend or continue the defense, Applicant shall be obligated to reimburse City for any and all costs, fees, penalties or damages associated with dismissing the action or proceeding. If at any time both the Applicant and the City choose not to defend (or continue to defend) any action noted herein, all subject City approvals, decisions or other actions shall be null and void. The Applicant shall be required to enter into any reimbursement agreement deemed necessary by the City to effectuate the terms of this condition.3. The project shall comply with all applicable requirements of the Corona Municipal Code (CMC) and ordinances and the relevant Specific Plan, if any, including the payment of all required fees.4. The applicant or his successor in interest shall comply with the mitigation measures established in the Mitigated Negative Declaration prepared for PM 37357 (PM2017-0103).5. The DPR Comments, Conditions of Approval and Mitigation Monitoring Plan (if applicable) shall be incorporated onto all future building plans.	



Project Conditions

City of Corona

PLANNING	
<ol style="list-style-type: none"> 6. The applicant shall adhere to the requirements and development standards of the underlying zone or specific plan designation and Conditions of Approval (Exhibit B), as well as be in substantial conformance with the respective application materials presented before the Board or Commission, including but not limited to the site plan, architectural elevations, renderings or photo simulations, landscape plans, etc. 7. PM 37357 (PM2017-0103) shall be recorded prior to issuance of a Certificate of Occupancy on Parcel 1. 8. Parcel 1 is subject to Riverside County's MSHCP fee, which is calculated and collected at the time building permits are issued. 9. Per Policy 6 of the South Corona Community Facilities Plan, future development of Parcel 1 shall adhere to the minimum rear yard setback of 30 feet. 10. Prior to the issuance of a Certificate of Occupancy for Parcel 1, a six-foot high decorative block wall shall be constructed along the side and rear lot lines of Parcel 1, unless written protest is received from the adjacent property owners objecting to the block wall. 11. The change of zone shall be approved and in effect on Parcel 1 prior to the recordation of PM 37357. 	
PUBLIC WORKS	
<ol style="list-style-type: none"> 1. The Public Works and the Departments of Water and Power, Maintenance and Parks and Landscaping Conditions of Approval for the subject application and shall be completed at no cost to any government agency. All questions regarding the intent of the conditions shall be referred to the Public Works Department Land Development Section. Should a conflict arise between City of Corona standards and design criteria and any other standards and design criteria, City of Corona standards and design criteria shall prevail. 2. The developer shall comply with the State of California Subdivision Map Act and all applicable City ordinances and resolutions. 3. Prior to map recordation or issuance of grading permit, the applicant shall demonstrate to the satisfaction of the Public Works Director that the proposed subdivision will not unreasonably interfere with the use of any easement holder of the property. 4. All improvement and grading plans shall be drawn on twenty-four (24) inch by thirty-six (36) inch Mylar and signed by a registered civil engineer or other registered/licensed professional as required. 5. The submitted parcel map shall correctly show all existing easements, traveled ways, and drainage courses. Any omission or misrepresentation of these documents may require said parcel map to be resubmitted for further consideration. 6. The developer shall construct or guarantee construction of the required improvements prior to recordation of the Parcel Map because the construction of the improvements is a necessary prerequisite to the orderly development of the surrounding area. 7. All conditions of approval shall be satisfied and the final parcel map prepared and accepted by the City for recordation within 24 months of its approval, unless an extension is granted by the City Council. 8. In the event that off-site right-of-way or easements are required for the City of Corona master plan facilities to comply with these conditions of approval, the developer is required to secure such right-of-way or easements at no cost to the City. 9. All existing and new utilities adjacent to and on-site shall be placed underground in accordance with City of Corona ordinances. 10. Prior to issuance of a Certificate of Occupancy, the developer shall cause the engineer of record to submit project base line work for all layers in AutoCAD DXF format on Compact Disc (CD) to the Public Works Department. If the required files are unavailable, the developer shall pay a scanning fee to cover the cost of scanning the as-built plans. 	



Project Conditions City of Corona

PUBLIC WORKS

11. The developer shall monitor, supervise and control all construction and construction related activities to prevent them from causing a public nuisance including, but not limited to, insuring strict adherence to the following:
 - (a) Removal of dirt, debris or other construction material deposited on any public street no later than the end of each working day.
 - (b) Construction operations, including building related activities and deliveries, shall be restricted to Monday through Saturday from 7:00 a.m. to 8:00 p.m., excluding holidays, and from 10:00 a.m. to 6:00 p.m. on Sundays and holidays, in accordance with City Municipal Code 15.04.060, unless otherwise extended or shortened by the Public Works Director or Building Official.
 - (c) The construction site shall accommodate the parking of all motor vehicles used by persons working at or providing deliveries to the site.

Violation of any condition or restriction or prohibition set forth in these conditions shall subject the owner, applicant, developer or contractor(s) to remedies as noted in the City Municipal Code. In addition, the Public Works Director or Building Official may suspend all construction related activities for violation of any condition, restriction or prohibition set forth in these conditions until such time as it has been determined that all operations and activities are in conformance with these conditions.

12. All handling of solids waste, recyclables and/or construction & demolition debris during all phases of construction and post construction shall conform to the City of Corona Municipal Code, Title 8, Chapter 8.20.80, as well as conform to applicable Federal, State and local laws, rules, regulations, ordinances and all provisions.
13. Prior to map recordation or issuance of a building permit, whichever occurs first, the developer shall finish the construction or post security guaranteeing the construction of all public improvements. Said improvements shall include, but are not limited to, the following:
 - a) All missing street facilities fronting Othello Lane, Buena Vista Avenue, and Ontario Avenue
 - b) All drainage facilities
 - c) All required grading, including erosion control.
 - d) All required sewer and water facilities
 - e) All required landscaping
 - f) All under grounding of overhead utilities, except for cables greater than 32k volts.
14. All the grading design criteria shall be per City of Corona standards, Corona Municipal Code Title 15 Chapter 15.36 and City Council Ordinance Number 2568, unless otherwise approved by the Public Works Director.
15. Prior to approval of grading plans, the applicant shall submit two (2) copies of a soils and geologic report prepared by a Registered Engineer to the Public Works Department Land Development Section. The report shall address the soil's stability and geological conditions of the site. If applicable, the report shall also address: deep seated and surficial stability of existing natural slopes; modified natural slopes which are subject to fuel zones; manufactured slopes and stability along proposed daylight lines; minimum required setbacks from structures; locations and length of proposed bench drains, sub-drains or french drains; and any other applicable data necessary to adequately analyze the proposed development.
16. Prior to approval of grading plans, erosion control plans and notes shall be submitted and approved by the Public Works Department Land Development Section.
17. Prior to issuance of grading permit or construction of any improvements, a letter will be required from a qualified botanist, plant taxonomist or field biologist specializing in native plants, stating that an investigation and/or eradication of scale broom weed (*Lepidospartum Squamatum*) has been completed.
18. Prior to the issuance of a grading permit the developer shall submit recorded slope easements or written letters of permission from adjacent landowners in all areas where grading is proposed to take place outside of the project boundaries.
19. Prior to issuance of building permits, the developer shall cause the civil engineer of record and soils engineer of record for the approved grading plans to submit pad certifications and compaction test reports for the subject lots where building permits are requested.
20. Prior to release of grading security, the developer shall cause the civil engineer of record for the approved grading plans to submit a set of as-built grading plans with respect to Water Quality Control facilities.
21. Prior to issuance of any grading permit, any environmental Phase I and Phase II findings and recommended actions to remove contamination resulting from previous use of the subject site shall be implemented.



Project Conditions City of Corona

PUBLIC WORKS

22. All City of Corona NPDES permit requirements for NPDES and Water Quality Management Plans (WQMP) shall be met per Corona Municipal Code Title 13 Chapter 13.27 and City Council Ordinance Numbers 2291 and 2828 unless otherwise approved by the Public Works Director.
23. Prior to issuance of a grading permit, the project shall incorporate LID Principles (Site Design) and Source Control BMPs, as applicable and feasible, into the project plans for review and approval by the Public Works Department.
24. All the drainage design criteria shall be per City of Corona standards and the Riverside County Flood Control and Water Conservation District standards unless otherwise approved by the Public Works Director.
25. Prior to recordation or approval of any improvement plans, the applicant shall submit a detailed hydrology study. Said study shall include the existing, interim and the ultimate proposed hydrologic conditions including key elevations, drainage patterns and proposed locations and sizes of all existing and proposed drainage devices. The hydrology study shall present a full breakdown of all the runoff generated on- and off-site. The study shall show that the post construction runoff does not exceed the pre-existing runoff leaving the site for the 100-year storm event. Any additional runoff shall be detained in an approved detention facility.
26. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall address the following:
 - a) The project drainage design shall be designed to accept and properly convey all on- and off-site drainage flowing on or through the site.
 - b) The project drainage system design shall protect downstream properties from any damage caused by alteration of drainage patterns such as concentration or diversion of flow.
 - c) All residential lots shall drain toward the street. Lot drainage to the street shall be by side yard swales independent of adjacent lots or by an underground piping system.
27. Street design criteria and cross sections shall be per City of Corona standards, approved Specific Plan design guidelines and the State of California Department of Transportation Highway Design Manual unless otherwise approved by the Public Works Director.
28. Prior to map recordation, the applicant shall release and relinquish all vehicular access rights to the City of Corona along Ontario Avenue, except at approved intersections and driveways. .
29. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall include the following:
 - a) All local and/or major arterial highways' vertical and horizontal alignments shall be approved by the Director of the Public Works Department.
 - b) All driveways shall conform to the applicable City of Corona standards and shall be shown on the street improvement plans.
 - c) All street intersections shall be at ninety (90) degrees or as approved by the Public Works Director.
 - d) All reverse curves shall have a minimum tangent of fifty (50) feet in length.
 - e) Under grounding of existing and proposed utility lines.
 - f) Street lights.
 - g) All other public improvements shall conform to City of Corona standards.
30. Prior to approval of improvement plans, the improvement plans shall show Othello Lane fronting the project to be improved to half width plus ten (10) additional feet unless otherwise approved by the Public Works Director. At the discretion of the applicant, the existing pavement maybe cored to confirm adequate section and R values during the design process and any findings shall be incorporated into the project design. Therefore improvements may include full pavement reconstruction, grind and overlay, or slurry seal. All striping shall be replaced in kind.
31. Prior to release of public improvement security, the developer shall cause the civil engineer of record for the approved improvement plans to submit a set of as-built plans for review and approval by the Public Works Department.
32. Prior to acceptance of improvements, the Public Works Director may determine that aggregate slurry, as defined in the Standard Specifications for Public Works Construction, may be required one year after acceptance of street(s) by the City if the condition of the street(s) warrant its application. All striping shall be replaced in kind. The applicant is the sole responsible party for the maintenance of all the improvements until said acceptance takes place.



Project Conditions City of Corona

PUBLIC WORKS

33. Prior to map recordation the applicant shall annex Parcel 1 into a City of Corona Community Facilities District (CFD) 2016-3 (Maintenance Services). All assessable parcels therein shall be subject to annual CFD charges (special taxes or assessments). The developer shall be responsible for all costs incurred during annexation into the CFDs.
34. Prior to map recordation, or as subject to the Public Works Director, the applicant shall annex Parcel 1 into a City of Corona Community Facilities District (CFD) 2016-1 (Public Services) and 2016-3 (Maintenance Services). All assessable parcels therein shall be subject to annual CFD charges (special taxes or assessments). The developer shall be responsible for all costs incurred during annexation into the CFDs.
35. Prior to final map recordation the applicant shall prepare a disclosure statement indicating that Parcel 1 is, or will be, within an Assessment District, Community Facilities District and/or Landscape Maintenance District and will be subject to an annual levy. The disclosure statement is subject to the review and approval of the Public Works Department and shall be recorded concurrently with the final map.
36. Prior to map recordation, issuance of a building permit and/or issuance of a Certificate of Occupancy, the applicant shall pay all development fees, including but not limited to Development Impact Fees (DIF) per City Municipal Code 16.23 and Transportation Uniform Mitigation Fees (TUMF) per City Municipal Code 16.21. Said fees shall be collected at the rate in effect at the time of fee collection as specified by the current City Council fee resolutions and ordinances.
37. All the potable water, reclaimed water, and sewer design criteria shall be per City of Corona Department of Water and Power standards and Riverside County Department of Health Services Standards unless otherwise approved by the Public Works and Department of Water and Power Directors.
38. Prior to issuance of any building permits, the developer shall pay all water and sewer fees, including but not limited to connection fees, wastewater treatment fees, sewer capacity fees and all other appropriate water and sewer fees.
39. Prior to map recordation or building permit issuance, whichever occurs first, the applicant shall construct or guarantee the construction of all required public improvements including but not limited to, potable water services, sewer laterals, and reduced pressure principle assemblies within the public right of way and/or easements.
40. The applicant shall dedicate easements for all public water, reclaimed water, sewer and electric facilities needed to serve the project in accordance the Department of Water and Power standards. The minimum easement width shall be 20 feet for one utility and 30 feet for more than one public utility facility. All public water and sewer facilities shall be provided a minimum 20 foot wide paved access road unless otherwise approved by the General Manager. Structures and trees shall not be constructed or installed within a public utility easement.
41. Prior to issuance of any building permits, a domestic water and fire flow system shall be approved by the Public Works Department and constructed by the developer, to the satisfaction of the Public Works Director and Fire Chief.
42. Prior to improvement plans approval, the applicant shall ensure that all water meters, fire hydrants or other water appurtenances shall not be located within a drive aisle or path of travel.
43. Fire Hydrants shall be a maximum 250 feet apart or as directed by the Fire Department.
44. The developer shall install automatic irrigation to all street trees separated from adjacent residences by a fence or wall prior to the issuance of a Certificate of Occupancy.
45. Street trees shall be a minimum 24-inch box size and installed per City Standard Plan no. 614-0. The City Street Tree Planting detail is to be included in all submitted landscape plans.
46. All onsite and parkway landscaping shall be planted with California friendly plant pallet.
47. Manhole rim elevations shall be lower than all pad elevations immediately downstream; otherwise a back flow prevention valve will be required.
48. Static pressures exceeding 80 psi require an individual pressure regulator.
49. Prior to map recordation or issuance of a building permit, whichever comes first, the applicant shall process a right-of-way vacation on Othello Lane for the excess six-foot right-of-way located behind the existing block wall along the southerly boundary of Parcel 2. The right-of-way may be abandoned concurrently with the map.