



# Agenda Report

**File #:** 20-0136

# PLANNING AND HOUSING COMMISSION STAFF REPORT

DATE: 2/24/2020

TO: Honorable Chair and Commissioners

FROM: Community Development Department

# APPLICATION REQUEST:

**PM 37746**: A parcel map application to create one lot on 4.80 acres to facilitate the development of an industrial building located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downtown Corona Revitalization Specific Plan (SP98-01). (Applicant: Michael McKenna with EBS Realty Partners, LLC, 1300 Bristol Street North, Suite 290, Newport Beach, CA 92660).

# **RECOMMENDED ACTION:**

That the Planning and Housing Commission recommend adoption the Mitigated Negative Declaration and Mitigation Monitoring Plan and **APPROVAL of PM 37746** to the City Council, based on the findings contained in the staff report and subject to the conditions of approval.

# PROJECT SITE SUMMARY

Area of Property: 4.80 acres

Existing Zoning: BP (Business Park) designation of the Downtown Corona Revitalization Specific

Plan (SP98-01)

Existing General Plan: LI (Light Industrial)

Existing Land Use: Developed with six vacant industrial structures

Proposed Land Use: Industrial Building

**Surrounding Zoning/Land Uses:** 

N: State Route 91

E: Industrial developments/BP (Business Park) designation of the Downtown Corona Revitalization

Specific Plan (SP98-01)

S: Third Street and single-family residences/SF (Single Family) designation of the Downtown Corona

Revitalization Specific Plan (SP98-01)

W: Industrial developments/BP (Business Park) designation of the Downtown Corona Revitalization

Specific Plan (SP98-01)



#### **BACKGROUND**

The 4.80 acre project site is located on the north side of Third Street, approximately 300 feet east of Grand Boulevard. The site borders State Route 91 to the north. The site has a zoning of Business Park (BP) under the Downtown Corona Revitalization Specific Plan and a General Plan designation of Light Industrial (LI). The surrounding land uses are primarily industrial and residential which are located across Third Street to the south.

PM 37746 is associated with a precise plan and a variance application. The precise plan will review the site plan, architecture, parking and landscaping associated with the development of the 99,560 square foot industrial building on the project site. The precise plan is being reviewed as PP2019-0007. The variance is a request to eliminate the 10-foot rear yard landscape setback requirement to accommodate parking spaces and onsite circulation associated with the proposed industrial building. The variance application is being reviewed as V2019-0002. The applicant is requesting concurrent approvals for the parcel map, precise plan and variance applications.

The project was initially reviewed by city staff at the Development Plan Review meeting on May 23, 2019. The applicant submitted official applications for the parcel map, precise plan and variance on September 20, 2019, which were reviewed by the Project and Environmental Review Committee on October 10, 2019 and determined to be incomplete. The applicant submitted the revised items to staff and the applications were considered complete on January 24, 2020 and cleared for public hearing before the Planning and Housing Commission on February 24, 2020.

The applicant was advised to do community outreach with the residences located across the project site to the south. The applicant's development team walked the neighborhood on four separate occasions, including April 12, 2019, July 1, 2019, September 3, 2019 and September 18, 2019, to present and discuss the proposed project. Per the applicant, the proposed project was well received by the residents and the major concern that came up was related to dust emanating from the site during construction. To address this concern, the development team intends to provide car washes on a monthly basis as a show of good faith and communal neighborly spirit. Additionally, the project's grading is required to comply with South Coast AQMD Rule 403 to minimize fugitive dust. These methods include implementing dust control measures such as applying water to inactive construction areas, watering active grading sites at least twice a day, suspending grading operations when wind speeds exceed 25 mph over a 30-minute period and cleaning the driveways and street near the construction site. Compliance with South Coast AQMD Rule 403 is provided as a condition of approval. For the residents who were not home during the times the development team was canvasing the neighborhood, a bilingual letter describing the project was left on the property. The letter included a description of the project along with the contact information for the development team. Copies of the letters and a map of the 34 properties that were included in the community outreach are attached as Exhibits F1, F2 and F3.

# PROJECT DESCRIPTION

Parcel Map 37746 proposes to create one lot on 4.80 acres for industrial purposes. The lot will be developed for a 99,560 square foot industrial building which is being reviewed under the associated Precise Plan PP2019-0007. Currently, the project site consists of one lot and a portion of another lot. Parcel Map 37746 proposes to merge both lots into one single lot which is shown as Parcel 1 on Exhibit A. The BP designation prescribes a minimum lot area of 20,000 square feet for newly created lots. In addition, a minimum lot width of 80 feet is required. The proposed parcel is capable of complying with the standards of the BP designation. Table 1 summarizes the lot information for the

File #: 20-0136

parcel map.

# Table 1 Parcel Summary

Parcel No.	Acreage	Lot Area	Width	Depth
Parcel 1	4.80	209,088	592.09'	315.49'
Total	4.80			

# **ACCESS AND PUBLIC IMPROVEMENTS**

Exhibit C contains the proposed site plan for the project which is being reviewed by the accompanying precise plan application (PP2019-0007). The parcel will have access from Third Street. Per the city's General Plan circulation map, Third Street is designed as a collector street. The north side of Third Street is fully improved with curb, gutter and parkway. The south side of Third Street adjacent to the existing residences is also fully improved with curb, gutter and sidewalk. The section of Third Street along the project frontage will be constructed to have an overall right-of-way width of 60 feet with an overall paved roadway width of 45 feet from curb to curb.

As part of this project, the applicant is required to reconstruct both existing driveway approaches into the property from Third Street to comply with the city's commercial driveway standard, grind and overlay the north half width of the street plus ten additional feet beyond the centerline, construct a five-foot wide sidewalk on the north side of Third Street fronting the property, and replace all broken, cracked or deficient curb and gutters fronting the property on Third Street.

# **EASEMENTS**

The proposed project accommodates several easements for sewer, public storm drain, sidewalk and water for incidental purposes. Upon recordation of PM 37746, new easements will be established on site. The easements are described below.

Easement A is located on the northern portion of the lot adjacent to State Route 91. The easement is 20 feet in width and accommodates an underground public sewer line.

Easement B is also located on the northern portion of the lot adjacent to State Route 91. The easement varies from 26 feet wide on the majority of the property to 40 feet wide on the northwest corner of the property and accommodates an underground public storm drain.

Easement C is comprised of several areas located along the southern perimeter of the site. The sidewalk along Third Street in front of the project site jogs into the project site in several areas in order to accommodate streetlights and other infrastructure within the public right-of-way. Easement C is being established over the portions of the sidewalk that extend into the project site.

Easement D is also located at the southwest corner of the lot and accommodates a public water line.

Easement 4 is a 10-foot wide underground public sewer line easement which will be quitclaimed by the city, as the sewer line was re-routed to the northerly portion of the lot at the time of the State Route 91 improvement project. The new sewer line is shown on the parcel map as Easement A.

#### **ENVIRONMENTAL ANALYSIS:**

Per Section 15070 of the State Guidelines for Implementing the California Environmental Quality Act (CEQA) and Section 6.02 of the City's Local Guidelines, a Mitigated Negative Declaration was prepared for the project because the Initial Study identified that the project's potentially significant effects to the environment are capable of being mitigated to less than significant. Therefore, based on the project mitigation measures identified in the Mitigated Negative Declaration, there is no substantial evidence, in light of the whole record before the City, that the project may have a significant or potentially significant effect on the environment. The Mitigated Negative Declaration is recommended for adoption (Exhibit E).

# FISCAL IMPACT

The applicant paid \$6,475.00 in application processing fees for the parcel map application.

#### PUBLIC NOTICE AND COMMENTS

A 20-day public notice was mailed to all property owners within a 500-foot radius of the project site, as well as advertised in the *Sentinel Weekly News* and posted at the project site. As of the preparation of this report, the Community Development Department has not received any response from the public regarding the proposal.

# STAFF ANALYSIS

The proposed parcel map facilitates the development of a 99,560 square foot industrial building which is consistent with the project site's Business Park zoning and General Plan designation of Light Industrial. The parcel map provides adequate vehicular access to the site from Third Street. The parcel map generates the necessary construction of all missing improvements on Third Street adjacent to the project site. Development of the project fulfills General Plan Policy 1.4.4 because development of the project would result in the reuse of an economically underutilized industrial site located in the periphery of the city's urbanized Downtown area. The project also fulfills General Plan Policy 1.12.6 by replacing six underutilized, vacant, and obsolete industrial buildings with a higher value industrial development that is designed to be consistent with the goals and policies of the General Plan. Therefore, PM 37746 is recommended for approval based on the following findings of approval and the conditions of approval attached as Exhibit B.

# **FINDINGS OF APPROVAL FOR PM 37746**

- 1. An initial study (environmental assessment) has been conducted by the City of Corona so as to evaluate the potential for adverse environmental impacts. The environmental assessment identifies potentially significant effects on the environment, but:
  - a. The project applicant has agreed to revise the project to avoid these significant effects or to mitigate the effects to a point where it is clear that no significant effects would occur as reflected in the Conditions of approval attached as Exhibit B.
  - b. There is no substantial evidence before the City that the revised project may have a significant effect.
- 2. Pursuant to California Government Code Section 66411.1 this division of land necessitates the

inclusion of conditions of approval for the following reasons:

- a. The guarantee of the construction of missing public improvements for Third Street is necessary for the public's safe access to and around the site.
- b. The improvement on Third Street adjacent to the project site is necessary for the orderly development of the project area and so that further development would not be detrimental to the public.
- 3. None of the conditions provided in Section 66474 of the California Government Code exist for the following reasons:
  - a. The proposed map is consistent with the General Plan designation of Light Industrial because it facilitates the development of the site for industrial purposes.
  - b. The design or improvement of the proposed subdivision is consistent with the subdivision standards prescribed by the Downtown Corona Revitalization Specific Plan for the Business Park zone.
  - c. The site is suitable for the type of development proposed and offers adequate access from Third Street as demonstrated by the project's site plan attached as Exhibit C.
  - d. The site is physically suitable for the development of a 99,560 square foot industrial building which is capable of meeting the development standards required by the Business Park designation of the Downtown Corona Revitalization Specific Plan as demonstrated by the project's site plan associated with PP2019-0007.
  - e. The design of the subdivision or the proposed improvements is not likely to cause substantial environmental damage or substantially injure fish or wildlife or their habitat because the project site is currently developed with several industrial structures and the project's mitigated negative declaration determined that all potential environmental impacts can be mitigated to less than significant.
  - f. The proposed subdivision will not result in adverse impact to public health, safety or general welfare because the necessary public improvements are guaranteed as conditions of approval for this parcel map and future development will be subject to the development standards of the Downtown Corona Revitalization Specific Plan and Corona Municipal Code to ensure orderly development of the project site.
  - g. The design of the subdivision or type of improvements will not conflict with easements, acquired by the public at large, for access through or use of, property within the proposed subdivision because no such easements exist on the project site, or the easements are being protected in place or relocated elsewhere on the project site.
- 4. Pursuant to California Government Code Section 66464.6, the discharge of waste from the proposed subdivision into existing community sewers could not result in violation of existing requirements presented by Santa Ana Regional Water Quality Control Board pursuant to Division 7 (commencing with Section 13000) of the Water Code for the following reasons:

# File #: 20-0136

- a. The amount of discharge to be produced by the development does not exceed the limit established by the Santa Ana Regional Water Quality Control Board as monitored by the City of Corona's Department of Water and Power.
- 5. The proposal is in conformance with the standards of the Business Park designation of the Downtown Corona Revitalization Specific Plan for the following reasons:
  - a. The Downtown Corona Revitalization Specific Plan prescribes a minimum lot size of 20,000 square feet, a minimum lot width of 80 feet, and no minimum lot depth for newly created lots in the Business Park designation. The proposed parcel map is in compliance with the Business Park designation as demonstrated by the parcel map in Exhibit A.

PREPARED BY: LUPITA GARCIA, ASSOCIATE PLANNER

**REVIEWED BY:** SANDRA YANG, SENIOR PLANNER

SUBMITTED BY: JOANNE COLETTA, COMMUNITY DEVELOPMENT DIRECTOR

# **EXHIBITS**

- Locational and Zoning Map
- 2. Exhibit A Parcel Map 37746
- 3. Exhibit B Conditions of Approval
- 4. Exhibit C Site Plan
- 5. Exhibit D Applicant's letter dated September 19, 2019
- 6. Exhibit E Environmental Documentation
- 7. Exhibits F1-F3 Community Outreach Notices dated March 7 and March 14, 2019 and Map of Notified Residential Properties

Case Planner: Lupita Garcia (951) 736-2293

# **LOCATIONAL & ZONING MAP**



**BP- Business Park of SP98-01** 

SF: Single Family Residential of SP98-01

GC: General Commercial of SP98-01

TC: Transitional Commercial of SP98-01

M-1: Light Manufacturing

M-2: General Manufacturing

M-3: Heavy Manufacturing

R/R: Railroad



903 E. Third Street PM 37746, PP2019-0007 and V2019-0002



D.P.R. 2019-0006 PARCEL MAP NO. 37746 IN THE CITY OF CORONA, COUNTY OF RIVERSIDE, NOVEMBER 2019 VICINITY MAP OWNER/DEVELOPER: ASTERLY LINE OF P.M.B. 25/70 RIVERSIDE FREEWAY - SR - 91 ENGINEER: KNC ENGREERS
1880 CONFTON AVENUE, STE 100
CORONA, CA 52581-3370
(SS1) 734-2130
ATTN: THOMAS CASELOWE, PE ASSESSOR'S PARCEL NUMBERS 117-270-021 & A PORTION OF 117-270-022 STREET FRONTAGE LENGTH BASIS OF BEARINGS: PORTION OF PARCEL 4 P.M. 23/70 PARCEL 2 PARCEL 3 PORTION OF PARCEL 4 P.M. 23/70 P.M. 23/70 P.M. 23/70 REMARKAL CONTRACTORS

BOTH HIME OF C. 11/2 CLASTON MET THE OLY HISTORY DATAS HOLD TO A 4 3-4/2" ERROS DOC STAMPO TO 115" DET N. THE PET OF CLASE LEGIED OF THE TO THE FLOK OF THE STAMPASTORY CLASE TOWN OF THE MODERNIN OF THE MAN ARMSE AND STATE STATES, CLASHOW IN CREASE PROJECTION TO MOD OR ! PARCEL 1 INDUSTRUL 117-270-038 4.80 ACRES PUTPOLE DOSINES HE SON THE ME ONE-SUTLES ELL PEUT MILHER EL A " \ " SIN-PUTPOLE DOSINES ME MILHED EL " \ " AL WHAT HE SINESTEM" INTÉ CÈ NE ME PEUT MDUSTRIAL APN 117-270-021 & INDUSTRUL 117-270-030 LOT "A" 0.41 ACRES & THIRD STREET 117-281-033 117-281-026 117-281-025 117-281-024 117-281-025 117-281-022 117-281-034 117-281-020 117-281-019 117-281-018 117-281-017 M.B. 9/74 GENERAL NOTES: 1. PREPARED: MAY 2019 2. GROSS ACREMOE 5.21 ACRES MET ACREMOE: 4.80 ACRES 3. GENERAL PLAN DESIGNATION: LIGHT INDUSTRIAL (LI) 6. SOURCE OF TOPOGRAPHY AERIAL SURVEY BY MILAND AERIAL SURVEY INC., DATED 02/20/2019. G ENGINEERS JECT IS MITHIN THE CORONA-HORCO UNIFIED SCHOOL DISTRICT. B. THE PROJECT IS PART OF THE SANTA AND RIVER UNITERSHED.



0006

# Project Conditions City of Corona

Project Number: PM2019-0004 Description: PM FOR WAREHOUSE APPROX. 99,560 SQ FT ON 4.80

ACRES

Applied: 9/20/2019 Approved: Site Address: 903 E THIRD ST CORONA, CA 92879

Closed: Expired:

Status: RECEIVED Applicant: EBS REALTY PARTNERS LLC

Parent Project: DPR2019- 1300 BRISTOL STREET NORTH, SUITE 290 NEWPORT BEACH

CA, 92660

Details: PARCEL MAP FOR WAREHOUSE BUILDING APPROX. 99,560 SQ.FT. ON 4.80 ACRES.

LIST OF CONDITIONS				
DEPARTMENT CONTACT				
FIRE	Cindi Schmitz			

- 1. Any revised site plan shall be submitted to the Fire Department for screen check approval prior to building plan submittal.
- 2. Plans shall show a minimum drive width of 28 feet for designated fire lanes.
- 3. Provide plans for two (2) all weather surface access ways to be approved by the Fire Prevention Manager and construct the access way(s) to accommodate 70,000 lbs GVW during all phases of construction.
- 4. Provide a minimum twenty-five (25) foot inside and fifty (50) foot outside radius for access drive(s).
- 5. Street and drive grades shall not exceed 10% unless approved by the Fire Chief and City Engineer.
- 6. A minimum fire flow of 3500 gpm shall be provided.
- 7. Fire hydrants are to be spaced a maximum 250 feet apart.

PLANNING Lupita Garcia

- 1. To the fullest extent permitted by law, the applicant shall defend, indemnify and hold the City of Corona and its directors, officials, officers, employees, volunteers and agents free and harmless from any and all claims, demands, causes of action, proceedings, costs, expenses, liabilities, losses, damages or injuries of any kind, in law or equity, in any manner arising out of, pertaining to, or incident to any attack against or attempt to challenge, set aside, void or annul any approval, decision or other action of the City of Corona, whether such approval, decision or other action was by its City Council, Planning and Housing Commission or other board, director, official, officer, employee, volunteer or agent. To the extent that Government Code Section 66474.9 applies, the City will promptly notify the applicant of any claim, action or proceeding made known to the City to which Government Code Section 66474.9 applies and the City will fully cooperate in the defense. The Applicant's obligations hereunder shall include, without limitation, the payment of any and all damages, consultant and expert fees, and attorney's fees and other related costs and expenses. The City shall have the right to retain such legal counsel as the City deems necessary and appropriate.
- 2. Nothing herein shall be construed to require City to defend any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action. If at any time Applicant chooses not to defend (or continue to defend) any attack against or attempt to challenge, set aside, void or annul any such City approval, decision or other action, the City may choose, in its sole discretion, to defend or not defend any such action. In the event that the City decides not to defend or continue the defense, Applicant shall be obligated to reimburse City for any and all costs, fees, penalties or damages associated with dismissing the action or proceeding. If at any time both the Applicant and the City choose not to defend (or continue to defend) any action noted herein, all subject City approvals, decisions or other actions shall be null and void. The Applicant shall be required to enter into any reimbursement agreement deemed necessary by the City to effectuate the terms of this condition.
- 3. The project shall comply with all applicable requirements of the Corona Municipal Code (CMC) and ordinances and the relevant Specific Plan, if any, including the payment of all required fees.



PLANNING Lupita Garcia

- 4. The applicant or his successor in interest shall comply with the Mitigation Measures established in the Mitigated Negative Declaration prepared for PM 37746 (PM2019-0004).
- 5. The parcel map shall be recorded prior to the issuance of a building permit.
- 6. This project is exempt from Riverside County's MSHCP fee, as the site is currently developed with industrial structures.
- 7. The DPR Comments, Conditions of Approval and Mitigation Monitoring Plan (if applicable) shall be incorporated onto all future building plans.
- 8. The applicant shall adhere to the requirements and development standards of the underlying zone or specific plan designation and Conditions of Approval (Exhibit B), as well as be in substantial conformance with the respective application materials presented before the Board or Commission, including but not limited to the site plan, architectural elevations, renderings or photo simulations, landscape plans, etc.
- 9. If human remains are encountered, California Health and Safety Code Section 7050.5 states that no further disturbance shall occur until Riverside County Coroner has made the necessary findings as to origin. Further, pursuant to California Public Resources Code Section 5097.98(b) remains shall be left in place and free from disturbance until a final decision as to the treatment and disposition has been made. If the Riverside County Coroner determines the remains to be Native American, the Native American Heritage Commission must be contacted within 24 hours. The Native American Heritage Commission must then immediately identify the "most likely descendant(s)" of receiving notification of the discovery. The most likely descendant (s) shall then make recommendations within 48 hours, and engage in consultation concerning the treatment of the remains as provided in Public Resources Code 5097.98.
- 10. Any signage placed on the south elevation of the building, facing Third Street and the residences shall be non-illuminated. [ADDED DURING THE PLANNING & HOUSING COMMISSION MEETING ON 2/24/2020.]
- 11. Landscaping along the building frontage on the south side of the building shall be enhanced with additional trees. [ADDED DURING THE PLANNING & HOUSING COMMISSION MEETING ON 2/24/2020.]

PUBLIC WORKS Noe Herrera

- 1. The Public Works and the Departments of Water and Power, Maintenance and Parks and Landscaping Conditions of Approval for the subject application and shall be completed at no cost to any government agency. All questions regarding the intent of the conditions shall be referred to the Public Works Department Land Development Section. Should a conflict arise between City of Corona standards and design criteria and any other standards and design criteria, City of Corona standards and design criteria shall prevail.
- 2. The developer shall comply with the State of California Subdivision Map Act and all applicable City ordinances and resolutions.
- 3. Prior to recordation or issuance of grading permit, the applicant shall demonstrate to the satisfaction of the Public Works Director that the proposed subdivision will not unreasonably interfere with the use of any easement holder of the property.
- 4. All improvement and grading plans shall be drawn on twenty-four (24) inch by thirty-six (36) inch Mylar and signed by a registered civil engineer or other registered/licensed professional as required.
- 5. The submitted parcel map shall correctly show all existing easements, traveled ways, and drainage courses. Any omission or misrepresentation of these documents may require said parcel map to be resubmitted for further consideration.
- 6. The developer shall construct or guarantee construction of the required improvements prior to recordation of the Parcel Map because the construction of the improvements is a necessary prerequisite to the orderly development of the surrounding area.
- 7. All conditions of approval shall be satisfied and the final parcel map prepared and accepted by the City for recordation within 24 months of its approval, unless an extension is granted by the City Council.
- 8. In the event that off-site right-of-way or easements are required for the City of Corona master plan facilities to comply with these conditions of approval, the developer is required to secure such right-of-way or easements at no cost to the City.
- 9. All existing and new utilities adjacent to and on-site shall be placed underground in accordance with City of Corona ordinances.
- 10. Prior to issuance of a Certificate of Occupancy, the developer shall cause the engineer of record to submit project base line work for all layers in AutoCAD DXF format on Compact Disc (CD) to the Public Works Department. If the required files are unavailable, the developer shall pay a scanning fee to cover the cost of scanning the as-built plans.



PUBLIC WORKS Noe Herrera

- 11. The developer shall monitor, supervise and control all construction and construction related activities to prevent them from causing a public nuisance including, but not limited to, insuring strict adherence to the following:
  - (a) Removal of dirt, debris or other construction material deposited on any public street no later than the end of each working day.
  - (b) Compliance with South Coast AQMD Rule 403.
  - (c) Construction operations, including building related activities and deliveries, shall be restricted to Monday through Saturday from 7:00 a.m. to 8:00 p.m., excluding holidays, and from 10:00 a.m. to 6:00 p.m. on Sundays and holidays, in accordance with City Municipal Code 15.04.060, unless otherwise extended or shortened by the Public Works Director or Building Official.
  - (c) The construction site shall accommodate the parking of all motor vehicles used by persons working at or providing deliveries to the site.

Violation of any condition or restriction or prohibition set forth in these conditions shall subject the owner, applicant, developer or contractor(s) to remedies as noted in the City Municipal Code. In addition, the Public Works Director or Building Official may suspend all construction related activities for violation of any condition, restriction or prohibition set forth in these conditions until such time as it has been determined that all operations and activities are in conformance with these conditions.

- 12. [deleted prior to Planning and Housing Commission 2/24/20]
- 13. Prior to map recordation or issuance of a building permit, whichever occurs first, the developer shall finish the construction or post security guaranteeing the construction of all public improvements. Said improvements shall include, but are not limited to, the following:
  - a) All street facilities along East Third Street.
  - b) All drainage facilities onsite for the proposed storm drain from the westerly property line to the terminal inlet.
  - c) All required grading, including erosion control.
  - d) All required sewer, water and reclaimed water facilities.
  - e) All required landscaping.
  - f) All under grounding of overhead utilities, except for cables greater than 32k volts.
- 14. All the grading design criteria shall be per City of Corona standards, Corona Municipal Code Title 15 Chapter 15.36 and City Council Ordinance Number 2568, unless otherwise approved by the Public Works Director.
- 15. Prior to approval of grading plans, the applicant shall submit two (2) copies of a soils and geologic report prepared by a Registered Engineer to the Public Works Department Land Development Section. The report shall address the soil's stability and geological conditions of the site. If applicable, the report shall also address: deep seated and surficial stability of existing natural slopes; modified natural slopes which are subject to fuel zones; manufactured slopes and stability along proposed daylight lines; minimum required setbacks from structures; locations and length of proposed bench drains, sub-drains or french drains; and any other applicable data necessary to adequately analyze the proposed development.
- 16. Prior to approval of grading plans, erosion control plans and notes shall be submitted and approved by the Public Works Department Land Development Section.
- 17. Prior to approval of grading plans, the applicant shall obtain a General Construction Activity Storm Water Permit from the State Water Resources Control Board in compliance with National Pollutant Discharge Elimination System (NPDES) requirements. Proof of filing a Notice of Intent (NOI) will be required by the City. The WDID # shall be displayed on the title sheet of the grading plans.
- 18. Prior to approval of grading plans, the applicant shall comply with the Federal Clean Water Act and shall prepare a Storm Water Pollution Prevention Plan (SWPPP). The SWPPP shall be available at the project site for review.
- 19. Prior to the issuance of a grading permit the developer shall submit recorded slope easements or written letters of permission from adjacent landowners in all areas where grading is proposed to take place outside of the project boundaries.
- 20. Prior to issuance of building permits, the developer shall cause the civil engineer of record and soils engineer of record for the approved grading plans to submit pad certifications and compaction test reports for the subject lots where building permits are requested.
- 21. Prior to release of grading security, the developer shall cause the civil engineer of record for the approved grading plans to submit a set of as-built grading plans with respect to Water Quality Control facilities.
- 22. Prior to issuance of any grading permit, any environmental Phase I and Phase II findings and recommended actions to remove contamination resulting from previous use of the subject site shall be implemented.



PUBLIC WORKS Noe Herrera

- 23. All City of Corona NPDES permit requirements for NPDES and Water Quality Management Plans (WQMP) shall be met per Corona Municipal Code Title 13 Chapter 13.27 and City Council Ordinance Numbers 2291 and 2828 unless otherwise approved by the Public Works Director.
- 24. Prior to the issuance of a grading permit, a Final WQMP, prepared in substantial conformance with the approved Preliminary WQMP, shall be submitted to the Public Works Land Development Section for approval. Upon its final approval, the applicant shall submit one copy on a CD-ROM in PDF format.
- 25. Prior to the issuance of the first Certificate of Occupancy, the applicant shall record Covenants, Conditions and Restrictions (CC&R's) or enter into an acceptable maintenance agreement with the City to inform future property owners to implement the approved WQMP.
- 26. Prior to issuance of the first Certificate of Occupancy, the applicant shall provide proof of notification to the future homeowners and/or occupants of all non-structural BMPs and educational and training requirements for said BMPs as directed in the approved WQMP.
- 27. Prior to issuance of Certificate of Occupancy, the applicant shall ensure all structural post construction BMPs identified in the approved project specific Final WQMP are constructed and operational.
- 28. All the drainage design criteria shall be per City of Corona standards and the Riverside County Flood Control and Water Conservation District standards unless otherwise approved by the Public Works Director.
- 29. Prior to recordation or approval of any improvement plans, the applicant shall submit a detailed hydrology study. Said study shall include the existing, interim and the ultimate proposed hydrologic conditions including key elevations, drainage patterns and proposed locations and sizes of all existing and proposed drainage devices. The hydrology study shall present a full breakdown of all the runoff generated on- and off-site.
- 30. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall address the following: The project drainage design shall be designed to accept and properly convey all on- and off-site drainage flowing on or through the site. The project drainage system design shall protect downstream properties from any damage caused by alteration of drainage patterns such as concentration or diversion of flow. Concentrated drainage on commercial lots shall be diverted through parkway drains under sidewalks. All non-residential lots shall drain toward an approved water quality or drainage facility. Once onsite drainage has been treated it may continue into an approved public drainage facility or diverted through under-sidewalk parkway drains.
- 31. Street design criteria and cross sections shall be per City of Corona standards, approved Specific Plan design guidelines and the State of California Department of Transportation Highway Design Manual unless otherwise approved by the Public Works Director.
- 32. Prior to map recordation or issuance of a building permit, whichever comes first, the applicant shall offer for dedication all required street rights-of-way along East Third Street, as necessary to provide continuous sidewalk path of travel. Said dedication shall continue in force until the City accepts or abandons such offers. All dedications shall be free of all encumbrances and approved by the Public Works Director.
- 33. Prior to recordation or approval of improvement plans, the improvement plans submitted by the applicant shall include the following:
  - a) All driveways shall conform to the applicable City of Corona standards and shall be shown on the street improvement plans.
  - b) Under grounding of existing and proposed utility lines.
  - c) Street lights.
  - d) All other public improvements shall conform to City of Corona standards.
- 34. Prior to approval of improvement plans, the improvement plans shall show all the streets to be improved to half width plus ten (10) additional feet unless otherwise approved by the Public Works Director. At the discretion of the applicant, the existing pavement maybe cored to confirm adequate section and R values during the design process and any findings shall be incorporated into the project design. Therefore improvements may include full pavement reconstruction, grind and overlay, or slurry seal. All striping shall be replaced in kind.
- 35. Prior to release of public improvement security, the developer shall cause the civil engineer of record for the approved improvement plans to submit a set of as-built plans for review and approval by the Public Works Department.



PUBLIC WORKS Noe Herrera

- 36. Prior to acceptance of improvements, the Public Works Director may determine that aggregate slurry, as defined in the Standard Specifications for Public Works Construction, may be required one year after acceptance of street(s) by the City if the condition of the street(s) warrant its application. All striping shall be replaced in kind. The applicant is the sole responsible party for the maintenance of all the improvements until said acceptance takes place.
- 37. The developer shall comply with the approved traffic study recommendations as directed by the Public Works Traffic Division.
- 38. Prior to map recordation the applicant shall annex this project into a City of Corona Community Facilities District (CFD) 2016-3 (Maintenance Services). All assessable parcels therein shall be subject to annual CFD charges (special taxes or assessments). The developer shall be responsible for all costs incurred during annexation into the CFDs.
- 39. Prior to final map recordation the applicant shall prepare a disclosure statement indicating that the property is within an Assessment District, Community Facilities District and/or Landscape Maintenance District and will be subject to an annual levy. The disclosure statement is subject to the review and approval of the Public Works Department and shall be recorded concurrently with the final map.
- 40. Prior to issuance of a Certificate of Occupancy, all proposed parkway, slope maintenance, and/or median landscaping specified in the tentative map or in these Conditions of Approval shall be constructed.
- 41. Prior to the issuance of a Certificate of Occupancy, any damage to existing landscape easement areas due to project construction shall be repaired or replaced by the developer, or developer's successors in interest, at no cost to the City of Corona.
- 42. Prior to map recordation, issuance of a building permit and/or issuance of a Certificate of Occupancy, the applicant shall pay all development fees, including but not limited to Development Impact Fees (DIF) per City Municipal Code 16.23 and Transportation Uniform Mitigation Fees (TUMF) per City Municipal Code 16.21. Said fees shall be collected at the rate in effect at the time of fee collection as specified by the current City Council fee resolutions and ordinances.
- 43. All the potable water, reclaimed water, and sewer design criteria shall be per City of Corona Department of Water and Power standards and Riverside County Department of Health Services Standards unless otherwise approved by the Public Works and Department of Water and Power Directors.
- 44. Prior to recordation or approval of improvement plans, the applicant shall obtain all necessary easements for any required offsite water and sewer facilities.
- 45. Prior to issuance of any building permits, a domestic water and fire flow system shall be approved by the Public Works Department and constructed by the developer, to the satisfaction of the Public Works Director and Fire Chief.
- 46. Prior to final map recordation, the developer shall construct or guarantee the replacement of the existing 8-inch water line on East Third Street fronting the proposed lot with a 12-inch diameter water line per City of Corona Department of Water and Power Standard Plans and Specifications, if the fire flow requirement is 3,500 gpm. If the building fire system demand requires 4,000 gpm, the developer shall construct or guarantee the replacement of the existing 8-inch water line on East Third Street from the intersection of Grand Boulevard and East Third Street across the project's frontage with a 12-inch diameter water line per City of Corona Department of Water and Power Standard Plans and Specifications. [modified prior to Planning and Housing Commission 2/24/20]
- 47. Prior to issuance of the first Certificate of Occupancy, all weather access road(s) shall be provided to all sewer manholes not located within public right-of-way.
- 48. Prior to improvement plans approval, the applicant shall ensure that all water meters, fire hydrants or other water appurtenances shall not be located within a drive aisle or path of travel.
- 49. Prior to issuance of any building permits, the developer shall pay all water and sewer fees, including but not limited to connection fees, wastewater treatment fees, sewer capacity fees and all other appropriate water and sewer fees.
- 50. Prior to building permit issuance, the applicant shall construct or guarantee the construction of all required public improvements including but not limited to, the potable water line, sewer line, reclaimed water line, potable water services, sewer laterals, reclaimed water services, double detector check assemblies and reduced pressure principle assemblies within the public right of way and-or easements.



PUBLIC WORKS Noe Herrera

- 51. Prior to issuance of a certificate of occupancy, the applicant shall complete the construction of a 12-inch water pipe on East Third Street per The Department of Water and Power design standards and specifications. If the required fire flow is 3,500 gpm, then the 12-inch water main shall be constructed fronting the proposed lot. If the building fire system demand requires 4,000 gpm, then the 12-inch water main shall be constructed from the intersection of East Grand Boulevard and East Third Street to the easterly end of the proposed lot. [modified prior to Planning and Housing Commission 2/24/20]
- 52. The applicant shall dedicate easements for all public water, reclaimed water, sewer and electric facilities needed to serve the project in accordance the Department of Water and Power standards. The minimum easement width shall be 20 feet for one utility and 30 feet for more than one public utility facility. All public water and sewer facilities shall be provided a minimum 20 foot wide paved access road unless otherwise approved by the General Manager. Structures and trees shall not be constructed or installed within a public utility easement.
- 53. Prior to map recordation or building permit issuance, whichever comes first, the applicant shall construct or guarantee the construction of a private fire system with double detector check assemblies at all public fire services to the satisfaction of the Department of Water and Power and Fire Chief.
- 54. Fire Hydrants shall be a maximum 250-300 feet apart or as directed by the Fire Department.
- 55. Manhole rim elevations shall be lower than all pad elevations immediately downstream. Otherwise a back flow prevention valve will be required.
- 56. Static pressures exceeding 80 psi require an individual pressure regulator.
- 57. Reclaimed water shall be used for any construction activity. Prior to obtaining a reclaimed construction meter from the City, a Reclaimed Water Application shall be submitted for the contractor to receive certification to handle reclaimed water.
- 58. The applicant shall provide a separate irrigation water service for all common landscaped areas.
- 59. The landscape plans of all parkway and Landscape Maintenance District (LMD) and Community Facilities District (CFD) lots shall be prepared by a licensed Landscape Architect and shall be submitted to the City for review and approval.
- 60. The developer shall install automatic irrigation to all street trees separated from adjacent residences by a fence or wall prior to the issuance of a Certificate of Occupancy.
- 61. Project shall comply with traffic improvements as noted in the TIA and be constructed to provide access to the site.

Project West Driveway at Third Street:


Install Southbound Stop control.

Construct southbound approach to provide full access and to consist of one shared left/right turn lane.

Project East Driveway at Third Street:

Install Southbound Stop Control.

Construct the Southbound approach to proved full access and to consist of one shared left/right turn lane.



**EXHIBIT C** 

CIVIL ENGINEERS . PLANNERS . SURVE

September 19, 2019

City of Corona Community Development Department 400 S. Vicentia Avenue Corona, CA 92882

Attention:

Sandra Yang

Reference:

905 E. 3rd Street - Parcel Map No. 37746

Dear Ms. Yang:

This letter addresses the project's subdivision information.

### a. Subdivision Development Plan:

The project is subdividing 2 parcels into one parcel with a 4.80 acres net, located on the north side of 3<sup>rd</sup> Street east of Grand Boulevard, and is bounded on the north by the I-15 Freeway. Land development improvements will involve both offsite and onsite work. Street improvements will be made to 3<sup>rd</sup> street in accordance with those specified in the project conditions of approval. Onsite land development will include grading, paving, installation of wet and dry utilities, walkways, walls and fences, site parking and lighting and trash enclosures. A permission to grade letter and install a public storm drain line will be required from the easterly adjacent property owner to install a public storm drain line and tie into the existing storm drain located on their property. The property will maintains the current drainage pattern to the north side of the project.

#### b. Domestic Water Supply:

Currently an existing 8" waterline located within 3<sup>rd</sup> street is being proposed as the source of water for the projects domestic needs, irrigation needs and fire flow needs with a proposed tie in of an existing 12" waterline to the existing 30" distribution line located within Quarry Street via a hot tap. This connection will improve the water flow circulation within the 8" line within 3<sup>rd</sup> Street for the required fire flow demands of a split 3500 gpm. The onsite water system will consist of a 12" waterline system with fire hydrants looped around the proposed building and will have two tie ins off of the existing 8" waterline located within 3<sup>rd</sup> street. Domestic and irrigation waterline services will be taken off of the existing 8" waterline.

# c. Type of Street Improvements and Utilities Proposed:

The improvements to 3<sup>rd</sup> street being proposed is to protect the existing curb and gutter located on both the north and south side of the street with curb improvements to remove existing drive entries and replace with new curb and gutter along with the construction of new curb return entries into the proposed development. Pavement slurry or replacement will be determined by the soils engineers recommendations and the City's Conditions of Approvals. There are no sewer or storm drain within 3<sup>rd</sup> Street.

Strategically Engineering our Client's Vision





# 905 E. 3RD STREET – PARCEL MAP NO. 37746 PROJECT SUBDIVISION INFORMATION September 20, 2019

2019-1874-1

2

# d. Proposed Method of Sewage Disposal:

An existing 15" sewer line is located onsite along the north side of the property and will service the method of sewage disposal with building lateral tie ins. There are no grease interceptors being proposed as part of this development.

### e. Proposed Storm Drains:

The site proposed to maintain the existing drainage pattern of draining to the north, currently there exists an existing concrete ditch that picks up and conveys our sites water, along with drainage from the west adjacent property to and through the east adjacent property where the flows are picked up my 36" inlets and an existing 24" storm drain system. The existing concrete ditch is being proposed to be removed replaced with an underground 24" public storm drain line, running at a slope of 1% that picks up the offsite flows from the west and will convey and tie into the existing 24" storm drain line located in the adjacent east property. A public storm drain easement is being proposed.

#### f. Protective Covenants to be Recorded:

The project will be a one lot subdivision owned by one entity. If deemed necessary, any property owner's association, along with CC&R's will be established for the purpose of maintaining common areas and private utilities.

Sincerely,

Thomas M. Caseldine, PE., PLS

Vice President

Thomas

P: 951.734.2130 ext. 230

C: 951.808.2799

E: tom.caseldine@kwcengineers.com



# CITY OF CORONA MITIGATED NEGATIVE DECLARATION

# NAME, DESCRIPTION AND LOCATION OF PROJECT:

**PM 37746:** Parcel Map application to create one lot on 4.80 acres for the development of a 101,690 square foot industrial building located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downton Corona Revitalization Specific Plan (SP98-01).

**PP2019-0007:** Precise Plan application to review the site plan, architecture, parking and landscaping associated with the development of a 101,690 square foot industrial building located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downton Corona Revitalization Specific Plan (SP98-01).

**V2019-0002:** Variance application requesting relief from the development standards under Section D (Table III-3) of the Downton Corona Revitalization Specific Plan to reduce the 10-foot rear yard landscape setback to zero to accommodate parking spaces and on-site circulation associated with the development of a 101,690 square foot industrial building located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downton Corona Revitalization Specific Plan (SP98-01).

#### ENTITY OR PERSON UNDERTAKING PROJECT:

Michael McKenna EBS Realty Partners, LLC. 1300 Bristol Street North, Suite 290 Newport Beach, CA 92660

The City Council, having reviewed the initial study of this proposed project and the written comments received prior to the public meeting of the City Council, and having heard, at a public meeting of the Council, the comments of any and all concerned persons or entities, including the recommendation of the City's staff, does hereby find that the proposed project may have potentially significant effects on the environment, but mitigation measures or revisions in the project plans or proposals made by or agreed to by the applicant would avoid or mitigate the effects to a point where clearly no significant effects will occur. Therefore, the City Council hereby finds that the Mitigated Negative Declaration reflects its independent judgment and shall be adopted.

The Initial Study and other materials which constitute the records of proceedings, are available at the office of the City Clerk, City of Corona City Hall, 400 S. Vicentia Avenue, Corona, CA 92882.

Date:		
	Mayor	
	City of Corona	
Date filed with County Clerk:		





# CITY OF CORONA INITIAL STUDY / ENVIRONMENTAL CHECKLIST

### PROJECT TITLE:

**PM 37746:** Parcel Map application to create one lot on 4.80 acres for the development of a 101,690 square foot industrial building located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downton Corona Revitalization Specific Plan (SP98-01).

**PP2019-0007:** Precise Plan application to review the site plan, architecture, parking and landscaping associated with the development of a 101,690 square foot industrial building located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downton Corona Revitalization Specific Plan (SP98-01).

**V2019-0002:** Variance application requesting relief from the development standards under Section D (Table III-3) of the Downton Corona Revitalization Specific Plan to reduce the 10-foot rear yard landscape setback to zero to accommodate parking spaces and on-site circulation associated with the development of a 101,690 square foot industrial building located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downton Corona Revitalization Specific Plan (SP98-01).

### PROJECT LOCATION:

North side of Third Street and east of Grand Boulevard, in the City of Corona, County of Riverside (APNs: 117-270-021 and 117-270-022).

#### PROJECT PROPONENT:

Michael McKenna EBS Realty Partners, LLC. 1300 Bristol Street North, Suite 290 Newport Beach, CA 92660

# PROJECT DESCRIPTION:

The project is for the development of a 101,690 square foot industrial building on 4.80 acres located on the north side of Third Street and east of Grand Boulevard in the BP (Business Park) designation of the Downtown Corona Revitalization Specific Plan (SP98-01). The project site is currently developed with various prefabricated metal buildings. The project requires three entitlements, PM 37746, PP2019-0007 and V2019-0002, which are described above.

# **ENVIRONMENTAL SETTING:**

Presently, the subject site is developed with six industrial structures which are currently vacant. The site contains a parking lot, landscaping, and chain link fencing along the east and west perimeters, and a block wall along the north perimeter adjacent to State Route 91. Abutting the property to the north is State Route 91, to the east and west are industrial developments, to the south is Third Street with single family homes beyond. The portion of Third Street adjacent to the site is improved with roadway, curb and gutter. The applicant will be constructing a five-foot wide sidewalk on Third Street adjacent to the project site.

#### **GENERAL PLAN \ ZONING:**

The subject property is located within the Downtown Corona Revitalization Specific Plan and has a zoning of BP (Business Park) and a General Plan designation of LI (Light Industry). The project is consistent with the site's zoning and General Plan designation as the project is to create one lot on 4.80 acres for the development of a 101,690 square foot industrial building.

The City	AFF RECOMMENDATION: City's Staff, having undertaken as s "Local Guidelines for Implemen recommends the following:	and						
_	The proposed project could NEGATIVE DECLARATION w		have a significant effect on to pe prepared.	the en	vironment.	Therefore, a		
_	The proposed project could have a significant effect on the environment; however, the potentially significant effects have been analyzed and mitigated to below a level of significance pursuant to a previous EIR as identified in the Environmental Checklist attached. Therefore, a NEGATIVE DECLARATION WILL BE PREPARED.							
_X	The Initial Study identified potentially significant effects on the environment but revisions in the project plans or proposals made by or agreed to by the applicant would avoid or mitigate the effects to below a level of significance. Therefore, a MITIGATED NEGATIVE DECLARATION will be prepared.							
-	The proposed project may ENVIRONMENTAL IMPACT R		e a significant effect on the ORT is required.	envir	ronment.	Therefore, an		
_	addressed only a portion of discussion. As there are portion	the tent	significant effect on the environm effects identified as described ially significant effects that ha will be prepared to evaluate	in the	e Environm been mitig	ental Checklist gated to below		
			osed project will have the potent ection 711.2 of the Fish and Gam			ect on fish and		
The	VIRONMENTAL FACTORS following indicates the areas of c r which mitigation measures are	onc	ern that have been identified as					
	Land Use Planning Population and Housing Geologic Problems Hydrology and Water Quality Air Quality Transportation / Traffic Biological Resources Mineral Resources		Hazards / Hazardous Materials Noise Public Services Utilities Aesthetics Cultural Resources Agricultural Resources Greenhouse Gases			ural Resources Findings of ce		
Date	Prepared: <u>January 27, 2020</u>		Prepared By: <u>Lupita Ga</u>	rcia, A	ssociate Pla	anner_		
Con	tact Person: <u>Lupita Garcia</u>		Phone: (951) 736-2262					
	ENCY DISTRIBUTION ck all that apply)			AGE	NCY DISTR	IBUTION		
_	Responsible Agencies Trustee Agencies (CDFG, SLC State Clearinghouse (CDFG,		DPR, UC) WS, Redevelopment Projects)	Sout		n California Edisor ia Edison Co.		

City of Corona 3 Environmental Checklist

Other: Pechanga Band of Luiseno, Soboba Band of Luiseno Indians

Joseph and Luebben, Santa Rosa Band of Cahuilla Mission Indians,

Gabrieleno/Tongva San Gabriel Band of Mission Indians.

AQMD

**WQCB** 

Local Governmental Affairs

2244 Walnut Grove Avenue

Rosemead, CA 91770

Land Use / Environmental Coord.

	mental: PM 37746, PP2019-0007 and V2019-0002				
Guide	This form represents an abbreviation of the complete Environment elines. Sources of reference information used to produce this check munity Development Department, 400 S. Vicentia Avenue, Corona, (	list may be found			EQA
1. L	AND USE AND PLANNING:	Potentially Significant Impact	Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impac
		impact	incorporated	Impact	*
a.	Conflict with any land use plan/policy or agency regulation (general plan, specific plan, zoning)	Ш	Ц	Ш	
b.	Conflict with surrounding land uses			$\boxtimes$	
c.	Physically divide established community			$\boxtimes$	
Discu	ussion:				
design project comp	project site is located within the Downtown Corona Revitalization Sonated as LI (Light Industrial) on the city's General Plan Land Use Mact site's zoning and General Plan designation as the proposed developies with the BP zone and LI designation in terms of land use. There	p. The proposed opment of a 101,69 fore, no mitigation	project does r 90 square foo n would be re	not conflict v t industrial b quired.	with the building
the de	ermore, the LI designation prescribes a floor area ratio (FAR) of 0.5 a evelopment proposed by PM 37746, PP2019-0007, and V2019-0002 designation of the City's General Plan.				
the so south indust site's	project is bounded by State Route 91 to the north, industrial developments with single family developments beyond. The north side of Third side of Third Street contains single family developments. The new trial developments on the north side of Third Street. Also, the site was existing zoning and General Plan designation permit the site to be define surrounding residential developments or physically divide an estate	d Street contains v industrial buildir as previously used eveloped as propo	industrial dev ng would be o d for industria sed. Therefor	elopments a consistent v I purposes a e, it will not	and the vith the and the conflict
2. F	POPULATION AND HOUSING:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impac
a.	Induce substantial growth				$\boxtimes$
b.	Displace substantial numbers of existing housing or people				$\boxtimes$
Discu	ussion:				
popul	project is an industrial development. Therefore, the project will no ation projections established in the 2004 General Plan for build-out y tigation would be required.				
	roject will not displace substantial numbers of existing housing or pet site; therefore, no mitigation would be required.	eople as there are	no residentia	al structures	on the
3. GE	EOLOGIC PROBLEMS:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impac
a.	Fault /seismic failures (Alquist-Priolo zone) /Landslide/Liquefaction			$\boxtimes$	
b.	Grading of more than 100 cubic yards				$\boxtimes$
C.	Grading in areas over 10% slope				$\boxtimes$
d.	Substantial erosion or loss of topsoil				$\boxtimes$
e.	Unstable soil conditions from grading				$\boxtimes$
f.	Expansive soils			$\square$	
1.	Expandito dollo				

#### Environmental: PM 37746, PP2019-0007 and V2019-0002

#### Discussion:

The site is not located in an Alquist-Priolo Earthquake Fault Zone and thus, ground rupture due to faulting is considered unlikely at this site. The project will be subject to city and county local codes and the latest California Building Code (CBC). Therefore, any potential impacts related to fault/seismic failures would be reduced to a less than significant impact; therefore, no mitigation would be required.

Per the Geotechnical Engineering analysis prepared by NorCal Engineering (March 4, 2019), the site is relatively flat descending slightly from a rear to front direction a few feet. As such landslide/slope instability/ rock fall issues pose a very low risk. Soils liquefaction is a state of soil particles suspension caused by a complete loss of strength when the effective stress drops to zero. Liquefaction normally occurs under saturated conditions in soils such as sand in which the strength is purely frictional. Primary factors that trigger liquefaction are moderate to strong ground shaking, relatively clean, loose granular soils, and saturated soil conditions. The potential for liquefaction is considered low based upon the groundwater level in excess of 100 feet. The proposed design is in conformance with the latest California building code provisions for earthquake design. Therefore, the property has a very low expansion potential. Additionally, expansive soils were encountered on the project site; however, following the expansive soils guidelines provided in the Geotechnical Engineering analysis prepared by NorCal Engineering (March 4, 2019) will reduce the expansive soils to a less than significant impact. Therefore, any potential impacts related to landslide, liquefaction, and expansive soils would be reduced to a less than significant impact; therefore, no mitigation would be required.

The project involves grading approximately 10,437 cubic yards, which is more than 100 cubic yards. Development of the project would require the movement of on-site soils. Prior to the issuance of grading permits, the project applicant would be required to submit detailed grading plans for the project site and would be required to comply with applicable City's grading regulations established in the Corona Municipal Code. Furthermore, development of the site would involve more than one acre; therefore, the proposed project is required to obtain a National Pollutant Discharge Elimination System (NPDES) permit. A Storm Water Pollution Prevention Plan (SWPPP) would also be required to address erosion and discharge impacts associated with the proposed on-site grading. Additionally, the project is required to submit a final Water Quality Management Plan (WQMP) which would identify measures to treat and/or limit the entry of contaminants into the storm drain system. Since the project is required to adhere to the City's grading regulations, obtain an NPDES Permit, and prepare an SWPPP and WQMP, impacts associated with soil erosion hazards are less than significant and no mitigation is required.

4. HY	DROLOGY AND WATER QUALITY:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than significant Impact	No Impact
a.	Violate water quality standards/waste discharge requirements			$\boxtimes$	
b.	Deplete groundwater supplies				$\boxtimes$
C.	Alter existing drainage pattern			$\boxtimes$	
d.	Increase flooding hazard				$\boxtimes$
e.	Degrade surface or ground water quality				$\boxtimes$
f.	Within 100-year flood hazard area				$\boxtimes$
g.	Increase exposure to flooding				$\boxtimes$
h.	Exceed capacity of storm water drainage system				$\boxtimes$

#### Discussion:

Development of the project site would increase the area of impermeable surface paving which will result in an increase in surface runoff. The applicant has submitted a preliminary Water Quality Management Plan (WQMP) prepared by KWC Engineers (April 17, 2019) to ensure that the project addresses potential water quality impacts. The applicant will be required to implement on site the Best Management Practices (BMPs) identified in the preliminary WQMP to minimize pollutant runoff into the City's storm water drainage system. A BMP for the project is to maintain landscaping using minimum or no pesticides. Another BMP for the project is to maintain and periodically repaint or replace inlet markings. Another BMP is to provide BPM information to new owners, lessees and operators. Prior to issuance of a grading permit, the applicant will be required to submit a final WQMP to be reviewed by the Corona Public Works Department. This will result in a less than significant impact to water quality and therefore, no further mitigation is required.

Environmental: PM 37746, PP2019-0007 and V2019-0002

Per the Hydrology Study prepared for the project site by KWC Engineers (July 2019), the proposed development will incorporate drainage improvements to improve the site conditions. The proposed development is consistent with existing drainage patterns, as the site will have one distinct drainage watershed with offsite water coming into the site from the west. That offsite water will be diverted into a modular wetland system located on the northeast corner of the site, where it will be discharged into an existing 24" storm drain via surface flow on the drive aisles, curb and gutter, and v-gutters. The catch basin will discharge the "First Flush" water into two Modular Wetland System Units (MWS) that will treat the water, and then divert the water into a proposed storm drain system. The hydrology study evaluated the potential effects of runoff based on the development of the proposed project. In addition, the methodology used to analyze the existing and proposed conditions was based on Riverside County's Hydrology Manual. Lastly, storm drain alignments and pipe sizes will be adequately sized in final engineering from the hydrology results and calculations of the HGL for the 100-year storm event. All storm water run-off will be carried via typical street sections and an onsite storm drain system. The computed 10-year storm event will be contained below the top of curb and the computed 100-year storm event will be contained within the street right-of-way. Therefore, any potential impacts to altering existing drainage patterns would be reduced to a less than significant impact and no mitigation is required.

According to the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Maps (FIRMS), the proposed project site is not within the 100-year flood hazard area. Development of the project site will not result in a flooding hazard nor will it expose the site and surrounding area to flooding. Therefore, no impacts are anticipated with respect to flooding and no mitigation is required.

5. All	R QUALITY:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Conflict with air quality plan				$\boxtimes$
b.	Violate air quality standard				$\boxtimes$
C.	Net increase of any criteria pollutant			$\boxtimes$	
d.	Expose sensitive receptors to pollutants				$\boxtimes$
e.	Create objectionable odors				$\boxtimes$

# Discussion:

An Air Quality Analysis was prepared for the project by Ganddini Group Inc., (August 30, 2019), to analyze potential air impacts associated with the proposed project. Emissions were calculated using the latest version of CalEEMod (v2016.3.2), which is a computer model approved by the South Coast Air Quality Management District (SCAQMD) to calculate criteria pollutant emissions. The following discusses the project's compliance to air quality plans and potential short-term construction impacts and long-term air quality operational impacts.

The project site is located within the City of Corona and is within the South Coast Air Basin (Basin) and is under the jurisdiction of SCAQMD. To the west of the Basin is the Pacific Ocean. To the north and east of the Basin are the San Gabriel, San Bernardino, and San Jacinto Mountains, while the southern limit of the Basin is the San Diego County Line. The Basin includes all of Orange County and the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties. The air quality in the basin is impacted by dominant airflows, topography, atmospheric inversions, location, season, and time of day and is regulated by the SCAQMD which is required, pursuant to the federal Clean Air Act, to reduce emissions of criteria pollutants for which the Basin is in nonattainment. The project would be subject to SCAQMD's Air Quality Management Plan (AQMP), which contains a comprehensive list of pollution control strategies directed at reducing emissions and achieving ambient air quality standards. The AQMP is based on projections originating with county and city general plans. Since the proposed project is required to be consistent with the City of Corona General Plan, the project would be consistent with the AQMP. Therefore, no impacts would occur with respect to AQMP implementation, and no mitigation measures are required.

#### **Short-Term Project Emissions**

Construction activities associated with the proposed project would have the potential to generate air emissions, toxic air contaminant emissions, and odor impacts. The proposed project is anticipated to start construction in early 2020 and be completed by the end of February 2021. The grading phase is anticipated to include approximately 250 to 500 cubic yards of import; therefore, in order to show a worst-case analysis, the largest anticipated import, 500 cubic yards, was used in the analysis.

The construction-related criteria pollutant emissions for each phase are shown below in Table 5-A, which shows that none of the project's emissions will exceed regional thresholds. Therefore, a less than significant regional air quality impact would occur from construction of the proposed project.

Table 5-A
Construction-Related Regional Pollutant Emissions

		Pollutant Emissions (pounds/day)						
Activit	ty	ROG	NOx	co	SO <sub>2</sub>	PM10	PM2.5	
	On-Site <sup>2</sup>	3.31	33.20	21.75	0.04	2.13	1.61	
Demolition	Off-Site <sup>3</sup>	0.11	1.37	0.77	0.01	0.27	0.08	
	Subtotal	3.42	34.57	22.52	0.04	2.40	1.69	
	On-Site <sup>2</sup>	2.43	26.39	16.05	0.03	3.83	2.49	
Grading	Off-Site <sup>3</sup>	0.09	0.69	0.68	0.00	0.22	0.06	
	Subtotal	2.52	27.08	16.74	0.03	4.05	2.55	
	On-Site <sup>2</sup>	2.12	19.19	16.85	0.03	1.12	1.05	
Building Construction	Off-Site <sup>3</sup>	0.47	3.32	3.63	0.02	1.06	0.30	
	Subtotal	2.59	22.50	20.48	0.04	2.18	1.35	
	On-Site <sup>2</sup>	1.38	10.84	12.26	0.02	0.58	0.53	
Paving	Off-Site <sup>3</sup>	0.09	0.05	0.74	0.00	0.22	0.06	
	Subtotal	1.47	10.89	13.00	0.02	0.80	0.59	
	On-Site <sup>2</sup>	27.62	1.53	1.82	0.00	0.09	0.09	
Architectural Coating	Off-Site <sup>3</sup>	0.07	0.04	0.55	0.00	0.17	0.05	
	Subtotal	27.70	1.57	2.37	0.00	0.26	0.14	
Total for overlapping pha	ses <sup>2</sup>	31.76	34.96	35.85	0.07	3.25	2.09	
SCAQMD Thresholds		75	100	550	150	150	55	
Exceeds Thresholds?	_	No	No	No	No	No	No	

#### Notes

- (1) Source: CalEEMod Version 2016.3.2
- (2) On-site emissions from equipment operated on-site that is not operated on public roads.
- (3) Off-site emissions from equipment operated on public roads.
- (4) Construction, paving, and painting phases may overlap.

Construction-related air emissions may have the potential to exceed the State and Federal air quality standards in the project vicinity, even though these pollutant emissions may not be significant enough to create a regional impact to the South Coast Air Basin. The proposed project has been analyzed for the potential local air quality impacts created from: construction-related fugitive dust and diesel emissions; from toxic air contaminants; and from construction-related odor impacts. CalEEMod calculates construction emissions based on the number of equipment hours and the maximum daily disturbance activity possible for each piece of equipment. As shown in Table 5-B, the maximum number of acres disturbed in a day would be 2.5 acres during grading. The local air quality emissions from construction were analyzed using the SCAQMD's Mass Rate Localized Significant Threshold Look-up Tables and the methodology described in Localized Significance Threshold Methodology prepared by SCAQMD (revised July 2008). The Look-up Tables were developed by the SCAQMD in order to readily determine if the daily emissions of CO, NOx, PM10, and PM2.5 from the proposed project could result in a significant impact to the local air quality. The emission thresholds were calculated based on the Corona/Norco source receptor area (SRA) 22 and a disturbance value of two acres per day, to be conservative. According to LST Methodology, any receptor located closer than 25 meters (82 feet) shall be based on the 25 meter thresholds. The nearest sensitive receptors are single-family detached residential dwelling units located approximately 65 feet (~20 meters) south of the project site; therefore, the SCAQMD Look-up Tables for 25 meters was used.

Table 5-B
Maximum Number of Acres Disturbed Per Day

Activity	Equipment	Number	Acres/8hr-day	Total Acres
Demolition	Rubber Tired Dozers	2	0.5	1
Total for phase		-	-	1
	Rubber Tired Dozers	1	0.5	0.5
Grading	Graders	1	0.5	0.5
	Tractors/Loaders/Backhoes <sup>2</sup>	3	0.5	1.5
Total for phase				2.5

#### Notes:

Table 5-C shows the on-site emissions from the CalEEMod model for the different construction phases and the LST emissions thresholds. The data provided in Table 5-C shows that none of the analyzed criteria pollutants would exceed the calculated local emissions thresholds at the nearest sensitive receptors. Furthermore, as a condition of approval for the project, on-site grading activities are required to comply with South Coast AQMD Rule 403 to control fugitive dust. Such measures include, but are not limited to watering of the site daily, suspending grading operations during high winds (25 mph) over a 30 minute period, the cleaning of the street and driveways near the project site and enforcing speed limits of 15 miles per hour on unpaved surfaces. Therefore, a less than significant local air quality impact would occur from construction of the proposed project.

Table 5-C
Local Construction Emissions at the Nearest Receptors

	On-Site Pollutant Emissions (pounds/day)						
Activity	NOx	co	PM10	PM2.5			
Demolition	33.20	21.75	2.13	1.61			
Grading	26.39	16.05	3.83	2.49			
Building Construction	19.19	16.85	1.12	1.05			
Paving	10.84	12.26	0.58	0.53			
Architectural Coating	1.53	1.82	0.09	0.09			
SCAQMD Thresholds <sup>2</sup>	170	1,007	6	5			
Exceeds Threshold?	No	No	No	No			

#### Notes:

- Source: Calculated from CalEEMod and SCAQMD's Mass Rate Look-up Tables for 2 acres, to be conservative, at a distance of 25 m in SRA 22 Corona/Norco.
- (2) The nearest sensitive receptors to the project are the single-family detached residential dwelling units located approximately 65 feet (~20 meters) south of the project site; therefore, the 25 meter threshold was used.
  - General Note: The proposed project will disturb up to a maximum of 2.5 acre per day (see Table 8).

# Construction-Related Toxic Air Contaminant Impacts

The greatest potential for toxic air contaminant emissions would be related to diesel particulate emissions associated with heavy equipment operations during construction of the proposed project. According to SCAQMD methodology, health effects from carcinogenic air toxics are usually described in terms of "individual cancer risk." "Individual Cancer Risk" is the likelihood that a person exposed to concentrations of toxic air contaminants over a 30-year lifetime will contract cancer, based on the use of standard risk-assessment methodology. Given the relatively limited number of heavy-duty construction equipment and the short-term construction schedule, the proposed project would not result in a long-term (i.e., 30 years) substantial source of toxic air contaminant emissions and corresponding individual cancer risk. Furthermore, construction-based particulate matter (PM) emissions (including diesel exhaust emissions) do not exceed any local or regional thresholds. Therefore, no significant short-term toxic air contaminant impacts would occur during construction of the proposed project.

# **Long-Term Regional Operational Impacts**

The on-going operation of the proposed project would result in a long-term increase in air quality emissions. This increase would be due to emissions from the project-generated vehicle trips and through operational emissions from the on-going use of the proposed project. Mobile sources include emissions from the additional vehicle miles generated from the proposed project. The vehicle trips associated with the proposed project have been analyzed by inputting the project generated vehicular trips from the Traffic Impact Analysis prepared by Ganddini Group, Inc. (July 12, 2019) for the proposed

<sup>(1)</sup> Source: South Coast AQMD. Fact Sheet for Applying CalEEMod to Localized Significance Thresholds, 2011b.

<sup>(2)</sup> The tractor portion of tractor/loader/backhoe assumed to have similar ground disturbance capability as a crawler tractor per SCAQMD guidance.

project into the CalEEMod Model. The Traffic Impact Analysis found that the proposed project will generate approximately 221 vehicle trips per day with trip generation rates of 1.74 trips per thousand square foot per day for the warehouse uses and 3.93 trips per thousand square foot per day for the manufacturing uses. The program then applies the emission factors for each trip which is provided by the EMFAC2014 model to determine the vehicular traffic pollutant emissions. The Traffic Impact Analysis found that the proposed warehouse use would create 113 automobile round trips, 5 2-axle truck round trips, 7 3-axle truck round trips, and 17 4+-axle truck round trips per day. The proposed manufacturing use was found to create 62 automobile round trips, 6 2-axle truck round trips, 3 3- axle truck round trips, and 8 4+-axle truck round trips per day. The warehouse and manufacturing vehicle fleet mixes were changed in CalEEMod to match the Traffic Impact Analysis as shown in Tables 5-D and 5-E.

Area sources, as shown in Table 5-F, include emissions from consumer products, landscape equipment and architectural coatings. Landscape maintenance includes fuel combustion emissions from equipment such as lawn mowers, rototillers, shredders/grinders, blowers, trimmers, chain saws, and hedge trimmers, as well as air compressors, generators, and pumps. As specifics were not known about the landscaping equipment fleet, CalEEMod defaults were used to estimate emissions from landscaping equipment. No changes were made to the default area source parameters. Energy usage includes emissions from the generation of electricity and natural gas used on-site. No changes were made to the default energy usage parameters.

Table 5-D
CalEEMod Revised Vehicle Mix Parameters – Warehouse Use

		CalEEMod Default Mix <sup>‡</sup>		CalEEMod Revised Mix <sup>2</sup>	
CalEEMod Vehicle Type	Vehicle Mix from Traffic Analysis	Ratio	Number of Vehicles	Ratio	Number of Vehicles
Light Auto	Automobile	0.542	77	0.486	69
Light Truck < 3750 lbs	Automobile	0.038	5	0.034	5
Light Truck 3751-5750 lbs	Automobile	0.185	26	0.166	24
Med Truck 5751-8500 lbs	Automobile	0.119	17	0.106	15
Lite-Heavy Truck 8501-10,000 lbs	2-Axle Truck	0.016	2	0.027	4
Lite-Heavy Truck 10,001-14,000 lbs	2-Axle Truck	0.005	1	0.008	1
Med-Heavy Truck 14,001-33,000 lbs	3-Axle Truck	0.017	2	0.049	7
Heavy-Heavy Truck 33,001-60,000 lbs	4+-Axle Truck	0.069	10	0.120	17
Other Bus		0.001	0	0.000	0
Urban Bus		0.001	0	0.000	0
Motorcycle	Automobile	0.005	1	0.004	1
School Bus		0.001	0	0.000	0
Mator Hame		0.001	0	0.000	0
Total		1.0	142	1.0	142

#### Notes:

<sup>(1)</sup> Source: CalEEMod Version 2016.3.2 default values for Opening year of 2021.

<sup>(2)</sup> Revised per the vehicle mix provided in the Traffic Impact Analysis of 79.57% Autos, 3.5% 2-Axle Trucks, 4.93% 3-Axle Trucks and 12% 4+ Axle Trucks for the warehouse use.

Table 5-E
CalEEMod Revised Vehicle Mix Parameters – Manufacturing Use

		CalEEMod Default Mix <sup>‡</sup>		CalEEMod	d Revised Mix²
CalEEMod Vehicle Type	Vehicle Mix from Traffic Analysis	Ratio	Number of Vehicles	Ratio	Number of Vehicles
Light Auto	Automobile	0.542	43	0.480	38
Light Truck < 3750 lbs	Automobile	0.038	3	0.033	3
Light Truck 3751-5750 lbs	Automobile	0.185	15	0.164	13
Med Truck 5751-8500 lbs	Autamobile	0.119	9	0.105	8
Lite-Heavy Truck 8501-10,000 lbs	2-Axle Truck	0.016	1	0.058	5
Lite-Heavy Truck 10,001-14,000 lbs	2-Axle Truck	0.005	0	0.018	1
Med-Heavy Truck 14,001-33,000 lbs	3-Axle Truck	0.017	1	0.038	3
Heavy-Heavy Truck 33,001-60,000 lbs	4+-Axle Truck	0.069	5	0.100	8
Other Bus		0.001	0	0.000	0
Urban Bus		0.001	0	0.000	0
Motarcycle	Automobile	0.005	0	0.004	0
School Bus		0.001	0	0.000	0
Motor Home		0.001	0	0.000	0
Total		1.0	79	1.0	79

#### Notes:

- (1) Source: CalEEMod Version 2016.3.2 default values for Opening year of 2021.
- (2) Revised per the vehicle mix provided in the Traffic Impact Analysis of 78.6% Autos, 7.6% 2-Axle Trucks, 3.8% 3-Axle Trucks and 10% 4+ Axle Trucks for the warehouse use.

The worst-case summer or winter criteria pollutant emissions created from the proposed project's long-term operations have been calculated and are shown below in Table 5-F, which shows that none of the analyzed criteria pollutants would exceed the regional emissions thresholds. Therefore, a less than significant regional air quality impact would occur from operation of the proposed project.

Table 5-F Regional Operational Pollutant Emissions

	Pollutant Emissions (pounds/day)							
Activity	ROG	NOx	co	SO2	PM10	PM2.5		
Area Sources <sup>2</sup>	2.18	0.00	0.03	0.00	0.00	0.00		
Energy Usage <sup>3</sup>	0.02	0.22	0.18	0.00	0.02	0.02		
Mobile Saurces	0.50	5.80	6.31	0.03	2.09	0.58		
Total Emissions	2.70	6.02	6.53	0.04	2.11	0.60		
SCAQMD Thresholds	55	55	550	150	150	55		
Exceeds Threshold?	No	No	No	No	No	No		

#### Notes:

- (1) Source: CalEEMod Version 2016.3.2; the higher of either summer or winter emissions.
- (2) Area sources consist of emissions from consumer products, architectural coatings, and landscaping equipment.
- (3) Energy usage consists of emissions from generation of electricity and on-site natural gas usage.
- (4) Mobile sources consist of emissions from vehicles and road dust.

#### Long Term Local Operational Impacts

Table 5-G shows the on-site emissions from the CalEEMod model that includes natural gas usage, landscape maintenance equipment, and vehicles operating on-site and the calculated emissions thresholds. Per Localized Significance Threshold methodology, mobile emissions include only on-site sources which equate to approximately 10 percent of the project-related new mobile sources. The data provided in Table 5-G shows that the on-going operations of the proposed project would not exceed SCAQMD local operational thresholds of significance. Therefore, the on-going operations of the proposed project

would create a less than significant operations-related impact to local air quality due to on-site emissions and no mitigation would be required.

Table 5-G Local Operational Emissions at the Nearest Receptors

	On-Site Pollutant Emissions (pounds/day)							
On-Site Emission Source	NOx	co	PM10	PM2.5				
Area Sources <sup>2</sup>	0.00	0.03	0.00	0.00				
Energy Usage <sup>3</sup>	0.22	0.18	0.02	0.02				
Vehicle Emissions <sup>4</sup>	0.58	0.63	0.21	0.06				
Total Emissions	0.80	0.84	0.23	0.07				
SCAQMD Thresholds <sup>5</sup>	270	1,700	3	2				
Exceeds Threshold?	No	No	No	No				

#### Notes:

- (1) Source: Calculated from CalEEMod and SCAQMD's Mass Rate Look-up Tables for 5 acres.
- (2) Area sources consist of emissions from consumer products, architectural coatings, and landscaping equipment.
- (3) Energy usage consists of emissions from on-site natural gas usage.
- (4) On-site vehicular emissions based on 1/10 of the gross vehicular emissions and road dust.
- (5) The inearest sensitive receptors are the single-family detached residential dwelling units located approximately 65 feet (~20 meters) south of the site: therefore, the 25 meter threshold has been used.

# **Operations-Related Odor Impacts**

Potential sources that may emit odors during the on-going operations of the proposed project would include odor emissions from diesel truck emissions and trash storage areas. Due to the distance of the nearest receptors from the project site and through compliance with SCAQMD's Rule 402 no significant impact related to odors would occur during the on-going operations of the proposed project.

#### Asbestos

Asbestos is listed as a toxic air contaminant by the California Air Resources Board and as a Hazardous Air Pollutant by the U.S. Environmental Protection Agency. Asbestos occurs naturally in mineral formations and crushing or breaking these rocks, through construction or other means, can release asbestiform fibers into the air. Asbestos emissions can result from the sale or use of asbestos-containing materials, road surfacing with such materials, grading activities, and surface mining. The risk of disease is dependent upon the intensity and duration of exposure. When inhaled, asbestos fibers may remain in the lungs and with time may be linked to such diseases as asbestosis, lung cancer, and mesothelioma. Naturally occurring asbestos is not present in Riverside County. The nearest likely locations of naturally occurring asbestos, as identified in the General Location Guide for Ultramafic Rocks in California prepared by the California Division of Mines and Geology, is located in Santa Barbara County. Due to the distance to the nearest natural occurrences of asbestos, the project site is not likely to contain asbestos. Therefore, the potential risk for asbestos occurring during project construction would be less than significant.

# **Carbon Monoxide Hot Spot Analysis**

Carbon monoxide (CO) is a colorless, odorless gas that is formed when carbon in fuel is not burned completely. It is a component of motor vehicle exhaust, which contributes about 56 percent of all CO emissions nationwide. CO is the pollutant of major concern along roadways because the most notable source of CO is motor vehicles. For this reason, CO concentrations are usually indicative of the local air quality generated by a roadway network and are used as an indicator of potential local air quality impacts. Local air quality impacts can be assessed by comparing future without and with project CO levels to the State and Federal CO standards.

To determine if the proposed project could cause emission levels in excess of the CO standards, a sensitivity analysis is typically conducted to determine the potential for CO "hot spots" at a number of intersections in the general project vicinity. Because of reduced speeds and vehicle queuing, "hot spots" potentially can occur at high traffic volume intersections with a Level of Service E or worse.

The analysis prepared for CO attainment in the South Coast Air Basin by the SCAQMD can be used to assist in evaluating the potential for CO exceedances in the South Coast Air Basin. CO attainment was thoroughly analyzed as part of the SCAQMD's 2003 Air Quality Management Plan (2003 AQMP) and the 1992 Federal Attainment Plan for Carbon Monoxide (1992 CO Plan).

Environmental: PM 37746, PP2019-0007 and V2019-0002

The Traffic Impact Analysis prepared by Ganddini Group, Inc. (July 12, 2019) for the proposed project showed that the project would generate 221 trips per day (287 PCE trips). The intersection with the highest traffic volume is located at Main Street and 3rd Street and has an Opening Year (2021) With Project evening peak hour volume of 1,274 vehicles. The segment with the highest average daily traffic volume for the Opening Year (2021) With Project scenario is Main Street north of Grand Boulevard, which has 37,300 average daily trips. The 1992 Federal Attainment Plan for Carbon Monoxide (1992 CO Plan) showed that an intersection which has a daily traffic volume of approximately 100,000 vehicles per day would not violate the CO standard. Therefore, as the highest traffic volumes fall short of 100,000 vehicles, no CO "hot spot" modeling was performed, and no significant long-term air quality impact is anticipated to local air quality with the on-going use of the proposed project.

6. 1	RANSPORTATION/TRAFFIC:	Potentially Significant Impact	Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
а	Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system				$\boxtimes$
b	Conflict or be consistent with CEQA Guidelines section 15064.3, subdivision (b)				
С	Increase the total daily vehicle miles traveled per service population (population plus employment) (VMT/SP) above the baseline level for the jurisdiction				
d	Cause total daily VMT within the study area to be higher than the No Project alternative under cumulative conditions			$\boxtimes$	
е	Change in air traffic patterns				$\boxtimes$
f.	Traffic hazards from design features				$\boxtimes$
g	Emergency access				$\boxtimes$
h	Conflict with alternative transportation policies				$\boxtimes$

#### Discussion:

#### Site Access

As shown on the project's site plan, access to the project site will be provided via two (2) driveways located on the southwest corner of the project site and on the southeast corner of the project will obtain access from Third Street.

# State Bill (SB) 743 Compliance Vehicle Miles Traveled (VMT)

On September 27, 2013, Governor Brown signed Senate Bill (SB) 743. Under SB 743, the focus of transportation analysis pursuant to CEQA will shift from driver delay, or level of service (LOS), to reduction of vehicle miles traveled (VMT), reduction in greenhouse gas emissions, and creation of multimodal networks and promotion of mixed-use developments. In December 2018, the California Natural Resources Agency certified and adopted amendments to the CEQA Guidelines implementing SB743 with a target implementation date of July 1, 2020.

Per the Traffic Impact Analysis prepared by Ganddini Group Inc., (November 1, 2019), for the project, SB 743 and the new guidelines establish new methodologies for assessing transportation CEQA significant impacts that better align with the state's goal of reducing vehicle usage, promoting multimodal transportation networks and diversity of land uses. The goal in using VMT for analyzing transportation impacts will emphasize reducing the number of trips and distances vehicles are used to travel to/from a development project and/or transit service. Projects located near transit and/or within infill areas generally have lower VMT than projects in rural or undeveloped areas.

The Guideline state the lead agency has discretion to choose the most appropriate methodology for setting thresholds, estimating project VMT, and estimating reductions from mitigations, to allow for consistent comparisons. Where quantitative models or methods are unavailable, section 15064.3 allows agencies to assess VMT qualitatively, using factors such as availability of transit and proximity to other destinations.

The new VMT-based analysis emphasizes "Transit Priority Areas" within one-half mile of a major transit stop or a stop along a high-quality transit corridor. A major transit stop contains an existing rail transit station, a ferry terminal served by either a bus or rail transit service, or the intersection of two or more major bus routes with a frequency of service interval of 15 minutes or less during the AM and PM peak commute periods. Projects located in transit priority areas should be presumed to have a less than a significant impact. The proposed project is in the City of Corona's transit priority area; therefore, no

impacts would occur as the project is exempt from VMT analysis, and no mitigation measures are required.

The City of Corona has not established VMT methodologies and thresholds at this time. Per the Traffic Impact Analysis prepared by Ganddini Group Inc., (November 1, 2019), the project will be qualitatively reviewed based on proximity to established transit and multimodal transportation. VMT and multi-modal credits have not been applied the to the project related trips for the Level of Service Analysis. The project site is located within one-half mile of the Corona transit center (bus-rail service) and is adjacent to the Corona Cruiser redline route (~ 400 feet to bus stops). This location is within a Transit Priority Area; therefore, the project should be presumed to have a less than significant transportation impact for VMT analysis.

#### Traffic Impact Analysis

A traffic Impact analysis (TIA) was prepared for the project by Ganddini Group Inc., dated November 1, 2019, to analyze traffic operations resulting from development of the proposed project and to identify measures necessary to mitigate potentially significant traffic impacts. The project is anticipated to be completed in 2021 and is estimated to generate 221 daily vehicle trips, including 27 vehicle trips during the AM peak hour and 28 vehicle trips during the PM peak hour. In addition, the proposed project is forecast to generate a total of approximately 279 daily passenger car equivalent (PCE) trips, including 40 PCE trips during the AM peak hour and 41 PCE trips during the PM peak hour.

Although the city's CEQA checklist no longer considers level of service or LOS as a means of determining a significant effect on the environment, the city still uses LOS to determine if an applicant's project needs to construct certain circulation improvements or participate in a fair share cost towards the construction of future circulation improvements. Circulation improvements, if required, would be added as a condition of approval for the project.

Nine study intersections located in proximity to the project site were analyzed. The study intersections are the following:

- 1. N Main Street and E Grand Boulevard
- 2. N Main Street at State Route 91 (westbound ramp)
- 3. N Main Street at State Route 91 (eastbound ramp)
- 4. N Main Street and Third Street
- 5. E Grand Boulevard and Joy Street
- 6. E. Grand Boulevard and Third Street
- 7. Rimpau Avenue and E Sixth Street
- 8. Third Street (in front of the project) west access
- 9. Third Street (in front of the project) east access

Three roadway segments located in proximity to the project site were also analyzed. The roadway segments are the following:


- 1. Third Street from Main Street to Grand Boulevard
- 2. Third Street from Grand Boulevard to Arroya Street
- 3. Third Street from Arroya Street to East Arroya Street

#### **Existing Roadway Volumes:**

The City of Corona considers a level of service (LOS) D or above to be an acceptable level of service for all intersections that consist of collector and arterial roadways. Figure 6-A shows the existing average daily traffic volumes. The existing average daily traffic volumes have been obtained from the 2017 Traffic Volumes on California State Highways by the California Department of Transportation and factored from peak hour intersection turning movement volumes using the following formula for each intersection leg:

Evening Peak Hour (Approach Volume + Exit Volume) x 12 = Leg Volume.

Existing peak hour intersection turning movement volumes are based upon AM peak period and PM peak period intersection turning movement counts obtained in May 2019 during typical weekday conditions. The AM peak period was counted between 7:00 AM and 9:00 AM and the PM peak period was counted between 4:00 PM and 6:00 PM. The actual peak hour within the peak period is the four consecutive 15-minute periods with the highest total volume when all movements are added together. Thus, the weekday PM peak hour at one intersection may be 4:45 PM to 5:45 PM if the four consecutive 15-minute periods have the highest combined volume.



Legend
•## Vehicles Per Day (1,000's)

Figure 6-B and Figure 6-C show the existing AM and PM peak hour intersection turning movement volumes, respectively.





Table 6-D, for the existing conditions Peak Hour Intersection, all three key study intersections currently operate at acceptable LOS D or above during the AM and PM peak hours in existing traffic conditions and in existing conditions with project traffic conditions.



City of Corona 16 Environmental Checklist

## **Existing Roadway Segment Level of Service**

Table 6-D shows the existing roadway segment daily capacity analysis. As shown on Table 6-D, the study roadway segments currently operate within acceptable Levels of Service (D or better) for Existing conditions.

Table 6-D
Existing Daily Capacity Analysis

	2-min 1 1			Roadway Capacity <sup>1</sup>					Existing Without Project		
		Segment		Ultimate			Existing/Proposed				
ID	Roadway	From	То	Classification	Lanes	Capacity	Lanes	Capacity	ADT <sup>2</sup>	V/C²	LOS <sup>2</sup>
1.	3rd Street	Main Street	Grand Boulevard	Collector	2	13.000	2	13.000	3,800	0.29	А
2.	3rd Street	Grand Boulevard	Arroya Street	Callector	2	13,000	2	13,000	1,000	50.0	A
3.	3rd Street	Arroya Street	East of Arroya Street	Collector	2	13.000	2	13.000	700	0.05	А

#### Notes:

- (1) Source: City of Corona roadway segment capacity thresholds (City of Corona Traffic Impact Study Guidelines, Exhibit C. 2006).
- (2) ADT = Average Daily Traffic; V/C = Volume to Capacity; LOS = Level of Service.

# **Existing Intersection Level of Service**

The intersection Levels of Service for Existing conditions are shown in Table 6-E. The study intersections currently operate within acceptable Levels of Service (D or better) during the peak hours for Existing conditions.

Table 6-E
Existing Intersection Levels of Service


	Traffic	AM Pe	ak Hour	PM Peak Hour	
ID Study Intersection	Control <sup>1</sup>	Delay <sup>2</sup>	LOS <sup>3</sup>	Delay	LOS
Main Street at Grand Boulevard	TS	26.4	С	21.7	С
2. Main Street at SR-91 WB Ramps	TS	17.5	В	14.5	В
3. Main Street at SR-91 EB Ramps	TS	18.7	В	15.5	В
4. Main Street at 3rd Street	TS	14.6	В	16.8	В
5. Joy Street at Grand Boulevard	TS	13.7	В	15.7	В
6. Grand Boulevard at 3rd Street	TS	7.9	А	11.2	В
7. Rimpau Avenue at 6th Street	TS	21.6	С	23.5	С

### Notes:

- (1) TS = Traffic Signal; CSS = Cross Street Stop
- (2) Delay is shown in seconds per vehicle. For intersections with traffic signal or all way stop control, overall average intersection delay and LOS are shown. For intersections with cross street stop control, LOS is based on average delay of the worst individual lane (or movements sharing a lane).
- (3) LOS = Level of Service


### **Existing with Project Traffic:**

Existing Plus Project volume forecasts were derived by adding the project generated trips to existing volumes. Existing plus project average daily traffic volumes are shown on Figure 6-F.




# Opening Year (2021) Without Project

To develop Opening Year (2021) Without Project volume forecasts, Existing volumes were combined with ambient growth and trips generated by other developments. Opening Year (2021) Without Project average daily traffic volumes are shown on Figure 6-G. Opening Year (2021)



# Opening Year (2021) With Project

Opening year (2021) with project volumes were developed by adding project generated trips to the opening year (2021) without project forecast volumes. Opening year (2021) with project average daily traffic volumes are shown on Figure 6-H.



The project proposes to install on-site improvements, off-site improvements, and phasing all necessary study area transportation improvements. Table 6-I summarizes the operational analysis for analysis scenarios. Two full access driveways are proposed for the project, the west and the east access driveways of Third Street for car traffic. Trucks to and from the site will have one-way directional access with inbound truck traffic at the east driveway and outbound truck traffic at the west driveway. The TIA recommends the following improvements to be constructed for the project to provide access to the site:

#### **Project West Driveway at Third Street**

- Install southbound stop control.
- Construct the southbound approach to provide full access and consist of one shared left/right turn lane.

## **Project East Driveway at Third Street**

- Install southbound stop control.
- Construct the southbound approach to provide full access and consist of one shared left/right turn lane.

The nearest airport to the project site is the Corona Municipal Airport, located approximately 2.5 miles northwest of the project site. Based on the Riverside County Airport Land Use Compatibility Plan (ALUCP), the project site is not within any identified safety or compatibility zone and therefore, does not conflict with the ALUCP and no mitigation is warranted.

## Table 6-I Summary of Intersection Levels of Service

		Exi	sting		E	ixisting P	lus Proje	ct	С	_	ear (202 t Project		C	pening \ With i	ear (202 Project	1)
	AM Pea	sk Hour	PM Pea	k Hour	AM Pea	sk Hour	PM Pe	ak Hour	Al-1 Pe	ak Hour	PIM Pea	ak Hour	AM Pe	ak Hour	PM Pe	sk Hour
ID Study Intersection	Delay	LOS <sup>2</sup>	Delay	LOS	Delay	LOS	Delay	LOS	Delay	LOS	Delay	LOS	Delay	LOS	Delay	LOS
Main Street at Grand Boulevard	26.4	Ċ.	21.7	С	26.4	С	21.7	С	36.7	D	24.2	С	36.7	D	24,3	С
2. Main Street at SR-91 WB Ramps	17.5	В	14.5	В	17.5	В	14.6	8	18.6	Б	16.1	В	18.6	8	16.2	В
3. Main Street at SR-91 EB Ramps	18.7	5	15.5	Б	18.9	В	15.5	8	30.5	С	15.5	В	30.9	С	16.6	В
4. Main Street at 3rd Street	14.6	8	16.8	Б	14.8	В	17.0	8	15.5	В	17.9	В	15.7	В	18.1	Б
5. Joy Street at Grand Boulevard	13.7	В	15.7	Б	13.7	B	15.8	В	14.8	В	17.3	B	14.8	В	17.5	В
6. Grand Boulevard at 3rd Street	7.9	А	11.2	Б	8.8	А	11.5	8	8.3	А	12.0	В	8.9	Α	11.7	В
7. Rimpau Avenue at 6th Street	21.6	C	23.5	С	21.8	С	23.6	С	24.6	С	30.1	С	28.6	С	32.0	С
8. Project West Access at 3rd Street	-		-		9.1	A	9.1	Д			-		9.1	Д	9.2	А
9. Project East Access at 3rd Street	-				9.1	A	8.9	А			-		9.1	А	8.9	А

Hotes:

The proposed project is forecast to result in no significant traffic impacts at the study intersections or roadway segments for existing plus project conditions; therefore, no mitigation is required for direct project impacts. In addition, the proposed project is forecast to result in no significant traffic impacts at the study intersections or roadway segments for opening year (2021) with project conditions; therefore, there is no quantifiable cumulative impact and no project mitigation is required.

7. BI	OLOGICAL RESOURCES:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Endangered or threatened species/habitat				$\boxtimes$
b.	Riparian habitat or sensitive natural community				$\boxtimes$
c.	Wetland habitat				$\boxtimes$
d.	Wildlife corridors or migratory species				$\boxtimes$
e.	Conflicts with local biological resource policies/ordinances				$\boxtimes$
f.	Conflicts with any habitat conservation plan				$\boxtimes$

#### Discussion:

The City of Corona participates in the Multiple Species Habitat Conservation Plan (MSHCP) which is a habitat conservation plan for Western Riverside County that identifies land to be preserved for habitat for threatened, endangered or key sensitive populations of plant and wildlife species. The site is located within the boundaries of the MSCHP; however, it is not located within an MSHCP Criteria Area or Public /Quasi-Public Lands. The project site does not contain riverine/riparian areas or vernal pools as defined in the MSHCP and does not contain any fairy shrimp habitat. It is also not located within an amphibian survey area, criteria area species survey area, mammal survey area, narrow endemic plants survey area, or a burrowing owl survey area.

A Phase I Environmental Site Assessment was prepared for the project by Hazard Management Consulting, dated March 25, 2019. The assessment includes historical aerial photographs of the subject property and its vicinity dated 1931 through 2016. The historical aerial photographs indicate that the subject property was undeveloped in 1931. By 1938, two structures are noted on the project site. By 1948, the two structures were no longer present, and the property remained vacant until 1959. By 1961, the site is noted to have been developed with two structures, and State Route 91 is shown to be constructed north of the project site. By 1967, several structures are noted on the westerly portion of the property. By 1985, two industrial structures are noted on the westerly side of property and two additional industrial structures are noted on the easterly side of the property, for a total of four industrial structures on the property. From 1989 through 2016 no significant changes were noted on the project site. Currently, the property is paved with the four buildings and surrounded by existing development. As such, the project site cannot support wildlife movement.

<sup>(1)</sup> Delay is shown in seconds per vehicle.

<sup>(2)</sup> LOS = Level of Service

The project site does not contain jurisdictional drainage features, ponded areas, or riparian habitat subject to the regulatory authority of the California Department of Fish and Wildlife (CDFW), United States Army Corps of Engineers (USACE), and/or Regional Water Quality Control Board (RWQCB).

The applicant is required to pay applicable mitigation fees related to the MSHCP. This fee will be used to acquire and preserve vegetation communities and natural areas, which are known to support these sensitive species. Therefore, no further mitigation pertaining to biological resources is required.

8. 1	MINERAL RESOURCES:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
а	a. Loss of mineral resource or recovery site				$\boxtimes$
Disc	cussion:				
	Figure 4.5-7 of the General Plan Technical Background Report, tource site. Therefore, mitigation is not required.	the project site is not	located in an	oil, gas or i	mineral
9. HA	AZARDS AND HAZARDOUS MATERIALS:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Transport, use or disposal of hazardous materials		$\boxtimes$		
b.	Risk of accidental release of hazardous materials		$\boxtimes$		
C.	Hazardous materials/emissions within ¼ mile of existing or proposed school				$\boxtimes$
d.	Located on hazardous materials site				$\boxtimes$
e.	Conflict with Airport land use plan				$\boxtimes$
f.	Impair emergency response plans				$\boxtimes$
q.	Increase risk of wildland fires				$\bowtie$

#### Discussion:

A Phase I Environmental Site Assessment was conducted for the project by Hazard Management Consulting (HMC) Inc., dated March 25, 2019, to identify Recognized Environmental Conditions (RECs), including the storage and handling of hazardous substances and petroleum products on or in the vicinity of the subject property which have the potential to environmentally impact on-site soils, surface water and groundwater. The site was historically used for light manufacturing and later as a construction office for RCTC (Riverside County Transportation Commission) for the expansion of State Route 91. The assessment included a site reconnaissance held on February 20, 2019. Based on the site inspection a few features of concern were noted during the site walk which include moderate staining of the surface noted at the warehouse; the oil pit which appears to be an underground storage tank; and the metal flanged pipe feature. The Phase I recommended a Phase II to be conducted addressing the following:

- A subsurface investigation should be conducted at the site in the area of the oil pit and associated staining as well
  as along the western border of the site;
- The oil pit should be closed in accordance with current regulatory guidelines;
- An evaluation of the status of the historic clarifier and underground storage tanks (USTs) should be made to assess
  if specific closure requirements will be imposed;
- An asbestos survey should be conducted at the site prior to any demolition activities;
- Development of the site should be conducted in accordance with a soil management plan

Based on the results of the Phase One Environmental Site Assessment conducted by HMC Inc. (March 25, 2019) at the site, several features of concern were noted and a subsurface investigation (SI) was recommended. Per the Phase Two Environmental Site Assessment conducted by HMC Inc. (May 9, 2019) the SI included the collection of soil and soil gas samples in areas of specific uses of concern as well as across the site as a general screen for potential unknown conditions. The results of the SI reported primarily non detectable concentrations of hydrocarbons and VOCs in soil and soil gas with

a few samples found to contain trace concentrations below any threshold of concern. Metals were reported in samples at concentrations generally considered background for Southern California. Based on the results of this investigation, there has been no evidence of significant subsurface impacts that would warrant further investigation or remediation. The results of the soil gas survey did not indicate any potential vapor intrusion concerns nor were there any indications that engineering controls for the future buildings would be necessary; no further investigation is recommended.

According to the Phase Two Environmental Site Assessment conducted by HMC Inc. (May 9, 2019), mitigation measures were warranted to minimize hazards and hazardous material impacts, as it was presumed there was an underground storage tank and clarifier on the project site. However, a follow up Soil Management Plan was conducted for the project by Hazard Management Consulting (HMC) Inc., dated August 19, 2019. According to the Soil Management Plan, HMC retained Moine Brothers to assist in further explore the area of the suspect clarifier and former "oil pit". Using a backhoe Moine Brothers excavated trenches in the area of the clarifier and oil pit to a depth of approximately 8 feet deep. There was no clarifier or underground storage tank present. In the area of the clarifier, evidence of piping remaining along the walls of the excavation indicates that the clarifier was previously removed leaving the remnant piping behind. Very strong readings were noted emanating from the soil that was excavated on the field instruments. A Notification was made to AQMD activating a various sites Rule 1166 Permit for VOC Contaminated Soil and the soil and work area were managed under the protocols of Rule 1166 and the various sites permit. The odorous soil was loaded into a locking steel roll off and subsequently disposed of at the Waste Management Landfill in Simi Valley by Belshire Environmental. The volume of odorous soil was limited to that excavated though additional grading in this area could result in additional odorous soil. In the area of the oil pit, the pipe inlet went into bare soil and the area was noted to contain oily soil immediately beneath the asphalt. The stained soil was removed and stockpiled and removed from the Site on August 19, 2019. While all of the visibly impacted and odorous soil was removed, there is a possibility that additional oil and/or odorous soil maybe encountered in this area and will be monitored as part of the SMP Procedures.

Based on the Phase Two Environmental Site Assessment conducted by HMC Inc. (May 9, 2019), **Mitigation Measures 1-2** are necessary to reduce potential hazardous impacts to a less than significant level. **(MM 1-2)** 

## Mitigation Measures:

- 1. The current tenants shall remove all onsite chemicals off the property at the completion of their occupancy.
- 2. The developer shall submit a Soil Management Plan to the Riverside County Department of Environmental Health for the remediation of contaminated soils at the project site. A copy of the Soils Management Plan shall also be submitted to the Public Works Department prior to issuance of a grading permit.

The nearest school to the project site is Lincoln Alternative Elementary School which is located approximately 0.55 miles south of the project site. The school is separated from the site by various existing developments including residential neighborhoods, Corona city park and roadways. Development of the proposed project on the site would not include any activities that would result in hazardous emissions. It also does not include the handling of hazardous materials, substances, or waste in a manner that could result in toxic emissions. Therefore, this would be a non-issue and no mitigation would be required.

The project site is not located in proximity to the Cleveland National Forest nor is it considered an area that can be described as a wildland area. The project site is located within an urbanized area. Due to the urbanized nature of the surrounding area, the proposed development would not be considered at high risk for fire hazards. Furthermore, all development within the City of Corona is required to comply with all fire code requirements associated with adequate fire access, fire flows, and number of hydrants. Therefore, the project would have no impact and no mitigation is required.

The nearest airport to the project site is the Corona Municipal Airport, located approximately 2.5 miles northwest of the project site. Based on the Riverside County Airport Land Use Compatibility Plan (ALUCP), the project site is not within any identified safety or compatibility zone and therefore, does not conflict with the ALUCP and no mitigation is warranted.

Environmental:	ГТМ 37746,	PP2019-0007 and	I V2019-0002

10. N	OISE:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Exceed noise level standards				$\boxtimes$
b.	Exposure to excessive noise levels/vibrations			$\boxtimes$	
C.	Permanent increase in ambient noise levels			$\boxtimes$	
d.	Temporary increase in ambient noise levels		$\boxtimes$		
e.	Conflict with Airport Land Use Plan noise contours				$\boxtimes$

## Discussion:

## **Short-term Construction Noise**

The existing single family residential land uses located south of the project site may be affected by short-term noise impacts associated with the transport of workers, the movement of construction materials to and from the project site, ground clearing, excavation, grading, building activities and truck back-up beeper noise. Noise levels associated with each phase of construction were calculated and are presented in Table 10-A. The construction equipment used in the modeling was assumed per the CalEEMod modeling provided in the Air Quality Analysis prepared for the project by Ganddini Group, Inc., (February 26, 2020).

As shown in Table 10-A, construction noise will range between 71.4 and 85 dBA Leq at nearby residential land uses and between 54.2 and 67.8 dBA Leq at City Park located approximately 470 feet south of the project site. The construction noise analysis does not take into account noise reduction provided by any structures in between the project site and the sensitive receptors. The evaluation of construction noise is worst-case as it assumes that all of the equipment is operating at the closest point possible. It should also be noted that typical operating cycles for these types of construction equipment may involve one or two minutes of full power operation followed by three to four minutes at lower power settings, and the equipment will move around the site, resulting in varying noise levels. For example, heavy equipment is not expected to be operating 65 feet from the nearest residential area for the entirety of the construction period, and therefore, the construction analysis is conservative.

As stated in the Noise Impact Analysis prepared by Ganddini Group, Inc., (February 26, 2020), there could be short-term noise impacts in the immediate area during the construction phase of the project. This may temporarily affect the existing residential developments located to the south of the project site, but the impacts will be reduced to a level of less than significant by compliance with city regulations prohibiting construction noise between the hours of 8:00 p.m. to 7:00 a.m., Monday through Saturday and 6:00 p.m. to 10:00 a.m., Sundays and federal holidays. This will prevent nuisance noise impacts during sensitive time periods of early morning and nighttime.

Table 10-A
Projected Construction Noise Levels

Location of Sensitive Receptor	Phase	Distance to Receptor <sup>1</sup>	Modeled Construction Noise Level (dBA Leq) <sup>2</sup>
	Demolition	65	84.2
	Grading	65	85.0
Singe-Family Residential (South)	Building Construction	65	83.6
	Paving	65	82.2
	Architectural Coating	65	71.4
	Demolition	470	67.0
	Grading	470	67.8
Park (South)	Building Construction	470	66.5
	Paving	470	65.0
	Architectural Coating	470	54.2

#### Notes:

- (1) All construction equipment assumed to be operating at the closest point possible.
- (2) See Appendix D of this report for construction modeling spreadsheets.

According to the Noise Impact Analysis prepared by Ganddini Group, Inc., (February 26, 2020), the following measures would minimize construction noise impacts. Therefore, **Mitigation Measures 3-7** are necessary to reduce any potential construction noise impacts to a less than significant level. (**MM 3-7**)

### Mitigation Measures:

- During all project site excavation and grading on-site, the construction contractor shall equip all
  construction equipment, fixed or mobile, with properly operating and maintained mufflers, consistent with
  manufacture's standards.
- 4. The construction contractor shall place all stationary construction equipment so that the portion of the equipment emitting the greatest noise level is directed to the north, away from the noise sensitive receptors nearest the project site.
- 5. Equipment shall be shut off and not left to idle when not in use.
- 6. The contractor shall locate equipment staging in areas that will create the greatest distance between construction-related noise/vibration sources and sensitive receptors nearest the project site during all project construction.
- 7. The contractor shall ensure jackhammers, pneumatic equipment and all other portable stationary noise sources be shielded with temporary noise barriers at least two feet higher than the height of the equipment noise engine and noise shall be directed away from sensitive receptors in order to minimize construction noise levels.

## **Operational Noise**

The existing residential land uses south of the project site may be affected by short-term noise impacts associated with the transport of workers, the movement of construction materials to and from the project site, ground clearing, excavation, grading, and building activities. Project generated construction noise will vary depending on the construction process, type of equipment involved, location of the construction site with respect to sensitive receptors, the schedule proposed to carry out each task and the duration of the construction work. Typical noise sources and noise levels associated with the project construction equipment include air compressors, concrete mixer, crane, dozer, generator, grader, rail saw, roller, shovel, tie cutter, truck, forklifts, etc. Additionally, representative noise levels utilized for the Leq. calculation include back-up beeper noise, truck movement, trailer hitching and unhitching, loading and unloading, etc.

Per Section 17.84.040 of the Corona Municipal Code, the City's stationary exterior noise standards for residential land uses are:

- 55 dBA, for daytime (7:00 a.m. to 10:00 p.m.)
- 50 dBA, for nighttime (10:00 p.m. to 7:00 a.m.)

Figure 10-B and Figure 10-C show the project operational noise levels and contours, respectively. As shown on Figure 10-B and Figure 10-C, project peak hour operational noise levels are expected to range between 36.3 to 49.2 dBA Leq at the residential land uses to the south of the project site. Project operational noise will not exceed the City's daytime or nighttime exterior noise standards presented above at nearby residential uses. Given that typical building construction provides 20 dB of exterior to interior noise reduction with mechanical ventilation provided to allow for windows and doors to be closed. Interior noise levels are also not expected to exceed the interior daytime or nighttime standards presented above at nearby residential uses.

Further, measured ambient noise levels over a 24-hour period range between 59.0 to 66.8 dBA Leq, while short-term noise measurements ranged from 57.7 to 65 dBA Leq. Project operation will not result in a substantial increase (5 dB) in ambient noise levels. Therefore, impacts related to on-site project operational noise would be less than significant.

Figure 10-B
Project Operational Noise Levels

Figure 5
Project Operational Noise Levels

The noise levels represented in this subbit are associated with project generated noise only.

Signs and symbols

Estating Wall and
Receiver

HVAC
Vahile Emission Line
Leading Unicacing Area Source
Parking lot

1: 125
Date 10 120 180 246
Receiver
Parking lot

1: 125
Date 10 120 180 246
Receiver
Parking lot

1: 125
Date 10 120 180 246
Receiver
Parking lot

1: 125
Date 10 120 180 246
Receiver
Parking lot

1: 125
Date 10 120 180 246
Receiver
Parking lot

1: 125
Date 10 120 180 246
Receiver
Parking lot

1: 125
Date 10 120 180 246
Receiver

26



Figure 10-C
Project Operational Noise Level Contours

#### Vibration Impacts

Vibration impacts analyze the potential for the proposed project to cause an exposure of persons to or generation of excessive ground-borne vibration or ground-borne noise levels. Vibration levels in the project area may be influenced by construction of the project.

There are several different methods that are used to quantify vibration. The peak particle velocity (PPV) is defined as the maximum instantaneous peak of the vibration signal. The PPV is most frequently used to describe vibration impacts to buildings but is not always suitable for evaluating human response because it takes some time for the human body to respond to vibration signals. Instead, the human body responds to average vibration amplitude often described as the root mean square (RMS). The RMS amplitude is defined as the average of the squared amplitude of the signal and is most frequently used to describe the effect of vibration on the human body. Decibel notation (VdB) is commonly used to measure RMS. Decibel notation (VdB) serves to reduce the range of numbers used to describe human response to vibration. Typically, ground-borne vibration generated by man-made activities attenuates rapidly with distance from the source of the vibration. Sensitive receivers for vibration include structures (especially older masonry structures), people (especially residents, the elderly, and sick), and vibration-sensitive equipment.

The proposed project's construction activities most likely to cause vibration impacts are from heavy construction equipment. Construction activity can result in varying degrees of ground vibration, depending on the equipment used on the site. Operation of construction equipment causes ground vibrations that spread through the ground and diminish in strength with distance. Buildings respond to these vibrations with varying results ranging from no perceptible effects at the low levels to slight damage at the highest levels. Table 10-D gives approximate vibration levels for particular construction activities. This data provides a reasonable estimate for a wide range of soil conditions.

The City of Corona Municipal Code Section 17.84.050 prohibits any ground vibration which is perceptible without instruments at any point on any affected property adjoining the property on which the vibration source is located. Section 17.84.040 further states that the perception threshold shall be presumed to be more than 0.05 inches per second RMS vertical velocity; therefore, no impacts associated with this issue would occur and mitigation is not required.

Table 10-D
Vibration Source Levels for Construction Equipment

Esuipme	nt	PPV at 25 ft, in/sec	Approximate Lv1 at 25 ft
21. 5	upper range	1.518	112
Pile Driver (impact)	typical	0.ċ <del>44</del>	104
Nie De Le Genie	upper range	0.734	105
Pile Driver (tonic)	typical	0.170	93
clam shovel crop (slurry wall)		0.202	94
15 desertif tel	in sell	0.003	55
Hydromill (slurry wall)	in rock	0.017	75
Vibratory Roller		0.210	94
Hoe Ram		0.089	57
Large Bulldozer		0.089	87
Calason Drilling		0.039	57
Loaded Trucks		0.076	Só
Jackhammer		0.035	79
Small Bulldozer		0.003	58

#### Notes

(1) Source: Federal Transit Administration: Transit Noise and Vibration Impact Assessment Manual, 2015.

11. P	UBLIC SERVICES:	Potentially Significant Impact	Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Fire protection				$\boxtimes$
b.	Police protection				$\boxtimes$
C.	Schools				$\boxtimes$
d.	Parks & recreation facilities				$\boxtimes$
e.	Other public facilities or services				$\boxtimes$

#### Discussion:

The project does not warrant the construction of new public facilities such as police and fire stations, schools or parks. Therefore, in order to upgrade and finance existing and proposed public facilities, the developer is required to pay adopted development impact fees that are in effect at the time of issuance of building permits, and construction necessary facilities. This is enforced by city ordinance (CMC Chapter 16.23); therefore, no additional mitigation is warranted with respect to impacts on city and public services.

12. U	TILITIES:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Exceed wastewater treatment requirements				$\boxtimes$
b.	Involve construction/expansion of water or wastewater treatment facilities			$\boxtimes$	
C.	Involve construction/expansion of storm drains			$\boxtimes$	
d.	Sufficient water supplies			$\boxtimes$	
e.	Adequate wastewater treatment capacity			$\boxtimes$	
f.	Adequate landfill capacity			$\boxtimes$	
q.	Comply with solid waste regulations	П	П	П	$\bowtie$

City of Corona 28 Environmental Checklist

<sup>\*</sup>RMS velocity in decide s, VdB re 1 micro-in/sec

#### Discussion:

The installation of impermeable surfaces, such as buildings and pavement, generally increases the velocity and volume of surface runoff. As runoff flows over lawns, gardens, sidewalks, and streets, it carries off pollutants such as automobile oil and antifreeze, pesticides, pet waste, and litter into the storm drain system. The storm drain system collects water from the streets and transports it directly or indirectly to local water supplies and nearby waterways where it is typically not filtered or treated. The project will be designed to include an infiltration system to capture additional runoff created by the proposed project. The project is required to adhere to storm drainage requirements found within the NPDES permit process as well as provisions required by the Public Works Department. Since the proposed project would be required to adhere to NPDES permit requirements and City of Corona storm water provisions, impacts associated with this issue are considered to be less than significant and no mitigation would be required.

Waste Management (WM) is contracted by the City of Corona as the sole hauler of solid waste and provider of recycling services. WM provides refuse collection to residential, commercial, and industrial customers. Based on the solid waste generation identified in Table 12-A, the proposed industrial project would generate approximately 1,075.2 tons/year of solid waste. Solid waste from the project would be transported to the El Sobrante landfill located at 10910 Dawson Canyon in Corona. The El Sobrante landfill accepts a maximum 16,054 tons of waste per day and has a remaining capacity of 145,530,000 tons and an estimated closure date of 2045 (https://www.calrecycle.ca.gov/).

TABLE 12-A Project Solid Waste Projections

Proposed use	Potential New Development	Solid Waste Generation Factor	Project Solid Waste Generated (tons/year)
Industrial	101,690 sf	0.0108 tons/sf/year1	1,075.2
		TOTAL (tons/year)	1075.2
		TOTAL (tons/day)	2.94

Source: Table 4.5-5 Generation of Solid Waste at General Plan buildout within the City, City of Corona General Plan Final Environmental Impact Report,

Development of the proposed project would not significantly impact current operation of or the expected lifetime of the El Sobrante Landfill because solid waste generated by the proposed project represents less than one percent of the landfill's maximum allowable daily capacity. Additionally, solid waste service fees would be charged to individual property owners when services are initiated to offset operation costs associated with solid waste collection and disposal. Therefore, the project is anticipated to create a less than significant impact to landfill capacity and no mitigation would be required.

13. A	ESTHETICS:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Scenic vista or highway				$\boxtimes$
b.	Degrade visual character of site & surroundings				$\boxtimes$
C.	Light or glare				$\boxtimes$
d.	Scenic resources (forest land, historic buildings within state scenic highway				$\boxtimes$

#### Discussion:

Per Figure 4.4.2 of the City of Corona General Plan Technical Background Report, Third Street is not a scenic vista or highway. Development of the site will be subject to the development standards of the BP (Business Park) designation of the Downton Corona Revitalization Specific Plan (SP98-1) and the LI General Plan Designation which permit industrial buildings up to a maximum height of 55 feet. The single-story industrial building will have concrete tilt up walls with scoring, aluminum siding accent material on the office exterior located on the southeast and southwest corners of the building and metal entry canopies. The proposed materials and colors (white, brown, light grays and dark grays) are compatible with the existing industrial developments located in the vicinity. Overall the building will be aesthetically attractive and would not degrade the visual character of the neighborhood. Therefore, no mitigation with respect to the aesthetics of the development is required.

Development of the proposed use would necessitate the installation of outdoor lighting necessary for the maintenance of public safety and security. The City of Corona is nearing buildout and a significant amount of ambient light from urban uses already exists. The project site is located in a developed area with existing ambient lighting; thus, implementation of the

proposed project would not result in a significant change in the existing ambient lighting. As such, light or glare from the project is not expected to be an issue. Nevertheless, the project is required to comply with CMC 17.84.070 which requires all areas of exterior lighting to be designed to direct light downward with minimal spillover onto adjacent sensitive land uses. Furthermore, a photometric analysis was prepared for the project, which shows the lumens at 0.0 along the north, east and west perimeters of the project site. The project's south perimeter adjacent to Third Street and residential development, shows lumens at 0.0 along the southwest and southeast perimeters and 0.2 along the center of the south perimeter. Therefore, as shown on the photometric analysis light from the project is not expected to be an issue; therefore, no mitigation is required.

14. CULTURA	AL RESOURCES:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impac
a. Historic	cal resource			$\boxtimes$	
b. Archae	ological resource			$\boxtimes$	
c. Paleont	tological resource or unique geologic feature			$\boxtimes$	
d Dieturh	human remains			$\boxtimes$	
iscussion: is highly unl f Cultural Re ther than tho	ikely that development of the proposed project would sources since the site is not known to contain any cubse discussed under Section 17 of this analysis. The tion is required.	tural resources. There	is no new info	rmation or i	mpacts
iscussion: is highly unl f Cultural Re ther than tho nd no mitigat	sources since the site is not known to contain any cu use discussed under Section 17 of this analysis. The	tural resources. There refore, there would be  Potentially Significant	is no new info no impacts to  Potentially Significant Unless Mitigation	rmation or i cultural res Less than Significant	mpacts sources
iscussion: is highly unl f Cultural Re ther than tho nd no mitigat	sources since the site is not known to contain any cu ose discussed under Section 17 of this analysis. The tion is required.	tural resources. There refore, there would be	is no new info no impacts to  Potentially Significant Unless	rmation or i cultural res	mpacts
is cussion: is highly unl f Cultural Re- ther than tho nd no mitigat  15. AGRICUL  a. William	sources since the site is not known to contain any cubse discussed under Section 17 of this analysis. The tion is required.  TURE RESOURCES:	tural resources. There refore, there would be  Potentially Significant	is no new info no impacts to  Potentially Significant Unless Mitigation	rmation or i cultural res Less than Significant	mpacts sources No Impa

project site is not located within a Williamson Act contract area. Therefore, no impact to Williamson Act lands will result from the proposed development and no mitigation is required.

The project site is not a designated farmland per the farmland maps compiled by the California Department of Conservation, Farmland Mapping and Monitoring Program (FMMP). For this reason, development of the project site would not result in the conversion of farmland to nonagricultural uses; therefore, there would be no impacts and no mitigation would be required.

16. G	REENHOUSE GAS:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a.	Generate greenhouse gases				$\boxtimes$
b.	Conflict with a plan, policy or regulation				$\boxtimes$

30 City of Corona **Environmental Checklist** 

#### Discussion:

Per the greenhouse gas analysis prepared by Ganddini Group Inc., (August 30, 2019) for the project, construction-related regional air quality impacts have been analyzed for both criteria pollutants and Green House Gas (GHGs). The annual greenhouse gas emissions from vehicular traffic, energy consumption, water conveyance and treatment, and waste generation were also calculated using CalEEMod Version 2016.3.2. using the same methodology for the criteria pollutant emissions. CalEEMod is a computer model published by SCAQMD for estimating air pollutant emissions.

The analysis includes reduction of GHG emissions from the project design feature calling for the planting of 46 new trees. The California Air Pollution Control Officers Association (CAPCOA) states that trees sequester carbon dioxide over 20 years of their life, after that, sequestration is nominal and outweighed by tree maintenance-related emissions. The total sequestration value given in the Annual CalEEMod output was divided by 20 years to yield an annual value, which was then subtracted from the project's emissions.

A summary of the GHG emissions results are shown below in Table 16-B and the CalEEMod Model run for the proposed project. Table 16-B shows that the total for the proposed project's emissions would be 905.81 MTCO2e per year. According to the thresholds of significance, a cumulative global climate change impact would occur if the GHG emissions created from the on-going operations of the proposed project would exceed the SCAQMD industrial threshold of 10,000 MTCO2e per year. Therefore, operation of the proposed project would not create a significant cumulative impact to global climate change.

The project's emissions meet the threshold for compliance with Executive Order S-3-05. The project's emissions also comply with the goals of AB 32 and the City of Corona CAP. Additionally, as the project meets the current interim emissions targets/thresholds established by SCAQMD, the project would also be on track to meet the reduction target of 40 percent below 1990 levels by 2030 mandated by SB-32. Furthermore, the majority of the post 2020 reductions in GHG emissions are addressed via regulatory requirements at the State level and the project will be required to comply with these regulations as they come into effect.

At a level of 905.81 MTCO2e per year, the project's GHG emissions do not exceed the SCAQMD draft threshold and is in compliance with the reduction goals of the City of Corona CAP, AB-32 and SB-32. Furthermore, the project will comply with applicable Green Building Standards and City of Corona's policies regarding sustainability as dictated by the City's General Plan and Climate Action Plan. Impacts are considered to be less than significant. Therefore, there would be no impact and no mitigation would be required.

Table 16-B
Project Related Greenhouse Gas Emissions

		Greenhouse Gas Emissions (Metric Tons/Year)							
Category	Bio-CO2	NonBio-CO₂	CO <sub>2</sub>	CH₄	1120	COde			
Area Sources <sup>2</sup>	0.00	0.01	0.01	0.00	0.00	0.01			
Energy Usage <sup>3</sup>	0.00	175.97	175.97	0.01	0.00	176.70			
Mobile Sources <sup>4</sup>	0.00	531.28	531.28	0.02	0.00	531.90			
Naste <sup>5</sup>	20,62	0.00	20.62	1.22	0.00	51.09			
Vater <sup>6</sup>	7.46	97.56	105.02	0.77	0.02	129.92			
Construction <sup>7</sup>	0.00	17.74	17.74	0.00	0.00	17.83			
equestration <sup>9</sup>						-1.63			
Total Emissions	28.08	822.56	850.64	2.02	0.02	905.81			
CAQMD Industrial Threshold						10,000			
Exceeds Threshold?						1.0			

#### Notes:

- (1) Source: CalEEMod Version 2016.3.2 for Opening Year 2021.
- (2) Area sources consist of GHG emissions from consumer products, architectural coatings, and landscape equipment.
- (3) Energy usage consist of GHG emissions from electricity and natural gas usage.
- (4) Mobile sources consist of GHG emissions from vehicles.
- (5) Solid waste includes the CO<sub>2</sub> and CH<sub>2</sub> emissions created from the solid waste placed in landfills.
- (6) Water includes GHG emissions from electricity used for transport of water and processing of wastewater.
- (7) Construction GHG emissions CO2e based on a 30 year amortization rate.
- (8) CO2 sequestration from the planting of -46 trees (32.56806/20 years [trees' lifetime])

grading, excavation and ground disturbing activities on the site: including the scheduling, safety

- requirements, duties, scope of work, and Native American Tribal Monitors' authority to stop and redirect grading activities in coordination with all Project archaeologists;
- c. The protocols and stipulations that the Developer, City, Tribes and Project archaeologist will follow in the event of inadvertent cultural resources discoveries, including any newly discovered cultural resource deposits that shall be subject to a cultural resources evaluation.
- 10. <u>Treatment and Disposition of Cultural Resources:</u> In the event that Native American cultural resources are inadvertently discovered during the course of grading for this Project, the following procedures shall be carried out for treatment and disposition of the discoveries:
  - a. <u>Temporary Curation and Storage</u>: During the course of construction, all discovered resources shall be temporarily curated in a secure location onsite or at the offices of the project archaeologist. The removal of any artifacts from the project site will need to be thoroughly inventoried with tribal monitor oversite of the process; and
- 11. <u>Treatment and Final Disposition:</u> The landowner(s) shall relinquish ownership of all cultural resources, including sacred items, burial goods, and all archaeological artifacts and non-human remains as part of the required mitigation for impacts to cultural resources. The applicant shall relinquish the artifacts through one or more of the following methods and provide the City of Corona Community Development Department with evidence of same:
  - a. Accommodate the process for onsite reburial of the discovered items with the consulting Native American tribes or bands. This shall include measures and provisions to protect the future reburial area from any future impacts. Reburial shall not occur until all cataloguing and basic recordation have been completed.
  - b. A curation agreement with an appropriate qualified repository within Riverside County that meets federal standards per 36 CFR Part 79 and therefore would be professionally curated and made available to other archaeologists/researchers for further study. The collections and associated records shall be transferred, including title, to an appropriate curation facility within Riverside County, to be accompanied by payment of the fees necessary for permanent curation.
  - c. For purposes of conflict resolution, if more than one Native American tribe or band is involved with the project and cannot come to an agreement as to the disposition of cultural materials, they shall be curated at the Western Science Center by default.
  - d. At the completion of grading, excavation and ground disturbing activities on the site a Phase IV Monitoring Report shall be submitted to the City documenting monitoring activities conducted by the project Archaeologist and Native Tribal Monitors within 60 days of completion of grading. This report shall document the impacts to the known resources on the property; describe how each mitigation measure was fulfilled; document the type of cultural resources recovered and the disposition of such resources; provide evidence of the required cultural sensitivity training for the construction staff held during the required pre-grade meeting; and, in a confidential appendix, include the daily/weekly monitoring notes from the archaeologist. All reports produced will be submitted to the City of Corona, Eastern Information Center and interested tribes.
- 12. <u>Sacred Sites:</u> All sacred sites, should they be encountered within the project area, shall be avoided and preserved as the preferred mitigation, if feasible.
- 13. <u>Fossil Specimens:</u> In the event that fossils are inadvertently discovered during the course of grading for this Project, the following procedures shall be carried out:
  - a. The applicant shall immediately cease operation and retain a qualified and trained paleontologist. The paleontologist shall salvage all fossils in the area and provide additional field staff in accordance with modern paleontological techniques.
  - b. All fossils collected during the project will be prepared to a reasonable point of identification. Excess sediment or matrix will be removed from the specimens to reduce the bulk and cost of storage. Itemized catalogs of all material collected and identified will be provided to the museum repository along with the specimens.

Discovery of Human Remains: In the event that human remains (or remains that may be human) are discovered at the project site during grading or earthmoving, the construction contractors, project archaeologist, and/or designated Native American Monitor shall immediately stop all activities within 100 feet of the find. The project proponent shall then inform the Riverside County Coroner and the City of Corona Community and Development Department immediately, and the coroner shall be permitted to examine the remains as required by California Health and Safety Code Section 7050.5(b). Section 7050.5 requires that excavation be stopped in the vicinity of discovered human remains until the coroner can determine whether the remains are those of a Native American. If human remains are determined as those of Native American origin, the applicant shall comply with the state relating to the disposition of Native American burials that fall within the jurisdiction of the NAHC (PRC Section 5097). The coroner shall contact the NAHC to determine the most likely descendant(s). The MLD shall complete his or her inspection and make recommendations or preferences for treatment within 48 hours of being granted access to the site. The Disposition of the remains shall be overseen by the most likely descendant(s) to determine the most appropriate means of treating the human remains and any associated grave artifacts.

The specific locations of Native American burials and reburials will be proprietary and not disclosed to the general public. The locations will be documented by the consulting archaeologist in conjunction with the various stakeholders and a report of findings will be filed with the Eastern Information Center (EIC).

According to California Health and Safety Code, six or more human burials at one location constitute a cemetery (Section 8100), and disturbance of Native American cemeteries is a felony (Section 7052) determined in consultation between the project proponent and the MLD. In the event that the project proponent and the MLD are in disagreement regarding the disposition of the remains, State law will apply, and the median and decision process will occur with the NAHC (see Public Resources Code Section 5097.98(e) and 5097.94(k)).

18. MANDA		Potentially Significant Impact	Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a. Fish/	wildlife population or habitat or important historical sites		$\boxtimes$		
b. Cumi	ulatively considerable impacts		$\boxtimes$		
c. Subs	tantial adverse effects on humans		$\boxtimes$		
d. Short	-term vs. long-term goals		$\boxtimes$		

#### Discussion:

Based on the analysis of this Initial Study, the project has the potential to result in significant impacts to the following environmental topic:

- Hazards and Hazardous Materials
- Noise
- Tribal Cultural Resources

However, appropriate mitigation has been developed to reduce potential impacts to less than significant. Mitigation Measures 1 through 15 successfully mitigate all identified potential impacts to less than significant levels.

Environmental: TTM 37746, PP2019-0007 and V2019-0002 Potentially Significant 19. WILDFIRE: Potentially Unless Less than Significant Mitigation Significant Incorporated No Impact Impact Impact a. Substantially impair an adopted emergency response plan or emergency X evacuation plan  $\boxtimes$ b. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire Require the installation or maintenance of associated infrastructure (such X as roads, fuel breaks, emergency water resources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment. Expose people or structures to significant risks, including downslope or П X downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes Discussion: According to the California Department of Forest and Fire Protection (Cal Fire), the proposed project is not located within a Local Responsibility Area (LRA), State Responsibility Area (SRA), Federal Responsibility Area (FRA), or classified as a Very High Fire Hazard Severity Zone (VHFHSZ) (https://www.egis.fire.ca.gov/FHSZ/). In addition, the proposed project meets the Corona Fire Department's Standard of Cover. Therefore, there would be no impacts to an adopted emergency response plan or emergency evacuation plan and no mitigation is required. The project site is relatively flat land and has an elevation of approximately 640 feet above mean sea level. The proposed industrial building will not contribute to the spread of wildfire since the project's design is in compliance with the current California Building Codes which include fire construction standards. In addition, the project site is not located in a Very High Fire Hazard Severity Zone (VHFHSZ), undeveloped forest-covered, brush-covered, or grass-covered land. Therefore, the project will not exacerbate wildfire risks, expose occupants to pollutant concentrations from a wildfire or cause uncontrolled spread of a wildfire. Therefore, no mitigation is required. The proposed project would not require the installation or maintenance of roads, fuel breaks, emergency water sources, power lines or other utilities. The site is not located in a Very High Fire Hazard Severity Zone (VHFHSZ). Therefore, the project will not exacerbate fire risk or result in temporary or ongoing impacts to the environment. Therefore, no mitigation is required. The project site is relatively flat land and is not part of any of the fire history maps; therefore, development of the proposed project would not expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of run-off, post-fire slope instability, or drainage changes. Therefore, no mitigation is required. Potentially Significant 20. ENERGY: Potentially Unless Less than Significant Mitigation Significant Impact Incorporated Impact No Impact X Result in potentially significant environmental impacts due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation Conflict with or obstruct a state or local plan for renewable energy or energy П  $\boxtimes$ efficiency Discussion: An Energy Impact Analysis was prepared for the project site by Ganddini Group Inc., (August 30, 2019). The study analyzed and evaluated the following environmental topics: Would the project result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy sources, during project construction and operation? Would the project conflict with or obstruct a State or local plan for renewable energy or energy efficiency?

City of Corona 35 Environmental Checklist

#### Construction

The anticipated construction schedule assumes that the proposed project would be built in approximately thirteen months, by the end of February 2021 and be completed in one phase. It is anticipated that the grading phase of the proposed project would need up to 500 cubic yards of import. Staging of construction vehicles and equipment will occur on-site. The approximately thirteen-month schedule is relatively short, and the project site is relatively small at approximately 4.80 acres.

Construction equipment used over the approximately thirteen-month construction phase would conform to California Air Resources Board (CARB) regulations and California emissions standards and is evidence of related fuel efficiencies. There are no unusual project characteristics or construction processes that would require the use of equipment that would be more energy intensive than is used for comparable activities; or equipment that would not conform to current emissions standards (and related fuel efficiencies). Equipment employed in construction of the project would therefore not result in inefficient wasteful, or unnecessary consumption of fuel.

The project would utilize construction contractors which practice compliance with applicable CARB regulation regarding retrofitting, repowering, or replacement of diesel off-road construction equipment. Additionally, CARB has adopted the Airborne Toxic Control Measure to limit heavy-duty diesel motor vehicle idling in order to reduce public exposure to diesel particulate matter and other Toxic Air Contaminants. Compliance with these measures would result in a more efficient use of construction-related energy and would minimize or eliminate wasteful or unnecessary consumption of energy. Idling restrictions and the use of newer engines and equipment would result in less fuel combustion and energy consumption.

Additionally, as required by California Code of Regulations Title 13, Motor Vehicles, section 2449(d)(3) Idling, limits idling times of construction vehicles to no more than five minutes, thereby minimizing or eliminating unnecessary and wasteful consumption of fuel due to unproductive idling of construction equipment. Enforcement of idling limitations is realized through periodic site inspections conducted by City building officials, and/or in response to citizen complaints. Energy usage on the project site during construction would be temporary in nature and would be relatively small in comparison to the State's available energy sources. Therefore, construction energy impacts would be less than significant, and no mitigation would be required.

## **Operation**

#### **Transportation Fuel Consumption**

Using the CalEEMod output from the air quality and greenhouse gas analyses prepared by Ganddini Group Inc., (August 30, 2019), it is assumed that an average trip for autos and light trucks was assumed to be 16.6 miles and 3- 4 axle trucks were assumed to travel an average of 6.9 miles. To present a worst-case scenario, it was assumed that vehicles would operate 365 days per year rather than the more likely 253 days (excluding weekends and up to 8 holidays). Table 20-A shows the estimated annual fuel consumption for all classes of vehicles from autos to heavy-heavy trucks.

The proposed project would generate 221 trips per day. The vehicle fleet mix was used from the CalEEMod output. Table 20-A shows that an estimated 66,797 gallons of fuel would be consumed per year for the operation of the proposed project.

Table 20-A
Estimated Vehicle Operations Fuel Consumption

Vehicle Type	Vehicle Mix	Number of Vehicles	Average Trip (miles) <sup>1</sup>	Daily VMT	Average Fuel Economy (mpg)	Total Gallons per Day	Total Annual Fuel Consumption (gallons)
Light Auto	Automobile	107	16.6	1774	28.57	62.11	22.669
Light Truck	Automobile	7	16.6	123	14.08	8.74	3.188
Light Truck	Automobile	37	16.6	606	14.08	43.05	15,714
Medium Truck	Automobile	23	6.9	161	8.5	18.97	6,923
Light Heavy Truck	2-Axle Truck	8	6.9	58	8.5	6.78	2,476
Light Heavy Truck 10.000 lbs +	2-Axle Truck	3	6.9	18	8.5	2.15	784
Medium Heavy Truck	3-Axle Truck	10	6.9	69	5.85	11.80	4,306
Heavy Heavy Truck	4-Axle Truck	25	6.9	172	5.85	29.42	10,737
Total		221		2.982	11.74	183.01	
Total Annual Fuel Consumption						66,797	

Motes:

<sup>(1)</sup> Based on the size of the site and relative location, trips were assumed to be local rather than regional.

## Facility Energy Demands (Electricity and Natural Gas)

Building operation and site maintenance would result in the consumption of electricity (provided by Southern California Edison) and natural gas (provided by Southern California Gas Company). The annual natural gas and electricity demands were provided per the CalEEMod output from the air quality and greenhouse gas analyses.

Energy use in buildings is divided into energy consumed by the built environment and energy consumed by uses that are independent of the construction of the building such as in plug-in appliances. In California, the California Building Standards Code Title 24 governs energy consumed by the built environment, mechanical systems, and some types of fixed lighting. Non-building energy use, or "plug-in" energy use can be further subdivided by specific end-use (refrigeration, cooking, appliances, etc.).

As supported by the preceding analyses, project construction and operations would not result in the inefficient, wasteful or unnecessary consumption of energy. Further, the energy demands of the project can be accommodated within the context of available resources and energy delivery systems. The project would therefore not cause or result in the need for additional energy producing or transmission facilities. The project would not engage in wasteful or inefficient uses of energy and aims to achieve energy conservations goals within the State of California. The project proposes warehouse/manufacturing land uses and will not have any long-term effects on an energy provider's future energy development or future energy conservation strategies. Therefore, operational energy impacts would be less than significant, and no mitigation is required.

## 21. PREVIOUS ENVIRONMENTAL ANALYSIS:

Earlier analysis may be used when one or more of the environmental effects have been adequately analyzed in an earlier EIR or Negative Declaration (Section 15063).

#### **DOCUMENTS INCORPORATED BY REFERENCE:**

- 1. City of Corona General Plan, March 17, 2004
- 2. Phase I Environmental Site Assessment, prepared by HMC Inc., March 25, 2019
- 3. Phase II Environmental Site Assessment, prepared by HMC Inc., May 9, 2019
- 3. Preliminary Water Quality Management Plan, prepared by KWC Engineers, April 4, 2019
- 4. Preliminary Hydrology Study, prepared by KWC Engineers, July 2019
- 5. Traffic Impact Analysis Report, prepared by Ganddini Group Inc., November 1, 2019
- 6. Air Quality/Greenhouse Gas/Health Risk Assessment/Energy Impact Analysis, prepared by Ganddini Group Inc., August 30, 2019
- 7. Noise Impact Analysis, prepared by Ganddini Group Inc., February 26, 2020
- 8. Geotechnical Engineering Investigation, prepared by NorCal Engineering, March 4, 2019

## MITIGATION MONITORING AND REPORTING PROGRAM TTM 37746, PP2019-0007 and V2019-0002

No.	Mitigation Measures	Implementation Action	Method of Verification	Timing of Verification	Responsible Person	Verification Date
HAZA	RDS AND HAZARDOUS MATERIALS	N RECHERA EL COLOR DE LA CARRENTA CIEN				
1	The current tenants shall remove all onsite chemicals off the property at the completion of their occupancy.	Condition of Approval	Construction contractor shall field verify	Prior to Issuance of a Grading Permit	Applicant	
2	The applicant shall implement the development of a Soil Management Plan to manage the known areas of impacted soils at the project site.	Condition of Approval	Applicant shall submit Soil Management Plan	Prior to Issuance of a Grading Permit	Community Development Department (Planning) and Public Works	
NOIS				3000		
3	During all project site excavation and grading on-site, the construction contractor shall equip all construction equipment, fixed or mobile, with properly operating and maintained mufflers, consistent with manufacture's standards.	Condition of Approval	Construction contractor shall maintain records for equipment per manufacturers' standards	During construction	Community Development Department (Planning) and Public Works	
4	The construction contractor shall place all stationary construction equipment so that the portion of the equipment emitting the greatest noise level is directed to the north, away from the noise sensitive receptors nearest the project site during all project construction.	Condition of Approval	Construction contractor shall maintain equipment per the construction staging area map in the Noise Impact Analysis	During construction	Public Works	
5	All equipment shall be shut off and not left to idle when not in use.	Condition of Approval	Construction contractor shall place all stationary equipment away from sensitive receptors	During construction	Public Works	
6	The construction contractor shall locate equipment staging in areas that will create the greatest distance between construction-related noise/vibration sources and sensitive receptors nearest the project site during all project construction.	Condition of Approval	Construction contractor shall locate equipment staging away from	During Construction	Public Works	

No.	Mitigation Measures	Implementation Action	Method of Verification	Timing of Verification	Responsible Person	Verification Date
			sensitive receptors			
7	The construction contractor shall ensure jackhammers, pneumatic equipment and all other portable stationary noise sources be shielded with temporary noise barriers at least two feet higher than the height of the equipment noise engine and noise shall be directed away from sensitive receptors in order to minimize construction noise levels.	Condition of Approval	Construction contractor shall ensure all equipment be shielded with temporary noise barriers and directed away from sensitive receptors	During Construction	Public Works	
TRIBA	AL CULTURAL RESOURCES		•			
8	Tribal Monitoring: Prior to the issuance of a grading permit, the applicant shall contact the consulting Native American Tribe(s) that have requested monitoring through consultation with the City during the AB 52/SB18 process (note which one or both), as applicable. The applicant shall coordinate with the Tribe(s) to develop Tribal Monitoring Agreement(s). A copy of the signed agreement shall be provided to the City of Corona Community Development Department prior to the issuance of a grading permit.	Condition of Approval	Submit Tribal Monitoring Agreement	During Plan Check	Community Development Department (Planning)	
9	Archaeological Monitoring: At least 30-days prior to application for a grading permit and before any grading, excavation and/or ground disturbing activities on the site take place, the Project Applicant shall retain a Secretary of Interior Standards qualified archaeological monitor to monitor all ground-disturbing activities in an effort to identify any unknown archaeological resources.  The Project Archaeologist, in consultation with interested tribes, the Developer and the City, shall develop an Archaeological Monitoring Plan to address the details, timing and responsibility of all archaeological and cultural activities that will occur on the project site. Details in the Plan shall include:  a. Project grading and development scheduling;  b. The development of a rotating or simultaneous schedule in coordination with the applicant and the Project Archeologist for designated Native American Tribal Monitors from the consulting	Condition of Approval	Submit Archaeological Monitoring Plan	30 days prior to application for a grading permit	Community Development Department (Planning)	

No.	Mitigation Measures	Implementation Action	Method of Verification	Timing of Verification	Responsible Person	Verification Date
	on the site: including the scheduling, safety requirements, duties, scope of work, and Native American Tribal Monitors' authority to stop and redirect grading activities in coordination with all Project archaeologists;  c. The protocols and stipulations that the Developer, City, Tribes and Project archaeologist will follow in the event of inadvertent cultural resources discoveries, including any newly discovered cultural resource deposits that shall be subject to a cultural resources evaluation.					
10	Treatment and Disposition of Cultural Resources: In the event that Native American cultural resources are inadvertently discovered during the course of grading for this Project. The following procedures will be carried out for treatment and disposition of the discoveries:  a. Temporary Curation and Storage: During the course of construction, all discovered resources shall be temporarily curated in a secure location onsite or at the offices of the project archaeologist. The removal of any artifacts from the project site will need to be thoroughly inventoried with tribal monitor oversite of the process; and	Condition of Approval	Submittal of Phase IV Monitoring Report	Within 60 days of completion of grading; otherwise, report shall be submitted prior to issuance of a Certificate of Occupancy	Community Development Department (Planning)	
11	Treatment and Final Disposition: The landowner(s) shall relinquish ownership of all cultural resources, including sacred items, burial goods, and all archaeological artifacts and non-human remains as part of the required mitigation for impacts to cultural resources. The applicant shall relinquish the artifacts through one or more of the following methods and provide the City of Corona Community Development Department with evidence of same:  a. Accommodate the process for onsite reburial of the discovered items with the consulting Native American tribes or bands. This shall include measures and provisions to protect the future reburial area from any future impacts. Reburial shall not occur until all cataloguing and basic recordation have been completed;  b. A curation agreement with the appropriate qualified					

No.	Mitigation Measures	Implementation Action	Method of Verification	Timing of Verification	Responsible Person	Verification Date
	repository within Riverside County that meets federal standards per 36 CFR Part 79 and therefore would be professionally curated and made available to other archaeologists/researchers for further study. The collections and associated records shall be transferred, including title, to an appropriate curation facility within Riverside County, to be accompanied by payment of the fees necessary for permanent curation;  c. For purposes of conflict resolution, if more than one Native					
	American tribe or band is involved with the project and cannot come to an agreement as to the disposition of cultural minerals, they shall be curated at the Western Science Center by default; and.					
	d. At the completion of grading, excavation and ground disturbing activities on the site, a Phase IV Monitoring Report shall be submitted to the City documenting monitoring activities conducted by the project Archaeologist and Native Tribal Monitors within 60 days of completion of grading. This report shall document the impacts to the known resources on the property; describe how each mitigation measure was fulfilled; document the type of cultural resources recovered and the disposition of such resources; provide evidence of the required cultural sensitivity training for the construction staff held during the required pre-grade meeting; and, in a confidential appendix, include the daily/weekly monitoring notes from the archaeologist. All reports produced will be submitted to the City of Corona, Eastern Information Center and interested tribes.					
12	Sacred Sites: All sacred sites, should they be encountered within the project area, shall be avoided and preserved as the preferred mitigation, if feasible.	Condition of Approval	Submittal of report or documentation	Within 60 days of completion of grading; otherwise, report shall be submitted prior to issuance of a Certificate of Occupancy	Community Development Department (Planning)	
13	Fossil Specimens: In the event that fossils are inadvertently discovered during the course of grading for this Project. The	Condition of Approval	Submittal of report or document	Within 60 days of completion of	Community Development	

## nvironmental: TTM 37746, PP2019-0007 and V2019-0002

No.	Mitigation Measures	Implementation Action	Method of Verification	Timing of Verification	Responsible Person	Verification Date
	following procedures will be carried out:  a. The applicant shall immediately cease operation and retain a qualified and trained paleontologist. The paleontologist shall salvage all fossils in the area and provide additional field staff in accordance with modern paleontological techniques.  b. All fossils collected during the project will be prepared to a reasonable point of identification. Excess sediment or matrix will be removed from the specimens to reduce the bulk and cost of storage. Itemized catalogs of all material collected and identified will be provided to the museum repository along with the specimens.			grading; otherwise, report shall be submitted prior to issuance of a Certificate of Occupancy	Department (Planning)	
14	Discovery of Human Remains: In the event that human remains (or remains that may be human) are discovered at the project site during grading or earthmoving, the construction contractors, project archaeologist, and/or designated Native American Monitor shall immediately stop all activities within 100 feet of the find. The project proponent shall then inform the Riverside County Coroner and the City of Corona Community and Development Department immediately, and the coroner shall be permitted to examine the remains as required by California Health and Safety Code Section 7050.5(b). Section 7050.5 requires that excavation be stopped in the vicinity of discovered human remains until the coroner can determine whether the remains are those of a Native American. If human remains are determined as those of Native American origin, the applicant shall comply with the state relating to the disposition of Native American burials that fall within the jurisdiction of the NAHC (PRC Section 5097). The coroner shall contact the NAHC to determine the most likely descendant(s). The MLD shall complete his or her inspection and make recommendations or preferences for treatment within 48 hours of being granted access to the site. The Disposition of the remains shall be overseen by the most likely descendant(s) to determine the most appropriate means of treating the human remains and any associated grave artifacts.  The specific locations of Native American burials and reburials will be proprietary and not disclosed to the general public. The locations will be documented by the consulting archaeologist in conjunction with the various stakeholders and a report of findings will be filed	Condition of Approval	Submittal of report or documentation	Within 60 days of completion of grading; otherwise, report shall be submitted prior to issuance of a Certificate of Occupancy	Community Development Department (Planning	

## nvironmental: TTM 37746, PP2019-0007 and V2019-0002

No.	Mitigation Measures	Implementation Action	Method of Verification	Timing of Verification	Responsible Person	Verification Date
Sign production	with the Eastern Information Center (EIC).					
	According to California Health and Safety Code, six or more human burials at one location constitute a cemetery (Section 8100), and disturbance of Native American cemeteries is a felony (Section 7052) determined in consultation between the project proponent and the MLD. In the event that the project proponent and the MLD are in disagreement regarding the disposition of the remains, State law will apply, and the median and decision process will occur with the NAHC (see Public Resources Code Section 5097.98(e) and 5097.94(k)).					



March 7, 2019

Good afternoon,

Sorry we missed you today. We are hoping to speak with you to discuss our proposed industrial development project on the north side of on 3<sup>rd</sup> St. As you may know, the old industrial steel buildings that used to be occupied by Cal Trans are being sold, and we are part of the team working with the developer. We would like to discuss the proposed development with you and answer any questions you may have.

Please feel free give us a call so we can discuss the project or we can set up an time to come over and talk in more detail.

We appreciate your time!

Warm Regards,

Brian Tressen
Vice President
Lee & Associates
951.276.3677
btressen@leeriverside.com
DRE # 01850329

Jeff Ruscigno SIOR
Senior Vice President
Lee & Associates
951.276-3630
jruscigno@leeriverside.com
DRE # 01048055

Yo hablo espanol Michael McKenna Project Manager Equity Building Services 949-887-1736



March 14, 2019

Buenas tardes,

Lo siento que te extrañamos hoy. Esperamos hablar con usted para discutir nuestro proyecto de desarrollo industrial propuesto en el lado norte de 3rd St. Como usted sabe, los antiguos edificios de acero industrial que solían ser ocupados por Cal Trans se están vendiendo, y somos parte del equipo que trabaja con el desarrollador. Nos gustaría hablar con usted sobre el desarrollo propuesto y responder a cualquier pregunta que pueda tener.

Por favor, no dude en llamarnos para que podamos discutir el proyecto o podemos establecer un horario para venir y hablar con más detalle.

Apreciamos tu tiempo!

Brian Tressen
Vice President
Lee & Associates
951.276.3677
btressen@leeriverside.com
DRE # 01850329

Jeff Ruscigno SIOR Senior Vice President Lee & Associates 951.276-3630 jruscigno@leeriverside.com DRE # 01048055

Hablo espanol Michael McKenna Project Manager Equity Building Services 949-887-1736

# **3rd Street & Quarry St** SURROUNDING TENANTS

180	ADDRESS	LOWNER
1	802 E 3rd St	Juan Carlos Campos
2	806 E 3rd St	Ruben Najar
3	810 E 3rd St	Gilbert Rodriguez
4	902 E 3rd St	Jesus Avendano, Maria Higuera
5	906 E 3rd St	Edward, Paula Arciniega
6	910 E 3rd St	John, Sue Ann Hathaway
7	810 E 3rd St	Robert, Priscilla DelCampo
8	916 E 3rd St	Martha Morales
9	920 E 3rd St	Pete, George Espinoza
10	924 E 3rd St	Susan, Tommy Salcido
11	1002 E 3rd St	Lillian Shaw
12	1006 E 3rd St	Jorge Sanchez, Josefina Vega
13	1010 E 3rd St	Teresa, Victoria Bravo
14	1014 E 3rd St	Carlos Arreola
15	1020 E 3rd St	Luciano, Josefina Murillo
16	1024 E 3rd St	Juan, Maria Lopez
17	1028 E 3rd St	J Cruz Garcia
18	1030 E 3rd St	Alcaario, Pearl Salcida
19	1034 E 3rd St	Hilario, Veronica Batalla
20	1038 E 3rd St	Victor Fernandez, Maria Gomez
21	801 Quarry St	OC Market
22	805 Quarry St	Damin, Maria Vazquez
23	901 Quarry St	Manuel, Conception Escobar
24	907 Quarry St	Gloria Lopez
25	911 Quarry St	Gloria Sauceda, Mollie Reveles
26	915 Quarry St	Sally Evans, Irene Perez
27	919 Quarry St	Adalberto, Norma Castillo
28	923 Quarry St	Frank, Bridget Bachetti
29	1019 Quarry St	Jensen, Karen Chen
30	1023 Quarry St	Gloria Vivanco
31	1025 Quarry St	Gloria Vivanco
32	1029 Quarry St	Gustavo Vazquez, Rosa Carmona
33	1033 Quarry St	Jose Guevara, Macarena Charco
34	1039 Quarry St	Manuel Ramos
35	Vacant Land	Leo, Josephina Serrato
36	Vacant Land	Antonio Perez, Maria Vega
-	- 1EE 0.	BRIAN TRESSEN



BRIAN TRESSEN 951.276.3677 btressen@leeriverside.com DRE# 01850329

JEFF RUSCIGNO 951.276.3630 jruscigno@leeriverside.com DRE# 01030286

