

**ORDINANCE NO.**

**AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF CORONA AMENDING CHAPTERS 15.02, 15.04, 15.05, 15.07, 15.08, 15.09, 15.10, 15.11, 15.12, 15.20, 15.28 AND SECTION 15.06.080 AND ADDING CHAPTER 15.54 TO TITLE 15 OF THE CORONA MUNICIPAL CODE, ADOPTING BY REFERENCE THE 2019 EDITION OF THE CALIFORNIA BUILDING STANDARDS CODE (CALIFORNIA CODE OF REGULATIONS, TITLE 24); INCLUDING THE 2019 CALIFORNIA BUILDING CODE; THE 2019 CALIFORNIA GREEN BUILDING STANDARDS CODE; THE 2019 CALIFORNIA RESIDENTIAL CODE; THE 2019 CALIFORNIA ENERGY CODE; THE 2019 CALIFORNIA HISTORICAL BUILDING CODE; THE 2019 CALIFORNIA EXISTING BUILDING CODE; THE 2019 CALIFORNIA MECHANICAL CODE; THE 2019 CALIFORNIA FIRE CODE WITH ERRATA; THE 2019 CALIFORNIA PLUMBING CODE; AND THE 2019 CALIFORNIA ELECTRICAL CODE; TOGETHER WITH CERTAIN ADDITIONS, INSERTIONS, DELETIONS AND CHANGES THERETO**

**WHEREAS**, Government Code Section 50022, et seq. and California Health & Safety Code Section 17922 empower the City of Corona ("City") to adopt by reference the California Building Standards Code as provided in Title 24 of the California Code of Regulations; and

**WHEREAS**, in December of 2016 the City Council of the City of Corona adopted the 2016 California Building Standards Code with certain local amendments; and

**WHEREAS**, the California Building Standards Commission ("Commission") recently adopted new amendments to the California Building Standards Code; and

**WHEREAS**, California Health & Safety Code, Sections 17958.5 and 18941.5 authorize cities and counties to modify the California Building Standards Code by adopting more restrictive standards and modifications if such standards and modifications are accompanied by express findings that they are reasonably necessary because of local climatic, geological or topographical conditions; and

**WHEREAS**, the City Council of the City of Corona ("City Council") finds that these local climatic, geological or topographical conditions include, but are not limited to, the following:

1. The City is subject to relatively low amounts of precipitation, very low humidity levels and extremely high temperatures. These climatic conditions are conducive to the spread of drought conditions and fires. For example, during July, August and September, temperatures often exceed 100 degrees Fahrenheit. During the same months, humidity is usually less than 40% and measurements of less than 10% are not uncommon. These recordings have been documented by the Riverside County Flood Control District and the National Climatic Data Center.

2. The City is subject to extremely strong winds, commonly referred to as "Santa Ana Winds," which can reach speeds of up to 95 miles per hour. In addition, the convergence of the marine shore air flow and the desert air flow create steady winds on a daily basis. Finally, the City is bordered on the south by steep, rugged, brush-covered mountains and parts of the City contain hilly terrain and mounds, which either contribute to or create gusty wind conditions by causing a natural funneling effect and increasing wind speeds over the City.

3. The City is also subject to moderately strong shaking and surface ruptures from seismic activity in the area. The geologic and seismic setting of the City is dominated by the Chino and Elsinore earthquake faults along the southwest portion of the City and a diversity of bedrock and alluvial soils that may significantly affect the intensity of earthquake shaking. The Elsinore fault is located a short distance southwest of the City, while the Chino fault, which is subparallel to the Elsinore fault, is located just inside the City's southwestern boundary. Of the two faults, the Chino fault has the greater potential for surface rupture leading to structural damage of structures in the City. Moreover, the thin alluvial soils found in parts of the City contribute to a moderately high potential for liquefaction in certain areas.

**WHEREAS**, the aforementioned geologic and climatic conditions have also contributed to the loss or damage of thousands of homes and commercial properties in California over the last several decades. The top 20 fires in the State have consumed over 46,000 structures, and there have been hundreds more fires with thousands more structures destroyed. The 30,305-acre Freeway Complex Fire from November 2008 burned 318 structures, including several in Corona; the 2662-acre Canyon Fire from September 2017 threatened 2715 homes in Corona, before being contained; and the 23,136-acre Holy Fire from August 2018 nearly threatened 2638 homes in Corona; and

**WHEREAS**, these fires, as well as the Whittier Earthquake of 1987 and Northridge Earthquake of 1994, have resulted in the tragic loss of lives along with enormous property losses; and

**WHEREAS**, based upon the recommendations of the Building Official and Fire Chief, the City Council finds that the proposed amendments to the 2019 California Building Standards Code ("amendments") are more restrictive than the standards adopted by the Commission, would decrease the potential incidence of property damage, injury and death due to fires and earthquakes, and are reasonable and necessary to mitigate the aforementioned local climatic, geologic or topographical conditions; and

1. The amendments to section 101.4 of Chapter 1 Division II of the 2019 California Building Standards Code, as set forth in Section 2 of this ordinance, ensure that structures and related devices and equipment required by other referenced codes are maintained in a manner that would prevent danger to emergency responders or users thereof arising from conditions related to an emergency incident caused by high winds, fires, or seismic activity.

2. The amendments to Sections 105.1 of Chapter 1 Division II of the 2019 California Building Code, as set forth in Section 2 of this Ordinance, ensure that structures such as fences, retaining walls and signs, that may become potentially dangerous structures in an earthquake or high winds, are constructed in accordance with applicable codes, ordinances and standards; and

3. The amendment to Section 105.6 of Chapter 1 Division II of the 2019 California Building Code, as set forth in Section 2 of this Ordinance, preserves public health, safety and welfare by limiting construction noise and mitigating the effects of having portions of the City's residential areas constructed on hilly terrain. Many times it is not possible to construct noise barriers between noise sources and noise receptors in hilly areas. Under such circumstances, the "line of sight" between the noise source and the receiver cannot be adequately impeded by other structures such as fences and walls because such structures cannot be constructed on certain lots due to the grade differential between lots; and

4. The addition of Section 105.8 to Chapter 1 Division II of the 2019 California Building Code, as set forth in Section 2 of this Ordinance, is needed to assure that each permit is applicable to the location and conditions for which it was originally obtained; and

5. The amendments to Section 110.3.3.1 and 110.3.5.1 of the 2019 California Building Code, as set forth in Section 3 of this Ordinance, adding additional required inspections, including a sub-frame inspection, a roof sheathing and shear inspection and a plaster inspection assure that all construction and use of buildings conforms to the requirements of the California Building Standards Code in so that maximum protection from the wind, fire and earthquake conditions is provided; and

6. The amendments to the Section 3109.2, 3109.4.1.8 and the addition of Section 3109.4.1.10 to the 2019 California Building Code, as set forth in Section 3 of this Ordinance, are required to ensure pool safety and decrease the likelihood of injuries and death due to unauthorized use of pools and the greater use of outdoor swimming pools due to climatic conditions; and

7. The addition of Section 1505.1.5 to the 2019 California Building Code as set forth in Section 3 of this Ordinance and the additions of section R902.1 to the 2019 Residential Code as set forth in Section 5 of this Ordinance requires Class "A" roofing which is effective against severe fire exposure, is not readily flammable, affords a fairly high degree of fire protection to roof decks, does not slip from position, and poses no flying-brand hazard, and is therefore more fire resistant than other classes of roofing not possessing these characteristics that are adopted for use by the Commission; and

8. The amendments to the 2019 California Fire Code, as set forth in Section 7 of this Ordinance, including the amendments adding definitions to Section 202; the amendment to Sections 110.4 and 110.4.2 imposing additional costs against persons responsible for violations of the code; the amendments to Sections 304.1.2, 305.6, 307.6, 306.7, 308.1.6.3, 321, 322, 323, 503.2.1, 503.2.4, 503.7, 505.1, 507.5.1, 507.5.5, 507.5.7, 4906.3, 4908 imposing additional requirements for maintenance, clearance and management of vegetation and fuel modification areas, outdoor fires, premises identification, fire access roads, turning radii, clearance around hydrants and other fire apparatus; and amendments to the 2019 California Building Code, as set forth in Section 3 of this Ordinance, are needed to minimize the risk of fire which is increased by the climatic and geological conditions in the City of Corona, described above in this Ordinance, and to mitigate the spread of fire especially during high wind conditions described above in this Ordinance; and

9. The addition of Section 706 to the 2019 California Fire Code, requiring one-hour fire construction for all eaves, as set forth in Section 7 of this Ordinance, is reasonably necessary to mitigate the potential for the spread of fires from flying brands, ashes and sparks during high wind conditions and mitigate potential property damage, injury and death; and

10. The amendment to Section 315.3 of the 2019 California Plumbing Code, as set forth in Section 8 of this Ordinance, prohibiting unattended excavations without appropriate barricades is needed to assure that excavations for sewer or sewage disposal facilities do not create a hazard for persons, especially during periods of wind, rain or surface movements caused by earthquakes; and

**WHEREAS**, the Fire Marshal and Building Official have also recommended that changes and modifications be made to the California Building Standards Code, which are necessary for administrative clarification and to establish administrative standards for the effective enforcement of the building standards of the City of Corona, or are reasonably necessary to safeguard life and property within the City and do not modify a building standard pursuant to California Health & Safety Code Section 17958, 17958.7, and/or 18941.5, which amendments consist of:

1. Amendments to Chapter 1 Division II, Sections 501.2, 904.3.5, Chapter 35, and Appendix H of the 2019 California Building Code; and

2. Amendments to Sections 103.2, 104.2, 105.6, 110.4, 110.4.2, 202, 324, 507.5.1, 507.5.5, 510.1, 510.4.1.3, 903.3.5.3, 904.3.5, 1201.1.1, 4906.3, 5001.5.2, 5608.2, Chapter 80, and Appendix B and Appendix C of the 2019 California Fire Code; and

**WHEREAS**, the City Council finds that the local amendments to the 2019 California Building Standards Code, codified in Title 24 of the California Code of Regulations (“Code”) described herein are supported by the local climatic, geologic and/or topographic conditions described herein, and further finds that the remainder of the said changes and modifications are of an administrative or procedural nature, or concern themselves with subjects not covered by the Code, or are reasonably necessary to safeguard life and property within the City of Corona; and

**WHEREAS**, any and all other legal prerequisites relating to the adoption of this Ordinance have occurred.

**NOW THEREFORE, THE CITY COUNCIL OF THE CITY OF CORONA, CALIFORNIA, DOES ORDAIN AS FOLLOWS:**

**SECTION 1.** The City Council hereby adopts the recitals contained in this ordinance as findings to support the modifications to the 2019 California Building Standards Code made herein.

**SECTION 2.** Chapter 15.02 of the Corona Municipal Code is hereby amended to read as follows:

**"CHAPTER 15.02  
ADMINISTRATIVE PROVISIONS FOR TITLE 15**

Sections:

15.02.010	Title.
15.02.020	Code adoption.
15.02.030	Amendments – Generally.
15.02.040	[Reserved]
15.02.050	Amendment – Section 101.4 – Referenced codes.
15.02.060	Addition – Section 104.11 – Alternative materials.
15.02.070	Addition – Section 105.1. – Permits required.
15.02.080	[Reserved]
15.02.090	Amendment – Section 105.2 – Exempt work.
15.02.100	Amendment – Section 105.3.2 – Plan check expiration, extension and renewal.
15.02.110	Amendment – Section 105.5 – Permit expiration, extension and renewal.
15.02.120	Amendment – Section 105.6 – Suspension / Revocation.
15.02.130	Amendment – Section 105.7 – Placement of permit.
15.02.140	Addition – Section 105.8 – Transferability.
15.02.150	Amendment – Section 109.4 – Investigation fee.
15.02.160	Amendment – Section 109.6 – Refunds.
15.02.170	Addition – Section 110.3.3.1 and 110.3.7.1 - Inspections.
15.02.180	Addition – Section 110.7 – Reinspection.
15.02.190	Amendment – Section 111.2 – Certificate of occupancy.
15.02.195	Amendment – Section 113 – Board of appeals.
15.02.200	Violation – Penalty.

**15.02.010 Title.**

This chapter shall be cited as the Administrative Provisions to Title 15 of the Corona Municipal Code and shall apply to all of the referenced and adopted codes in Title 15, unless otherwise provided.

**15.02.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as the ~~2016~~2019 California Building Code, Chapter 1 Division II are hereby adopted.

(B) One certified copy of the ~~2016~~2019 California Building Code Chapter 1 Division II shall be kept on file in the office of the Building Official, and any and all references thereto are adopted as the Administrative Provisions to the codes adopted in Title 15 of the Corona Municipal Code for the City of Corona, unless otherwise provided, and subject to the changes contained in this chapter.

(C) Each and all of the regulations, provisions, penalties, conditions, and terms thereof are referred to, adopted, and made a part of this chapter as though fully set forth at length.

**15.02.030 Amendments – Generally.**

Designated sections of the ~~2016~~2019 California Building Code, Chapter 1 Division II are amended to read as set forth in Sections 15.02.040 through 15.02.200.

**15.02.040 [Reserved].****15.02.050 Amendment – Section 101.4 - Referenced codes.**

The first paragraph of Section 101.4 is amended to read as follows:

**“101.4 Referenced codes.** The other codes listed in section 101.4.1 through 101.4.12 and referenced elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference as adopted and amended by Title 15 of the Corona Municipal Code. Structures, appurtenances, systems, devices, equipment, features, and facilities that are existing as of the date this section is adopted shall be maintained in accordance with the applicable codes and standards that were in effect at the time of permit application, or at the time of the initial construction, installation, or use if no permit was required. Alterations and repair work to structures, appurtenances, systems, devices, equipment, features, and facilities that are existing as of the date this section is adopted shall comply with the applicable laws, codes, and standards in effect at the time of such alteration or repair.”

Section 101.4.3 is amended to read as follows:

**“101.4.3 Plumbing.** The provisions of the California Plumbing Code shall apply to the installation, alteration, repair and replacement of plumbing systems, including equipment, appliances, fixtures, fittings and appurtenances, and where connected to a water or sewage system and all aspects of a medical gas system. The provisions of the California Plumbing Code, Appendix H, shall apply to private sewage disposal systems.”

Section 101.4 is amended by adding subsections 101.4.8, 101.4.9, 101.4.10, 101.4.11, and 101.4.12 to read as follows:

**“101.4.8 Residential.** The provisions of the California Residential Code shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, removal, and demolition of detached one and two family dwellings and townhomes not more than three stories above grade plane in height with a separate means of egress and their accessory structures not more than three stories above grade plane in height.

Exceptions:

1. Live/work units located in townhouses and complying with the requirements of Section 419 of the California Building Code shall be permitted to be constructed in accordance with the California Residential Code. Fire Suppression required by Section 419.5 of the California Building Code where constructed under the California Residential Code shall conform to Section R313.
2. Owner-occupied lodging houses with five or fewer guestrooms shall be permitted to be constructed in accordance with the California Residential Code where equipped with a fire sprinkler system in accordance with Section R313.

**101.4.9 Historical.** The provisions of the California Historical Building Code shall apply to the preservation, restoration, rehabilitation, relocation or reconstruction of buildings or properties designated as qualified historical buildings or properties.

**101.4.10 Green Building.** The provisions of the California Green Building Standards Code shall apply to the planning, design, operation, construction, use and occupancy of every newly constructed building.

**101.4.11 Housing.** The provisions of the California Housing Code shall apply to the use, occupancy, and maintenance of all buildings or portions thereof used, or designated or intended to be used, for human habitation.

**101.4.12 Electrical.** The provisions of the California Electrical Code shall apply to the installation, alteration, maintenance, and repair of electrical conductors, equipment, and raceways; signaling and communications conductors, equipment, and raceways; and optical fiber cables and raceways for those structures, premises, equipment, and installations as designated in that code.”

**15.02.060      Addition – Section 104.11 - Alternative materials.**

Section 104.11 is amended by adding the following subsection 104.11.5 thereto to read as follows:

**“104.11.5 Application for request to use alternative materials, design or methods of construction and equipment.** Requests for the use of alternative materials, design or methods of construction or equipment must be made on the City of Corona application form and an application fee must be paid at the time of request submittal. Applications shall be specific to a project address and approval for a specific project shall not constitute approval for use at any other locations.”

**15.02.070      Addition – Section 105.1 – Permits required.**

Section 105.1 is amended by adding the following subsection 105.1.3 thereto to read as follows:

**“105.1.3 Permits Required.** No person, firm or corporation shall erect, re-erect, construct, enlarge, alter, repair, move, improve, remove, convert or demolish any building or other structure in the city, without obtaining a valid building permit prior to commencement of any work. A Building permit is also required for the following specified items:

1. Retaining walls over two feet in height (measured from the top of the footing) and walls of any height if supporting a surcharge or any superimposed load other than the natural fill of level earth. Retaining walls are required for any unsupported excavation with vertical banks more than two feet high or unsupported excavations of any height if supporting a surcharge or any superimposed load other than the natural fill of level earth.
2. Fence or fences over three feet in height constructed or made of any material including, but not limited to, wood, plastic, metal, chain link, wrought iron, masonry, block, brick or stone)
3. A Building permit is also required for any sign which requires a Planning Division sign permit as specified in Chapter 17.74 of this code, except signs painted directly onto an existing building, or sign structure or sign board or the refacing of a previously approved sign canister with Plexiglas, flexible sign face or similar material provided no structural changes are made to the sign structure or canister.
4. Grading requirements and permits shall be as required by Chapter 15.36 of the Corona Municipal Code.”

**15.02.080      [Reserved].**

**15.02.090      Amendment – Section 105.2 – Exempt work.**

Section 105.2 is amended in its entirety to read as follows:



**“Work Exempt from Permit.** Exemptions from the permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of this code or any other laws or ordinances of this jurisdiction. A building permit shall not be required for the following:

**Building:**

1. One-story detached accessory structures used as tool and storage sheds, playhouses and similar uses, provided the floor area does not exceed 120 square feet.
2. Fences not over three (3) feet high.
3. Oil derricks.
4. Retaining walls that are not over two (2) feet in height measured from the top of the footing to the top of the wall, unless supporting a surcharge or any superimposed load other than the natural fill of level earth or impounding Class I, II, or IIIA liquids.
5. Water tanks supported directly upon grade if the capacity does not exceed 5,000 gallons and the ratio of height to diameter or width does not exceed 2 to 1.
6. Platforms, walks and driveways not more than 30 inches above adjacent grade, and not over any basement or story below and are not part of an accessible route.
7. Painting, papering, tiling, carpeting, cabinets, countertops and similar finish work.
8. Temporary motion picture, television and theater stage sets and scenery.
9. Prefabricated swimming pool accessory to a Group R-3 Occupancy that are less than 24 inches deep, do not exceed 5,000 gallons and are installed entirely above ground.
10. Shade cloth structures constructed for nursery or agricultural purposes, not including service systems.
11. Swings and other playground equipment accessory to detached one- and two-family dwellings.
12. In Group R-3 and U occupancies, window awnings that do not project more than 54 inches from the exterior wall, when supported by an exterior wall and do not require additional support.
13. Nonfixed and movable fixtures, cases, racks, counters and partitions not over 5 feet 9 inches in height.

14. Wood-framed Residential decks accessory to single family dwellings where the deck is no greater than 200 square feet in area, with a walking surface that is not more than 30 inches<sup>22</sup> above grade at any point, is not attached to a dwelling and does not serve as a required

path of egress or ~~required-accessible~~ path of ~~accessibility~~ travel. Decks located in a front yard setback ~~shall comply with the requirements in Corona Municipal Code Chapter 17.64~~ will require approval from the Planning Division of the City of Corona.

14.15. Historic markers no greater than 4 feet in height measured from the adjacent finish grade to the top of the structure placed pursuant to Chapter 17.63 of the Corona Municipal Code

### **Electrical:**

1. Repairs and maintenance: Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles.
2. Radio and television transmitting stations: The provisions of this code shall not apply to electrical equipment used for radio and television transmissions, but do apply to equipment and wiring for a power supply and the installations of towers and antennas.
3. Temporary testing systems: A permit shall not be required for the installation of any temporary system required for the testing or servicing of electrical equipment or apparatus.

### **Gas:**

1. Portable heating appliances
2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

### **Mechanical:**

1. Portable heating appliance.
2. Portable ventilation equipment.
3. Portable cooling unit.
4. Steam, hot or chilled water piping within any heating or cooling equipment regulated by this code.
5. Replacement of any part that does not alter its approval or make it unsafe.
6. Portable evaporative cooler.
7. Self-contained refrigeration system containing 10 pounds or less of refrigerant and actuated by motors of 1 horsepower or less.

### **Plumbing:**

1. The stopping of leaks in drains, water, soil, waste or vent pipe, provided, however, that if any concealed trap, drain pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered new work and a permit shall be obtained and inspection made as provided in this code.

2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.

3. The installation of water-conserving plumbing fixtures as replacements for existing plumbing fixtures shall not, alone, require a permit or inspection from the Building Division. The replacement plumbing fixtures shall comply with Chapters 15.05 and 15.20 of this code.

**Grading:**

1. Grading requirements and permits shall be as required by Chapter 15.36 of the Corona Municipal Code.”

**15.02.100      Amendment – Section 105.3.2 – Plan check expiration, extension and renewal.**

Section 105.3.2 is amended in its entirety to read as follows:

**“105.3.2      Plan Check Expiration, Extension and Renewal.** An application for a plan check submitted for any proposed work shall be deemed to have been abandoned and the plan check application shall expire 180 days after the date of filing, unless such application has been pursued in good faith or a permit for such work has been issued; except that the building official is authorized to grant one or more extensions of time, for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated. Extensions will only be granted prior to the expiration of the plan check application. Extensions will not be approved until all applicable fees have been paid to the City.

Renewal: When a plan check application has expired, plans cannot be resubmitted prior to submitting a new application or renewing the plan check application. Requests to renew an expired plan check application shall be submitted to the Building Official, in writing, shall demonstrate justifiable cause and shall be subject to the approval of the Building Official. If approved by the Building Official the fee for the renewed plan check application shall be one half the amount required for a new plan check for such work, provided no major changes have been made in the original plans and specifications for such work that might constitute a new plan check and provided further that the plan check renewal application is submitted within one year of the date the plan check application, or extended plan check application, as applicable, expired. To renew a plan check application more than one year after the date the plan check application, or extended plan check application, as applicable, has expired, the applicant shall be required to pay a new full plan check fee.”

**15.02.110      Amendment – Section 105.5 – Permit Expiration / Renewal.**

Section 105.5 is amended in its entirety to read as follows:

**“Section 105.5 – Permit Expiration, Extension and Renewal.** Every permit issued shall become invalid and expire if the work on the site authorized by such permit is not commenced within ~~180 days~~12 months after issuance of the permit, or if the work authorized on the site by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. The building official is authorized to grant, in writing, one or more extensions of time, for periods not more than 180 days each. The extension shall be requested in writing and shall demonstrate justifiable cause for the requested extension. Extensions will only be granted prior to the expiration of the permit. Extensions will not be approved until all applicable fees have been paid to the City of Corona.

**Renewal:** When a permit has expired, work cannot be recommenced prior to renewing the permit or obtaining a new permit. Requests to renew an expired permit shall be submitted to the Building Official, in writing, shall demonstrate justifiable cause and shall be subject to the approval of the Building Official. If approved by the Building Official the fee for the renewed permit shall be one half the amount required for a new permit for such work, provided no changes have been made or will be made in the original plans and specifications for such work and provided further that the request to renew the expired permit is submitted within one year of the date the permit, or extended permit, as applicable, has expired. To renew a permit more than one year after the permit has expired, the applicant shall be required to pay a new full permit fee.”

#### **15.02.120      Amendment – Section 105.6 – Suspension / Revocation.**

Section 105.6 is amended by adding the following paragraphs to the end of the section to read as follows:

“The Building Official may, in writing, suspend or revoke a permit issued under the provisions of this code if construction noise is generated between the hours of 8:00 p.m. and 7:00 a.m., Monday through Saturday and 6:00 p.m. to 10:00 a.m. on Sundays and Federal Holidays. Construction noise is defined as noise which is disturbing, excessive, or offensive and constitutes a nuisance involving discomfort or annoyance to persons of normal sensitivity residing in the area, which is generated by the use of any tools, machinery or equipment used in connection with construction operations.

The Building Official may, in writing, suspend or revoke a permit issued under the provisions of this code if dust is generated in excess of local, state or federal standards or conditions of project approval.”

#### **15.02.130      Amendment – Section 105.7 – Placement of permit.**

Section 105.7 is amended by adding the following to the end of the section to read as follows:

“The required permits and approved plans shall be maintained in good condition and be posted or otherwise made available such as to allow the building official to conveniently make the required entries regarding the inspection of work.”

**15.02.140      Addition – Section 105.8 - Transferability.**

Section 105 is amended by adding the following new subsection thereto to read as follows:

**“105.8 Transferability.** No permit issued pursuant to Title 15 of the Corona Municipal Code shall be transferable to any other person or apply to any location other than that stated in the permit.”

**15.02.150      Amendment – Section 109.4 – Investigation fee.**

Section 109.4 is amended by adding the following paragraphs to the end of the section to read as follows:

“Whenever any work for which a permit is required by this code has been commenced without first obtaining said permit, a special investigation shall be made before a permit may be issued for such work.

An investigation fee, in addition to the permit fee, shall be collected whether or not a permit is then or subsequently issued. The investigation fee shall be determined by the currently adopted fee schedule and shall not be less than the actual costs as determined by the Building Official.”

**15.02.160      Amendment – Section 109.6 - Refunds.**

Section 109.6 is amended in its entirety to read as follows:

**“109.6 Refunds.** The Building Official may authorize refunding of any fee paid hereunder which was erroneously paid or collected.

The Building Official may authorize refunding of not more than 80 percent of the permit inspection fee paid when no work has been started under a permit issued in accordance with this code.

The Building Official may authorize refunding of not more than 80 percent of the plan review fee paid when an application for a permit for which a plan review fee is paid is withdrawn or canceled before any plan reviewing is started.

The Building Official shall not authorize refunding of any fee paid except on a written request for refund submitted by the original applicant or original permittee not later than 180 days after the date of the fee payment.”

**15.02.170      Addition – Sections 110.3.3.1 and 110.3.5.1 - Inspections.**

Section 110.3 is amended by adding the following new subsections thereto to read as follows:

**“110.3.3.1. Roof Sheathing and Shear Inspection.** Roof sheathing and shear inspections shall be performed after roof sheathing and all structural shear panels or walls are in place and secured by nailing or other approved methods.

**110.3.5.1. Plaster Inspection.** Plaster inspections shall be performed after the application of the scratch coat.”

**15.02.180      Addition – Section 110.7 - Reinspection.**

Section 110 is amended by adding new subsection 110.7 thereto to read as follows:

**“110.7 Reinspections.** A reinspection fee may be assessed for each inspection or reinspection when such portion of work for which inspection is called is not complete or when corrections previously called for are not made. The amount of the fee shall be the minimum building inspection fee as set forth in the fee schedule adopted by the City Council.

This section is not to be interpreted as requiring reinspection fees the first time a job is rejected for failure to comply with the requirements of this code, but as controlling the practice of calling for inspections before the job is ready for such inspection or reinspection.

Reinspection fees may be assessed when the inspection record permit card is not posted or otherwise available on the work site, the approved plans are not readily available the inspector, for failure to provide access on the date for which the inspection is requested, or for deviating from the plans requiring the approval of the building official.

To obtain a reinspection, the applicant shall pay the reinspection fee as set forth in the fee schedule adopted by the City Council.

In instances where reinspection fees have been assessed, no additional inspection of the work will be performed until the required fees have been paid.

Chapter 1.14 of the Corona Municipal Code shall also apply to Title 15.”

**15.02.190      Amendment – Section 111.2 – Certificate of occupancy.**

Section 111.2 is amended by adding the following sentence at the beginning of the section to read as follows:

**“111.2 Certificate issued.** A Certificate of Occupancy shall not be issued until all applicable fees have been paid to the City of Corona.”

**15.02.192 Amendment - Section 112.3 - Authority to disconnect service utilities.**

Section 112.3 is amended in its entirety to read as follows:

**“112.3 Authority to disconnect service utilities.** The building official shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by this code and the referenced codes and standards set forth in Section 101.4 as follows:

1. In case of emergency where necessary to eliminate an immediate hazard to life or property; or
2. Where such utility connection has been made without the approval required by Section 112.1 or 112.2; or
3. When a structure, building or property is in violation of Section 111; or
4. When the continued use of utilities creates or contributes to the existence of a public nuisance as defined in Corona Municipal Code Chapter 15.56; or
5. When the disconnection of utility service is required by a court ordered action to abate a public nuisance; or
6. When the approved duration for the temporary connection to utilities or temporary occupancy per sections 108, 111 or 112 has expired or been terminated, or the conditions of approval imposed in connection with the approval of such temporary connection or temporary occupancy have been violated.

The building official shall notify the serving utility, and wherever possible the owner and occupant of the building, structure or service system of the decision to disconnect prior to taking such action. IF not notified prior to disconnecting, the owner or occupant of the building, structure or service system shall be notified in writing, as soon as practical thereafter.”

**15.02.195      Amendment – Section 113 – Board of appeals.**

Section 113 is amended in its entirety to read as follows:

**“SECTION 113  
APPEALS PROCESS**

**113.1 General.** Orders, decisions or determinations made by the building official relative to the application and interpretation of this code may be appealed pursuant to the procedures set forth in Chapter 1.09 of this code.

**113.2 Limitations on authority.** An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The hearing officer shall have no authority to waive requirements of this code.”

**15.02.200      Violation – Penalty.**

(A) No person, firm, partnership, association or corporation shall violate any provisions of this chapter and any provisions of the codes, rules or regulations adopted in this Title 15 of the Corona Municipal Code.

(B) Any person, firm, partnership, association or corporation violating any of the provisions adopted in this title by reference, shall be guilty of an infraction, except where otherwise provided in this Title 15. Any person violating a stop work order issued pursuant to the ~~2016~~2019 California Building Code, Chapter 1 Division II Section 115.3, shall be guilty of a misdemeanor. Any person who continues to occupy or any person who enters a structure which has been posted “unsafe” by the Building Official pursuant to the ~~2016~~2019 California Building Code Section 116 or Corona Municipal Code Chapter 15.56, or any person who enters or occupies a structure which has been posted “Unsafe” or “Restricted Use” pursuant to Corona Municipal Code Chapter 15.54, shall be guilty of a misdemeanor.

(C) Every person, firm, association or corporation violating any of the provisions of this chapter or provisions of the codes, rules or regulations adopted in this chapter by reference is guilty of a separate offense for each day or portion thereof during which the violation continues and shall be punishable thereof as provided in Chapter 15.70 of this code.

(D) It is unlawful for any person, firm, partnership, corporation, association or joint venture, either as owner, architect, contractor, artisan or otherwise, to do or to cause or permit to be done any work, as described in the California Building Standards Code as adopted by reference in this Title 15 in such a manner that such work does not conform to all the provisions of this Title 15 and the provisions of said California Building Standards Code, as so adopted by reference.”

**SECTION 3.** Chapter 15.04 of the Corona Municipal Code is hereby amended in its entirety to read as follows:

### **"CHAPTER 15.04 BUILDING CODE**

**Sections:**

15.04.010	Title.
15.04.020	Code adoption.
15.04.030	Administration – Generally.
15.04.040	Amendments – Generally.
15.04.050	Amendment – Chapter I Division II.
15.04.060	Amendment – Section 501.2 – Address identification.
15.04.070	[Reserved]
15.04.080	[Reserved]
15.04.090	[Reserved]
15.04.100	Amendment-Section 904.3.5- Monitoring.
15.04.110	[Reserved]
15.04.120	Addition – Section 1505- Roof coverings.
15.04.130	Amendment – Section 3109.2 - Definitions.
15.04.140	Amendment – Section 3109.4.1.8 - Dwelling wall as barrier.



- 15.04.150 Addition – Section 3109.4 - Residential swimming pools.
- 15.04.155 Amendment- Chapter 35 Referenced Standards-NFPA.
- 15.04.157 Amendment – Appendix H - Signs
- 15.04.160 Violation – Penalty.

#### **15.04.010 Title.**

This chapter shall be cited as the Building Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Building Code, or other building code, refers and applies to this chapter.

#### **15.04.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as ~~2016~~2019 California Building Code, Volumes 1 and 2, California Code of Regulations Title 24, Part2, including Appendix~~es~~ H and I, and including any supplements, errata, and revisions made thereto, are hereby adopted as the Building Code of the City of Corona.

(1) Chapter 1 Division II as adopted and amended in Chapter 15.02 of the Corona Municipal Code.

(2) Appendices A, B, C, D, E, F, G, ~~H~~-J, K, L, M, N and ~~M-O~~ are not adopted.

(B) Grading requirements and permits shall be as required by Chapter 15.36 of the Corona Municipal Code.

(C) One certified copy of the ~~2016~~2019 California Building Code shall be kept on file in the office of the Building Official of the City of Corona, and any and all references thereto, are adopted as the Building Code of the City of Corona, subject to the changes contained in this chapter. Each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

#### **15.04.030 Administration – Generally.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

#### **15.04.040 Amendments – Generally.**

Designated sections of the ~~2016~~2019 California Building Code are amended to read as set forth in Sections 15.04.0~~5~~4 through 15.04.15~~7~~5.

**15.04.050 Amendment** – Chapter I Division II of the ~~2016~~2019 California Building Code is adopted as amended in Corona Municipal Code Chapter 15.02.

**15.04.060 Amendment – Section 501.2 – Address identification.**

Section 501.2 is amended by adding the following to the end of the section:

“Address numbers shall be illuminated during all hours of darkness. Number, size, location and means of illumination shall comply with the Corona Fire Prevention Standard for premises identification unless an alternative means or method is approved by the fire code official. Address numbers shall be continuously maintained to comply with this section.”

**15.04.070 [Reserved].**

**15.04.080 [Reserved].**

**15.04.090 [Reserved].**

**15.04.100 Amendment – Section - 904.3.5 Monitoring.**

Section 904.3.5 is amended in its entirety to read as follows:

**“904.3.5 Monitoring.** Where a building fire alarm or monitoring system is installed, automatic fire-extinguishing systems shall be monitored by the building fire alarm or monitoring system in accordance with NFPA 72.”

**15.04.110 [Reserved].**

**15.04.120 Addition – Section 1505 – Roof coverings.**

Section 1505 is amended by adding new subsection 1505.1.5 thereto as follows:

**“1505.1.5 Class A roof covering requirement.** Notwithstanding any other provision of this Building Code and Appendices to the contrary, Class A roof covering, as defined in Chapter 15 of the ~~2016~~2019 California Building Code, shall be applied:

1. To any building hereinafter constructed.
2. To any re-roofing of existing buildings, when fifty percent (50%) or more of the existing roof is replaced or overlaid within a 1 year period.
3. To any room additions where the aggregate area of the new roof exceeds fifty percent (50%) of the aggregate area of the existing roof.”

**15.04.130 Amendment – Section 3109.2 - Definitions.**

Section 3109.2 is amended by adding the following definition:

**“LAKE.** A body of water, including but not limited to a pond that is natural or manmade, which has a sloping grade below the surface of the water originating at the shore line, not exceeding a grade of one vertical to four horizontal.”

**15.04.140      Amendment – Section 3109.4.1.8 - Dwelling wall as barrier.**

Section 3109.4.1.8 is amended by adding the following subsection 4 to read as follows:

“4. Where a wall of an attached or detached garage, as an accessory use to a residential occupancy, in a Group U occupancy serves as part of the barrier and contains man-door openings between the garage and the outdoor swimming pool that provide direct access to the pool, such door openings shall be self-closing and self-latching.”

**15.04.150      Addition – Section 3109.4 - Residential swimming pools.**

Section 3109.4 is amended by adding the new subsection 3109.4.1.10 to read as follows:

**“3109.4.1.10 Existing pools.** The legal use of a swimming pool existing before the effective date of this chapter may continue, provided that the swimming pool is provided with an adequate barrier, as reasonably determined by the Building Official consistent with this chapter, and provided that the swimming pool, and/or the use thereof, does not create a safety hazard.”

**15.04.155      Amendment- Chapter 35 Referenced Standards.**

**“Chapter 35 – Referenced Standards** is adopted in its entirety with the following amendments:

**NFPA 13, 2016 Edition, Installation of Sprinkler Systems** is hereby amended as follows:

**Section 6.7.3 is hereby amended to read as follows:**

**6.7.3** Fire Department connections (FDC) shall be of an approved type. The FDC shall contain a minimum of two 2 ½” inlets. The location shall be approved and be no more than 150 feet from a public hydrant. The FDC may be located within 150 feet of a private fire hydrant when approved by the fire code official. The size of piping and the number of inlets shall be approved by the fire code official. Fire department inlet connections shall be painted OSHA safety red. When the fire sprinkler design density requires 500 gpm (including hose stream demand) or greater, or a standpipe system is included, two 2 ½” inlets and one 4” swivel female NST inlet shall be provided. FDC inlets shall be equipped with check valves.

**Section 8.3.3.1 is hereby amended to read as follows:**

**8.3.3.1.** When fire sprinkler systems are installed in shell buildings of undetermined use (Spec Buildings) other than warehouses (S occupancies), fire sprinklers of the quick-response type shall be used. Use is considered undetermined if a specific tenant/occupant is not identified at the time the fire sprinkler plan is submitted.

Sprinklers in light hazard occupancies shall be one of the following:

- (1) Quick-response type as defined in Section 3.6.4.8
- (2) Residential sprinklers in accordance with the requirements of Section 8.4.5
- (3) Standard spray sprinklers used for modifications or additions to existing light hazard systems equipped with standard spray sprinklers
- (4) Standard spray sprinklers used where individual standard spray sprinklers are replaced in existing light hazard systems

**Section 8.17.2.4.6 is hereby amended to read as follows:**

**8.17.2.4.6** Fire department connections shall be on the street side of buildings and shall be located and arranged so that they are immediately adjacent to the approved fire department access road. Fire department connections shall be located such that hose lines can be readily and conveniently attached to the inlets without interference from nearby objects, including but not limited to, buildings, fences, posts, vegetation or other fire department connections.

**Section 11.1.1.2 is hereby added to read as follows:**

**11.1.1.2 Undetermined Use Design Requirements.** When fire sprinkler systems are required in buildings of undetermined use other than warehouses, they shall be designed and installed to have a fire sprinkler density of not less than that required for an Ordinary Hazard Group 2 use, with no reduction(s) in density or design area. Warehouse fire sprinkler systems shall be designed to Figure 16.2.1.3.2(a) curve “G”. Use is considered undetermined if a specific tenant/occupant is not identified at the time the sprinkler plan is submitted. Where a subsequent occupancy requires a system with greater capability, it shall be the responsibility of the occupant to upgrade the system to the required density for the new occupancy.

**NFPA 13D 2016 Edition Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes** is hereby amended as follows:

**Section 4.1.3 is hereby added to read as follows:**

#### **4.1.3 Stock of Spare Sprinklers**

**4.1.3.1** A supply of at least two sprinklers of each type shall be maintained on the premises so that any sprinklers that are not functioning or have been damaged in any way can be promptly replaced.

**4.1.3.2** The spare sprinklers shall be the same types and temperature ratings as installed in the dwelling.

**4.1.3.3** The sprinklers shall be kept in a cabinet located where the temperature to which they are subjected will at no time exceed 100°F.

**4.1.3.4** A special sprinkler wrench shall be provided and kept in the spare head cabinet to be used in the removal and installation of sprinklers. One sprinkler wrench shall be provided for each type of sprinkler installed.

**Section 7.3 Pressure Gauges** is amended to add the following Subsection 7.3.3 to read as follows:

**7.3 Pressure Gauges.** At least one water pressure gauge shall be installed on the riser assembly.

**Section 7.6 Alarms** is hereby amended in its entirety to read as follows:

**7.6 Alarms.** Exterior alarm indicating device shall be listed for outside service and audible from the street from which the house is addressed. Exterior audible devices shall be placed on the front or side of the structure and the location subject to approval by the fire code official. Additional interior alarm devices shall be required to provide audibility throughout the structure and shall be powered from an uninterruptible circuit service normally servicing other appliances in the residence.

Exceptions:

1. When an approved water flow monitoring system is installed, interior audible devices may be powered through the fire alarm control panel.
2. When single- or multiple-station smoke alarms specified in CBC 907.2.11 are used to sound an alarm upon waterflow switch activation.”

#### **15.04.157 Amendment - Appendix H - Signs**

Section H101.2 of Appendix H is amended in its entirety to read as follows:

“**H101.2 Permits required.** A building permit is required for any sign which requires a sign permit as specified in Chapter 17.74 of the Corona Municipal Code, except signs painted directly onto an existing building, sign structure, or sign board; or the refacing of a previously approved sign canister with Plexiglas, flexible sign face or similar material provided no structural changes are made to the sign structure or canister.”

#### **15.04.160 Violation- Penalty.**

The violation and penalties for Chapter 15.04 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 4.** Chapter 15.05 of Title 15 of the Corona Municipal Code is hereby amended in its entirety to read as follows:

**"Chapter 15.05  
GREEN BUILDING CODE**

Sections:

15.05.010	Title.
15.05.020	Code adoption.
15.05.030	Administration-Generally.
15.05.040	Violation – Penalty.

**15.05.010 Title.**

This chapter shall be cited as the Green Building Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Green Building Standards Code, Cal Green, or other green building code, refers and applies to this chapter.

**15.05.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as ~~2016~~2019 California Green Building Standards Code, California Code of Regulations Title 24, Part 11, Chapters 1 through 8, not including the appendices, and including any supplements, errata, and revisions made thereto, are hereby adopted as the Green Building Code of the City of Corona. (1) Appendices A4, A5, and A6.1 are not adopted as part of this code.

(B) One certified copy of the ~~2016~~2019 California Green Building Standards Code shall be kept on file in the office of the Building Official of the City of Corona, and any and all references thereto, are adopted as the Green Building Code of the City of Corona, subject to the changes contained in this chapter. Each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

**15.05.030 Administration – Generally.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

**15.05.040 Violation- Penalty.**

The violation and penalties for Chapter 15.05 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 5.** Section 15.06.080 (Violation and Penalty) of Chapter 15.06 (Housing Code) of Title 15 (Subdivisions) of the Corona Municipal Code is hereby amended in its entirety to read as follows:

“15.06.080 Violation – Penalty.

(A) No person, firm, partnership, association or corporation shall violate any provisions of this chapter or any provisions of the codes, rules or regulations adopted in this chapter.

(B) Any person, firm, partnership, association or corporation violating any of the provisions adopted in this chapter by reference, shall be guilty of an infraction. Any person violating a stop work order issued pursuant to the California Building ~~Standards~~ Code, Section ~~104.2.4115~~, shall be guilty of a misdemeanor. Any person who continues to occupy or any person who enters a structure which has been posted "unsafe" by the Building Official pursuant to the California Building ~~Standards~~ Code Section ~~102116~~ or Corona Municipal Code Chapter 15.56, or any person who enters or occupies a structure posted “Unsafe” or “Restricted Use” pursuant to Corona Municipal Code Chapter 15.54, shall be guilty of a misdemeanor.

(C) Every person, firm, association or corporation violating any of the provisions of this chapter or provisions of the codes, rules or regulations adopted in this chapter by reference is guilty of a separate offense for each day or portion thereof during which such violation continues and shall be punishable thereof as provided in Chapter 15.70 of this code.”

**SECTION 6.** Chapter 15.07 of the Corona Municipal Code is hereby amended in its entirety to read as follows:

### "Chapter 15.07 RESIDENTIAL CODE

Sections:

15.07.010	Title.
15.07.020	Code adoption.
15.07.030	Administration.
15.07.040	Amendments – Generally.
15.07.050	[Reserved]
15.07.060	Amendment - Section R319.1- Address identification.
15.07.070	Addition - Section R902.1.5 - Roof covering materials.
15.07.080	[Reserved]
15.07.090	Amendment-Chapter 44 Referenced Standards.
15.07.100	Violation – Penalty.

**15.07.010 Title.**

This chapter shall be cited as the Residential Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Residential Code, or other residential code, refers and applies to this chapter.

#### **15.07.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as ~~2016~~2019 California Residential Code, California Code of Regulations Title 24, Part 2.5, including Appendix H, and including any supplements, errata, and revisions made thereto, is hereby adopted as the Residential Code of the City of Corona.

(1) Chapter 1 Division II is not adopted.

(2) Appendices A, B, C, D, E, F, G, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W and ~~W~~  
X are not adopted as part of this code.

(B) One certified copy of the ~~2016~~2019 California Residential Code shall be kept on file in the office of the Building Official of the City of Corona, and any and all references thereto, are adopted as the Residential Code of the City of Corona, subject to the changes contained in this chapter. Each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

#### **15.07.030 Administration – Generally.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

#### **15.07.040 Amendments – Generally.**

Designated sections of the ~~2016~~2019 California Residential Code are amended to read as set forth in Sections 15.07.04~~5~~0 through 15.04.090.

#### **15.07.050 [Reserved].**

#### **15.07.060 Amendment - Section R319.1 Address identification.**

Section R319.1 is amended by adding the following to the end of the section:

“Address numbers shall be illuminated during all hours of darkness. Number, size, location and means of illumination shall comply with the Corona Fire Prevention Standard for premises identification unless an alternative means or method is approved by the fire code official. Address numbers shall be continuously maintained to comply with this section.”

#### **15.07.070 Addition – Section R902.1.5 – Roof covering materials.**



Section R902.1 is amended by adding new subsection R902.1.5 to read as follows:

**“R902.1.5 Class A roof covering requirement.** Notwithstanding any other provision of this Building Code and Appendices to the contrary, Class A roof covering, as defined in Chapter 15 of the ~~2016~~2019 California Building Code, shall be applied:

1. To any building hereinafter constructed.
2. To any re-roofing of existing buildings, when fifty percent (50%) or more of the existing roof is replaced or overlaid within a 1 year period.
3. To any room additions where the aggregate area of the new roof exceeds fifty percent (50%) of the aggregate area of the existing roof.”

**15.07.080 [Reserved].**

**15.07.090 Amendment- Chapter 44 Referenced Standards.**

**“Chapter 44 – Referenced Standards** is adopted in its entirety with the following amendments:

**NFPA 13, 2016 Edition, Installation of Sprinkler Systems** is hereby amended to read as follows:

**Section 6.8.3 is hereby amended to read as follows:**

**6.8.3** Fire Department connections (*FDC*) shall be of an approved type. The FDC shall contain a minimum of two 2 ½” inlets. The location shall be approved by the fire code official and be no more than 150 feet from a public hydrant. The FDC may be located within 150 feet of a private fire hydrant when approved by the fire code official. The size of piping and the number of inlets shall be approved by the fire code official. Fire department inlet connections shall be painted OSHA safety red. When the fire sprinkler design density requires 500 gpm (including hose stream demand) or greater, or a standpipe system is included, two 2 ½” inlets and one 4” swivel female NST inlet shall be provided. FDC inlets must be equipped with check valves.

**Section 8.3.3.1 is hereby amended to read as follows:**

**8.3.3.1.** When fire sprinkler systems are installed in shell buildings of undetermined use (Spec Buildings) other than warehouses (S occupancies), fire sprinklers of the quick-response type shall be used. Use is considered undetermined if a specific tenant/occupant is not identified at the time the fire sprinkler plan is submitted.

Sprinklers in light hazard occupancies shall be one of the following:

- (1) Quick-response type as defined in Section 3.6.4.8
- (2) Residential sprinklers in accordance with the requirements of Section 8.4.5
- (3) Standard spray sprinklers used for modifications or additions to existing light hazard systems equipped with standard spray sprinklers
- (4) Standard spray sprinklers used where individual standard spray sprinklers are replaced in existing light hazard systems

**Section 8.17.2.4.6 is hereby amended to read as follows:**

**8.17.2.4.6** Fire department connections shall be on the street side of buildings and shall be located and arranged so that they are immediately adjacent to the approved fire department access road. Fire department connections shall be located such that hose lines can be readily and conveniently attached to the inlets without interference from nearby objects, including but not limited to, buildings, fences, posts, vegetation or other fire department connections.

**Section 11.1.1.2 is hereby added to read as follows:**

**11.1.1.2 Undetermined Use Design Requirements.** When fire sprinkler systems are required in buildings of undetermined use other than warehouses, they shall be designed and installed to have a fire sprinkler density of not less than that required for an Ordinary Hazard Group 2 use, with no reduction(s) in density or design area. Warehouse fire sprinkler systems shall be designed to Figure 16.2.1.3.2(a) curve "G". Use is considered undetermined if a specific tenant/occupant is not identified at the time the sprinkler plan is submitted. Where a subsequent occupancy requires a system with greater capability, it shall be the responsibility of the occupant to upgrade the system to the required density for the new occupancy.

**NFPA 13D 2016 Edition Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes** is hereby amended as follows:

**Section 4.1.3 is hereby added to read as follows:**

**4.1.3 Stock of Spare Sprinklers**

**4.1.3.1** A supply of at least two sprinklers of each type shall be maintained on the premises so that any sprinklers that have operated or been damaged in any way can be promptly replaced.

**4.1.3.2** The spare sprinklers shall be the same types and temperature ratings as installed in the dwelling.

**4.1.3.3** The sprinklers shall be kept in a cabinet located where the temperature to which they are subjected will at no time exceed 100°F.

**4.1.3.4** A special sprinkler wrench shall be provided and kept in the spare head cabinet to be used in the removal and installation of sprinklers. One sprinkler wrench shall be provided for each type of sprinkler installed.

**Section 7.3.3 Pressure Gauges is added to read as follows:**

**7.3.3 Pressure Gauges** At least one water pressure gauge shall be installed on the riser assembly.

**Section 7.6 Alarms is hereby amended its entirety to read as follows:**

**7.6 Alarms.** Exterior alarm indicating device shall be listed for outside service and audible from the street from which the house is addressed. Exterior audible devices shall be placed on the front or side of the structure and the location subject to approval by the fire code official. Additional interior alarm devices shall be required to provide audibility throughout the structure and shall be powered from an uninterruptible circuit serving normally operated appliances in the residence.

Exception:

1. When an approved water flow monitoring system is installed, interior audible devices may be powered through the fire alarm control panel.
2. When single or multiple station smoke alarms specified in CBC 907.2.11 are used to sound an alarm upon water flow switch activation.

**15.07.100 Violation- Penalty.**

The violation and penalties for Chapter 15.07 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 7.** Chapter 15.08 of Title 15 of the Corona Municipal Code is hereby amended in its entirety to read as follows:

**"Chapter 15.08  
MECHANICAL CODE**

Sections:

15.08.010	Title.
15.08.020	Code adoption.
15.08.030	Administration.
15.08.040	[Reserved]
15.08.050	Violation – Penalty.

**15.08.010 Title.**

This chapter shall be cited as the Mechanical Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Mechanical Code, or other mechanical code, refers and applies to this chapter.

**15.08.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as the ~~2016~~2019 California Mechanical Code, California Code of Regulations Title 24, Part 4, including any supplements, errata, and revisions made thereto, are hereby adopted as the Mechanical Code of the City of Corona.

(1) Chapter 1 Division II is not adopted as part of this code.

(2) Appendices A, B, C, D, E, F, and G are not adopted as part of this code.

(B) One certified copy of the ~~2016~~2019 California Mechanical Code is on file in the office of the Building Official, and any and all references thereto, are adopted as the Mechanical Code of the City of Corona, and each and all the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

**15.08.030 Administration.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

**15.08.040 [Reserved].**

**15.08.050 Violation – Penalty.**

The violation and penalties for Chapter 15.08 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 8.** Chapter 15.09 is hereby added to Title 15 of the Corona Municipal Code to read in its entirety as follows:

**"Chapter 15.09  
ENERGY CODE**

Sections:

- |           |                           |
|-----------|---------------------------|
| 15.09.010 | Title.                    |
| 15.09.020 | Code adoption.            |
| 15.09.030 | Administration-Generally. |
| 15.09.040 | Violation – Penalty.      |

**15.09.010 Title.**

This chapter shall be cited as the Energy Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Energy Code, Title 24 Energy Code or other energy code, refers and applies to this chapter.

**15.09.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as ~~2016~~2019 California Energy Code, California Code of Regulations Title 24, Part 6, including any supplements, errata, and revisions made thereto, are hereby adopted as the Energy Code of the City of Corona. (B) One certified copy of the ~~2016~~2019 California Energy Code shall be kept on file in the office of the Building Official of the City of Corona, and any and all references thereto, are adopted as the Energy Code of the City of Corona, subject to the changes contained in this chapter. Each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

**15.09.030 Administration – Generally.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

**15.09.040 Violation- Penalty.**

The violation and penalties for Chapter 15.09 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 9.** Chapter 15.10 is hereby added to Title 15 of the Corona Municipal Code to read in its entirety as follows:

**"Chapter 15.10  
HISTORICAL BUILDING CODE**

Sections:

- |           |                           |
|-----------|---------------------------|
| 15.10.010 | Title.                    |
| 15.10.020 | Code adoption.            |
| 15.10.030 | Administration-Generally. |
| 15.10.040 | Violation – Penalty.      |

**15.10.010 Title.**

This chapter shall be cited as the Historical Building Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Historical Building Code, or other historic building code, refers and applies to this chapter.

**15.10.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as ~~2016~~2019 California Historical Building Code, California Code of Regulations Title 24, Part 8, including any supplements, errata, and revisions made thereto, are hereby adopted as the Historical Building Code of the City of Corona. (B) One certified copy of the ~~2016~~2019 California Historical Building Code shall be kept on file in the office of the Building Official of the City of Corona, and any and all references thereto, are adopted as the Historical Building Code of the City of Corona, subject to the changes contained in this chapter. Each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

**15.10.030 Administration – Generally.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

**15.10.040 Violation- Penalty.**

The violation and penalties for Chapter 15.10 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 10.** Chapter 15.11 is hereby added to Title 15 of the Corona Municipal Code to read in its entirety as follows:

**"Chapter 15.11  
EXISTING BUILDING CODE**

Sections:

- |           |                           |
|-----------|---------------------------|
| 15.11.010 | Title.                    |
| 15.11.020 | Code adoption.            |
| 15.11.030 | Administration-Generally. |
| 15.11.040 | Violation – Penalty.      |

**15.11.010 Title.**

This chapter shall be cited as the Existing Building Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Existing Building Code, or other existing building code, refers and applies to this chapter.

**15.11.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked

and designated as ~~2016~~2019 California Existing Building Code, California Code of Regulations Title 24, Part 10, including any supplements, errata, and revisions made thereto, excluding the chapters referenced below, are hereby adopted as the Existing Building Code of the City of Corona.

- (1) Chapter 1 Division II is not adopted as part of this code.
- (2) Chapters ~~5-6~~ through ~~14-13~~ are not adopted as part of this code.
- (3) Appendix Chapters A4, ~~C1, C2 and Appendix B are~~ ~~is~~ not adopted as part of this code.
- (4) Appendix Chapters A1, ~~A2~~, A3, ~~A5~~ and ~~A6-C1~~ are adopted as part of this code.
- (5) Resource Chapter A is not adopted as part of this code.

(B) One certified copy of the ~~2016~~2019 California Existing Building Code shall be kept on file in the office of the Building Official of the City of Corona, and any and all references thereto, are adopted as the Existing Building Code of the City of Corona, subject to the changes contained in this chapter. Each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

#### **15.11.030 Administration – Generally.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

#### **15.11.040 Violation- Penalty.**

The violation and penalties for Chapter 15.11 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 11.** Chapter 15.12 of Title 15 of Corona Municipal Code is hereby amended in its entirety to read as follows:

### **"CHAPTER 15.12 FIRE CODE**

Sections:

- |                        |   |
|------------------------|---|
| 15.12.010              | Title.  |
| 15.12.020              | Code adoption.  |
| <del>15.12.030</del>   | <del>[Reserved]</del>   |
| 15.12.04 <del>30</del> | Amendments – Generally.   |
| 15.12.05 <del>40</del> | Amendment – Section 103.2 – Appointment.                        |
| 15.12.05 <del>60</del> | Amendment – Section 104.2.1 - Plan review fees.                 |
| 15.12.07 <del>60</del> | Amendment – Section 105.6-Required operational permits.         |
| 15.12.08 <del>70</del> | Amendment – Sections 1 <del>109</del> .4 – Violation penalties. |
| 15.12.09 <del>80</del> | Addition – Section 1 <del>109</del> .4.2- Restitution.          |

- ~~15.12.100~~ ~~Addition – Sections 109.4.2.1 – Infraction and 109.4.2.2 – Misdemeanor.~~  
 15.12.110 ~~Amendment – Section 202-Definitions.~~  
 15.12.115 ~~[Reserved]~~ Addition – Section 304.1.2 – Vegetations.  
 15.12.120 ~~[Reserved]~~ Addition – Section 305.6 – Hazardous Conditions  
 15.12.120 Addition – Section 307.6 – Outdoor fireplaces, fire pits, fire rings and similar devices used at Group R occupancies.  
 15.12.130 Addition – Section 307.7 – Outdoor fires.  
 15.12.140 Amendment – Section 308.1.6.3 – Sky lanterns.  
 15.12.150 Added – Section 321 – Fuel modification requirements for new construction.  
 15.12.160 Added – Section 322 – Clearance of brush or vegetation growth from roadways.  
 15.12.170 Added – Section 323 – Unusual circumstances.  
 15.12.180 Added – Section 324 – Restricted entry.  
 15.12.190 Amendment – Section 503.2.1-Dimensions.  
 15.12.200 Amendment – Section 503.2.4-Turning radius.  
 15.12.210 Addition – Section 503.7 – Two points of access.  
 15.12.220 Amendment – Section 505.1- Address identification.  
 15.12.230 Amendment – Section 507.5.1-Hydrant locations.  
 15.12.240 Amendment – Section 507.5.5-Clear space around exterior-fire protection equipment.  
 15.12.250 Addition – Section 507.5.7- Fire hydrant size and outlets.  
 15.12.260 Amendment – Section 510.1 – Emergency responder radio coverage in new buildings.  
 15.12.270 Amendment – Section 510.4.1.3 – System performance.  
 15.12.180 ~~[Reserved]~~  
 15.12.190 ~~[Reserved]~~  
 15.12.200 ~~[Reserved]~~  
 15.12.210 ~~[Reserved]~~  
 15.12.220 ~~[Reserved]~~  
 15.12.230 ~~[Reserved]~~  
 15.12.240 ~~[Reserved]~~  
 15.12.250 ~~[Reserved]~~  
 15.12.260 ~~[Reserved]~~  
 15.12.270 Addition – Section 706 - Eave protection.  
 15.12.280 ~~[Reserved]~~  
 15.12.290 Addition – Section 903.3.5.3 - Hydraulically calculated systems.  
 15.12.290 ~~[Reserved]~~  
 15.12.300 Amendment – Section 904.3.5 - Monitoring.  
 15.12.310 Added – Section 1201.1.1 – Other systems.  
 15.12.320 Amendment – Section 4906.3 – Requirements.  
 15.12.330 Addition – Section 4908 – Fuel modification for new construction.  
 15.12.310 ~~[Reserved]~~  
 15.12.320 ~~[Reserved]~~  
 15.12.330 ~~[Reserved]~~  
 15.12.335 ~~[Reserved]~~



- 15.12.340 Amendment Section 5001.5.2 - Hazardous materials inventory statement (HMIS).
- ~~15.12.350~~ ~~[Reserved]~~
- ~~15.12.360~~ ~~[Reserved]~~
- 15.12.3750 Addition - Section 5608.2 - Firing.
- ~~15.12.380~~ ~~[Reserved]~~
- ~~15.12.390~~ ~~[Reserved]~~
- ~~15.12.400~~ ~~[Reserved]~~
- ~~15.12.410~~ ~~[Reserved]~~
- 15.12.42360 Amendment – Chapter 80 - Reference standards.
- 15.12.430370 Amendment – Section B105.1 of Appendix B - One- and two-family dwellings.
- 15.12.440380 Amendment – Section B105.2 of Appendix B - Buildings other than one and two-family dwellings, Group R-3 and R-4 buildings and townhouses.
- 15.12.450390 Amendment – Table B105.1(1), B105.1(2) and B105.2 of Appendix B - Minimum required fire flow and flow duration for buildings.
- 15.12.460400 Amendment – Table C102.1 of Appendix C - Number and distribution of fire hydrants.
- 15.12.4710 Violation – Penalty.

#### **15.12.010 Title.**

This chapter shall be cited as the Fire Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Fire Code, or other fire code, refers and applies to this chapter.

#### **15.12.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as the ~~2016~~2019 California Fire Code, and that certain document being marked and designated as the 201~~8~~5 International Fire Code, with errata, and including the following appendices, are hereby adopted as the Fire Code for the City of Corona:

- (1) Appendix Chapter 4
- (2) Appendices B, C, E, F, G & ~~G~~O

In addition, Chapter 3 and Section 1103.2, which were excluded in the 2019 California Fire Code, are hereby adopted and included in the Fire Code for the City of Corona.

(B) One certified copy of each of the ~~2016~~2019 California Fire Code and 201~~8~~5 International Fire Code are on file in the office of the Building Official, and any and all references thereto, are adopted as the Fire Code and each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

~~15.12.030~~ ~~[Reserved].~~**15.12.0430 Amendments -- Generally.**

Designated sections of the California Fire Code are amended to read as set forth in sections 15.12.0540 through 15.12.470400.

**15.12.0540 Amendment – Section 103.2 - Appointment.**

Section 103.2 is amended in its entirety to read as follows:

**“103.2 Appointment.** The fire code official shall be appointed by the chief appointing authority of the jurisdiction.”

**15.12.0650 ~~Amendment~~ Addition – Section 104.2.1 – Plan review fees.**

Subsection 104.2.1 is added to read as follows:

**“104.2.1 Plan Review Fees.** When it is determined by the fire code official that plans submitted require a full plan review and such plans are received independent of the architectural plans, a fee shall be collected. The fee shall be based on 100% of the cost of service, based on the fee schedule adopted by the City Council.”

**15.12.0760 Amendment – Section 105.6 - Required operational permits.**

Section 105.6 is amended by deleting subsections 105.6.1~~56~~ and 105.6.3~~97~~ in their entirety.

**15.12.0870 Amendment – Section ~~1109.4~~ - Violation penalties.**

Section ~~1109.4~~ is amended in its entirety to read as follows:

**“~~1109.4~~ Violation Penalties.** Persons who violate a provision of this code or fail to comply with any of the requirements thereof or who erect, install, alter, repair or do work in violation of the approved construction documents or directive of the fire code official, or of a permit or certificate used under provisions of this code, shall be guilty of either a misdemeanor, infraction or both as prescribed in Section ~~1109.4.2.1~~ and ~~1109.4.2.2~~. Each day that a violation continues after due notice has been served shall be deemed a separate offense.”

**15.12.0980 Addition – Section 110.4.2 – Restitution**

Section 110.4.2 is added to read as follows:

**“110.4.2 Restitution.** In addition to any other penalties or provisions for restitution that may be provided for by the law, the expense of securing any emergency which is a result of a violation of this code or any other code, ordinance or State law, is a charge against the person whose violation caused the emergency. Expenses incurred for securing such emergency shall constitute a debt of

such person and is collectible by the code official in the same manner as in the case of an obligation under contract, expressed or implied.”

**15.12.100 — ~~Addition~~ — ~~Sections 109.4.2.1 Infraction and 109.4.2.2 Misdemeanor.~~**

~~Sections 109.4.2.1 — Infraction and 109.4.2.2 — Misdemeanor are hereby added as follows:~~

**1109.4.2.1 Infraction.** Except as provided in Section 1 109.4.2.2, persons operating or maintaining any occupancy, premises or vehicle subject to this code that shall permit any fire or life safety hazard to exist on premises under their control shall be guilty of an infraction.

**1109.4.2.2 Misdemeanor.** Persons who fail to take immediate action to abate a fire or life safety hazard when ordered or notified to do so by the fire code official or a duly authorized representative, or who violate the following sections of this code, shall be guilty of a misdemeanor:

104.11.2	Obstructing operations
104.11.3	Systems and Devices
<del>108.67.5</del>	Overcrowding
<del>1109.3.2</del>	Compliance with Orders, Notices and Tags
<del>1121.4</del>	Failure to Comply
305.4	Deliberate or negligent burning
308.1.2	Throwing or placing sources of ignition
310.7	Burning Objects
<del>31047.47</del>	Open or exposed flames”

**15.12.09110 Amendment – Section 202 - Definitions.**

Section 202 General Definitions is amended by adding thereto the following definition:

**“ALL WEATHER DRIVING SURFACE.** An all weather driving surface is a concrete or asphalt covering over base material and a roadbed compacted to ninety-five percent, and of sufficient thickness to support heavy fire apparatus (approximately ~~750~~,000 gross vehicle weight) with a grade of no more than ten percent (10%) and a minimum width of twenty-eight (28) feet, unless approval for a lesser amount is obtained from the Fire code official.

**SPARK ARRESTER.** A listed device constructed of noncombustible material specifically for the purpose of meeting one of the following conditions:

1. Removing and retaining carbon and other flammable particles/debris from the exhaust flow of an internal combustion engine in accordance with California Vehicle Code Section 38366.
- ~~1.2.~~ Preventing the emission of flammable debris from combustion sources, such as internal combustion engines, fireplaces, and wood burning stoves.”

**15.12.10015 Addition – Section 304.1.2 - Vegetations.**

Section 304.1.2 Vegetation is amended in its entirety to read as follows:

“**304.1.2 Vegetation.** Weeds, grass, vines or other growth that is capable of being ignited and endangering property, shall be cut down and removed by the owner or occupant of the premises. Vegetation clearance requirement in urban-wildland interface areas shall be in accordance with Chapter 49 and the City of Corona Vegetation Management Guidelines, which the fire code official is hereby authorized to develop and implement.”

**15.12.1120 Addition – Section 305.6 – Hazardous Conditions.**

Section 305.6 is hereby added to read as follows:

“**305.6 Hazardous conditions.** Outdoor fires burning wood or other solid fuel otherwise permitted by Sections 307.6 and 307.7 are prohibited when any of the following conditions apply:

1. When sustained winds exceeding 8 MPH are predicted, as determined by the fire code official based upon reasonable and verifiable data.
2. When the relative humidity is less than 25%.
3. When a red flag condition has been declared by the fire code official.
4. When otherwise prohibited by the fire code official after the posting of notice of such prohibition at City Hall in a location that is freely accessible to members of the public, on the City’s website and any other locations or social media sites that the fire code official determines are necessary or appropriate.

Outdoor fires using any fuel type are prohibited when sustained winds exceeding 20 MPH are predicted, as determined by the fire code official based upon reasonable and verifiable data, or when such fires present a hazard as determined by the fire code official.

**15.12.120 Addition – Section 307.6 – Outdoor fireplaces, fire pits, fire rings and similar devices used at Group R occupancies.**

Section 307.6 is hereby added to read as follows:

“**307.6 Outdoor Fireplaces, Fire Pits, Fire Rings, or similar devices used at Group R Occupancies.** Outdoor fireplaces, fire pits, fire rings, or similar exterior devices used at Group R occupancies shall comply with this section.

Exception: Barbeques, grills, and portable devices intended solely for cooking.

**307.6.1 Gas-fueled devices.** Outdoor fireplaces, fire pits and similar devices that are fueled by natural gas or liquefied-petroleum gas and designed to only burn a gas flame and not wood or other solid fuel are allowed when approved by the Building Division. At R-3 occupancies, combustible construction material and vegetation shall not be located within three feet of an

atmospheric column that extends vertically from the perimeter of the outdoor fireplace, fire pit or similar device. At other R occupancies, the minimum distance shall be ten feet. Where a permanent hood and vent that has been approved by the Building Division is installed, combustible construction material may encroach upon this column between the bottom of the hood and the vent opening. All chimneys or vents installed in outdoor fireplaces, fire pits and similar devices shall have a spark arrester as defined in Section 202.

**307.6.2 Devices using wood or fuels other than natural gas or liquefied-petroleum gas.** Permanent outdoor fireplaces designed to burn wood or other solid fuel shall be constructed in accordance with the California Building Code with clearance from combustible construction material and building openings as required therein. Fires in a fireplace shall be contained within a firebox with an attached chimney. The opening in the face of the firebox shall have a spark arrester.

The burning of wood or other solid fuel in a device is prohibited within 25 feet of combustible structures unless contained within an approved permanent fireplace, Conditions which could cause a fire to spread within 25 feet of a structure or to vegetation shall be eliminated prior to ignition. Fires in devices burning wood or solid fuel shall be in accordance with Sections 305, 307, and 308.

Exceptions:

1. Portable fireplaces and fire rings/pits equipped with a spark arrester that are located at least 3 feet from combustible construction at R-3 occupancies,
2. Portable fireplaces, and fire pits/rings equipped with a device to arrest sparks, that are located at least 15 feet from combustible structures at all other R occupancies.

**307.6.2.1 Where prohibited.** The burning of wood and other solid fuels is prohibited within a fuel modification zone, Wildland-Urban Interface Area (WUI), or in locations where conditions could cause the spread of fire to the WUI.

Exceptions:

1. Permanent fireplaces that are not located in a fuel modification zone
- +2. Where determined by the fire code official that the location or design of the device does not reasonably present a risk of a wildfire.”

**15.12.130 Added – Section 307.7 – Outdoor fires.**

Section 307.7 is hereby added to read as follows:

“No person shall kindle, build, light or maintain, or authorize to be kindled, built or maintained, a fire in any place other than facilities specifically designed and built for that purpose. Any fire that is built, lit, kindled or maintained pursuant to this section shall comply with all applicable permits and other regulations of air pollution control authorities and all other laws, rules and regulations. Except as provided in Section 307.6 for Group R occupancies, the use of flammable or combustible liquids (except for approved charcoal lighter fluid) are strictly prohibited. Fires shall be attended by persons over twenty-one (21) years of age at all times until extinguished. A portable fire

extinguisher or other approved equipment or method of extinguishing the fire shall be available for immediate use. Fires shall be fully extinguished before vacating the area.”

**15.12.140 Amendment – Section 308.1.6.3 – Sky lanterns.**

Section 308.1.6.3 is hereby amended in its entirety to read as follows:

**“308.1.6.3 Sky lanterns.** A person shall not ignite, release, or cause to be released a sky lantern.”

**15.12.150 Added – Section 321 – Fuel modification requirements for new construction.**

Section 321 is hereby added to read as follows:

**“321 Fuel modification requirements for new construction.** All new structures and facilities proposed to be constructed adjacent to land containing hazardous combustible vegetation, as determined by the fire code official, shall be reviewed in accordance with and shall be subject to the requirements of the City of Corona Vegetation Management Guidelines, as adopted pursuant to Section 304.1.2.”

**15.12.160 Added – Section 322 – Clearance of brush or vegetation growth from roadways.**

Section 322 is hereby added to read as follows:

**“322 Clearance of brush or vegetation growth from roadways.** The fire code official is authorized to cause areas within 10 feet (3048 mm) on each side of portions of highways and private streets which are improved, designed or ordinarily used for vehicular traffic, to be cleared of flammable vegetation and other combustible growth. Measurement of the required clearance area shall be from the flow-line or the end of the improved edge of the roadway surfaces.

Exception: Single specimens of trees, ornamental shrubbery or cultivated ground cover such as green grass, ivy, succulents or similar plants used as ground covers, provided that they do not form a means of readily transmitting fire.”

**15.12.170 Added – Section 323 – Unusual circumstances.**

Section 323 is hereby added to read as follows:

**“323 Unusual circumstances.** The fire code official may suspend enforcement of the City of Corona Vegetation Management Guidelines, as adopted pursuant to Section 304.1.2, and require reasonable alternative measures designed to advance the purpose of this code if determined that in any specific case that any of the following conditions exist:

1. Difficult terrain.
2. Danger of erosion.
3. Presence of plants included in any state and federal resources agencies, California

Native Plant Society and county-approved list of wildlife, plants, rare, endangered and/or threatened species.

4. Stands or groves of trees or heritage trees.

5. Other unusual circumstances that make strict compliance with the clearance of vegetation provisions undesirable or impractical.”

**15.12.180 Added – Section 324 – Restricted Entry**

Section 324 is hereby added to read as follows:

**“324 Restricted entry.** The fire code official shall determine and publicly announce when hazardous fire areas shall be closed to entry and when such areas shall again be opened to entry. Entry or presence on hazardous fire areas that have been closed pursuant to this section is prohibited.

Exceptions:

1. Residents and owners of private property within hazardous fire areas and their invitees and guests going to or being upon their lands.

2. Entry, in the course of duty, by peace or police officers, and other duly authorized public officers, members of a fire department and members of the United States Forest Service.

**15.12.1390 Amendment – Section 503.2.1 Dimensions**

Section 503.2.1 is amended in its entirety to read as follows:

**“503.2.1 Dimensions.** Fire apparatus access roads shall have an unobstructed width of not less than 28 feet (85344mm) exclusive of shoulders, except for approved security gates in accordance with Section 503.6, and an unobstructed vertical clearance of not less than 15 feet (4572mm).

Exception: Vertical clearance may be reduced, provided such reduction does not impair access by fire apparatus and approved signs are installed and maintained indicating the established vertical clearance approved by the fire code official.”

**15.12.14200 Amendment – Section 503.2.4 - Turning radius.**

Section 503.2.4 is amended in its entirety to read as follows:

**“503.2.4 Turning Radius.** The required turning radius of a fire apparatus access road shall be 25 feet (7620 mm) inside radius and 50 feet (15,240 mm) outside radius on all turns in the fire apparatus access road, unless otherwise approved by the fire code official.”

**15.12.210 Addition – Section 503.7 – Two points of access.**

Section 503.7 is hereby added to read as follows:



**“503.7 Two points of access. Two points of access shall be required for new development and when existing development density is increased, unless otherwise approved by the fire code official and justified by the fire protection plan.”**

**15.12.15220 Amendment – Section 505.1 - Address identification.**

Section 505.1 is amended by adding the following to the end of the section:

“Address numbers shall be illuminated during all hours of darkness. Number, size, location and means of illumination shall comply with the Corona Fire Prevention Standard for premises identification unless an alternative means or method is approved by the fire code official. Address numbers shall be continuously maintained to comply with this section.”

**15.12.16230 Amendment – Section 507.5.1 - Hydrant locations.**

Section 507.5.1 is hereby amended in its entirety to read as follows:

**“507.5.1 Where required.** Where a portion of the facility or building hereafter constructed or moved into or within the jurisdiction is more than allowed in Appendix C – “Fire Hydrant Locations and Distribution” from a hydrant on a fire apparatus access road, as measured by an approved route around the exterior of the facility or building, on-site hydrants and mains shall be provided where required by the fire code official.”

**Exceptions:**

1. Group R-3 and U occupancies, equipped throughout with an approved automatic sprinkler system installed in accordance with CFC 903.3.1.1 or CFC 903.3.1.2 or CFC 903.3.1.3, provided the distance requirements shall not be more than 300 feet (91.5 m), unless otherwise approved by the fire code official.”

**15.12.17240 Amendment – Section 507.5.5 - Clear space around exterior - fire protection equipment**

Section 507.5.5 is hereby amended to read as follows:

**“507.5.5 Clear space around fire protection equipment.** A 3-foot (914 mm) clear space shall be maintained around the circumference of fire hydrants, fire department connections, exterior fire protection system control valves, or any other exterior fire protection system component that may require immediate access, except as otherwise required or approved.”

**15.12.175250 Addition – Section 507.5.7 Fire hydrant size and outlets**

Section 507.5.7 is hereby added to read as follows:

**“507.5.7 Fire Hydrant Size and Outlets.** Fire hydrant size and outlets shall be required as determined by the fire code official.



1. Residential Standard – one (1) four (4) inch outlet and one (1) two and one half (2 ½) inch outlet.
2. Super Hydrant Standard – one (1) four (4) inch outlet and two (2) two and one half (2 ½) inch outlets.
3. Super Hydrant Enhanced – two (2) four (4) inch outlet, and one (1) two and one half (2 ½) inch outlet.”

~~15.12.180 [Reserved].~~

~~15.12.190 [Reserved].~~

~~15.12.200 [Reserved].~~

~~15.12.210 [Reserved].~~

~~15.12.220 [Reserved].~~

~~15.12.230 [Reserved].~~

~~15.12.240 [Reserved].~~

~~15.12.250 [Reserved].~~

~~15.12.260 [Reserved].~~

**15.12.260 Amendment – Section 510.1 – Emergency responder radio coverage in new buildings.**

Section 510.1 is hereby amended in its entirety to read as follows:

**“510.1 Emergency responder radio coverage in new buildings.** All new buildings shall have approved radio coverage for emergency responders within the building based upon the existing coverage levels of the public safety communication systems utilized by the City, measured at the exterior of the building. This section shall not require improvement of the City’s existing public safety communication systems. The building’s emergency responder radio coverage system shall comply with the Corona Fire Department’s Guideline for Emergency Responder Radio Coverage and, where the functionality or performance requirements in the California Fire Code are more stringent, this code.

Exceptions:

1. Structures that meet all of the following:
  - a. Wood construction
  - b. Single story
  - c. Does not exceed 10,000 square feet
2. Multi-family residential that meet all of the following:
  - a. Exterior walk up
  - b. No interior corridors

- c. No subterranean storage or parking
- 3. Elevators
- 4. Single family residence”

**15.12.270 Amendment – Section 510.4.1.3 - System performance.**

Section 510.4.1.3 is hereby amended in its entirety to read as follows:

“510.4.1.3 System performance. Signal strength shall be sufficient to meet the requirements of the applications being utilized by public safety for emergency operations through the coverage area as specified by the fire code official in Section 510.4.2.2. A minimum signal strength of -95dBm shall be receivable within the building. A minimum signal strength of -95 dBm shall be received by the agency’s radio system when transmitted from within the building.”

**15.12.2780 Addition – Section 706 - Eave protection.**

Section 706 is hereby added to read as follows:

**“Section 706 Eave Protection.** Buildings or structures constructed hereafter within two-hundred (200) feet of high-hazard, undeveloped forest-covered, brush-covered, or grass-covered land shall have eaves or overhangs thereon protected by one-hour construction, or otherwise protected so as to prevent ~~the lodging underneath of~~ flying brands, ashes or sparks from entering the building or structure. The Fire code official shall determine ~~high-hazard~~ which lands are considered high-hazard, undeveloped forest-covered, brush-covered, or grass-covered ~~hereunder~~ for purposes of this section.”

**15.12.280 — [Reserved].**


**15.12.28905 Addition – 903.3.5.3 - Hydraulically calculated systems.**

Section 903.3.5.3 is hereby added to read as follows:

**“903.3.5.3 Hydraulically calculated systems.** The design of hydraulically calculated fire sprinkler systems shall not exceed 90% of the water supply capacity.

Exception: When static pressure exceeds 100 psi and required by the Fire Code Official, the fire sprinkler system shall not exceed water supply capacity specified by Table 903.3.5.3.

**TABLE 903.3.5.3**  
**Hydraulically Calculated Systems**



~~15.12.290 [Reserved].~~

**15.12.300 Amendment – Section 904.3.5 - Monitoring.**

Section 904.3.5 is amended in its entirety to read as follows:

**“904.3.5 Monitoring.** Where a building fire alarm or monitoring system is installed, automatic fire-extinguishing systems shall be monitored by the building fire alarm or monitoring system in accordance with NFPA 72.”

**15.12.310 Added – Section 1201.1.1 – Other systems.**

Section 1201.1.1 is added to read as follows:

**“1201.1.1 Other Systems** Where required by the fire code official, other systems and operations, including, but not limited to, battery systems assembly, battery reconditioning and storage, research and development of battery storage systems, electric vehicle manufacturing and testing, and battery charging systems for cars and carts inside of buildings or structures, shall comply with this chapter.

Exception: When approved by the fire code official, charging stations for electric vehicles located in open parking garages of Type I or II construction.”

~~15.12.310 [Reserved].~~

~~15.12.320 [Reserved].~~

~~15.12.330 [Reserved].~~

~~15.12.335 [Reserved].~~

**15.12.320 Amendment – Section 4906.3 – Requirements.**

Section 4906.3 is amended in its entirety to read as follows:

**“4906.3 Requirements.** Hazardous vegetation and fuels around all applicable buildings and structures shall be maintained in accordance with the following laws and regulations:

1. Public Resources Code, Section 4291.
2. California Code of Regulations, Title 14, Division 1.5, Chapter 7, Subchapter 3, Section 1299 (see guidance for implementation “General Guideline to Create Defensible Space”).
3. California Government Code, Section 51182.
4. California Code of Regulations, Title 19, Division 1, Chapter 7, Subchapter 1, Section 3.07.
- 4.5. City of Corona Vegetation Management Guidelines.”

**15.12.330 Addition – Section 4908 – Fuel modification for new construction.**

Section 4908 is added to read as follows:

**“4908 Fuel Modification for New Construction.** All new buildings to be built or installed in hazardous fire areas shall comply with the following:

1. Preliminary fuel modification plans shall be submitted to and approved by the fire code official concurrent with the submittal for approval of any tentative tract map or parcel map or building permit application, as applicable.
2. Final fuel modification plans shall be submitted to and approved by the fire code official prior to the issuance of a grading permit or building permit, as applicable.
3. The fuel modification plan shall include provisions for the maintenance of the fuel modification area in perpetuity and shall meet the criteria set forth in the the City of Corona Vegetation Management Guidelines.
4. The fuel modification plan may be altered if conditions change with the prior written approval of the fire code official.
5. All elements of the fuel modification plan shall be maintained in accordance with the approved plan and are subject to the enforcement process outlined in this code.

**15.12.340 Addition– Section 5001.5.2 - Hazardous materials inventory statement (HMIS).**

Section 5001.5.2 is hereby amended in its entirety to read as follows:

**“5001.5.2 Hazardous Materials Inventory Statement (HMIS).** When required by the fire code official, an application for a permit shall include Corona Fire Department’s Chemical Classification Packet, which shall be completed and approved prior to approval of architectural and/or system plans, and/or the storage, use or handling of chemicals on the premises. The Chemical Classification packet shall meet the format requirements contained in the Corona Fire Department Chemical Classification Guideline.”

**15.12.350 —[Reserved].**

~~15.12.360~~ ~~[Reserved].~~

~~15.12.375~~0     **Addition – Section 5608.2 - Firing.**

Section 5608.2 is added to read as follows:

**“Section 5608.2 – Firing.** All fireworks displays shall be electronically fired.”

~~15.12.380~~ ~~[Reserved].~~

~~15.12.390~~ ~~[Reserved].~~

~~15.12.400~~ ~~[Reserved].~~

~~15.12.410~~ ~~[Reserved].~~

~~15.12.423~~60     **Amendment – Chapter 80 - Reference standards.**

The sections of Chapter 80 – Referenced Standards designated below are amended to read as follows:

**“NFPA 13, 2016 Edition, Installation of Sprinkler Systems** is hereby amended as follows:

**Section 6.7.3 is hereby amended to read as follows:**

**6.7.3** Fire Department connections (FDC) shall be of an approved type. The FDC shall contain a minimum of two 2 ½” inlets. The location shall be approved and be no more than 150 feet from a public hydrant. The FDC may be located within 150 feet of a private fire hydrant when approved by the fire code official. The size of piping and the number of inlets shall be approved by the fire code official. Fire department inlet connections shall be painted OSHA safety red. When the fire sprinkler design density requires more than 500 gpm (including hose stream demand), or a standpipe system is included, two 2 ½” inlets and one 4” swivel female NST inlet shall be provided. FDC inlets shall be equipped with check valves.

**Section 8.3.3.1 is hereby amended to read as follows:**

**8.3.3.1** When fire sprinkler systems are installed in shell buildings of undetermined use (Spec Buildings) other than warehouses (Group S occupancies), fire sprinklers of the quick-response type shall be used. Use is considered undetermined if a specific tenant/occupant is not identified at the time of permit issuance. Sprinklers in light hazard occupancies shall be one of the following:

- (1) Quick-response type as defined in Section 3.6.4.8
- (2) Residential sprinklers in accordance with the requirements of Section 8.4.5

- (3) Quick response CMSA sprinklers
- (4) ESFR sprinklers
- (5) Standard spray sprinklers used for modifications of additions to existing light hazard systems equipped with standard spray sprinklers
- (6) Standard spray sprinklers used where individual standard spray sprinklers are replaced in existing light hazard systems

**Section 8.17.2.4.6 is hereby amended to read as follows:**

**8.17.2.4.6** Fire department connections shall be on the street side of buildings and shall be located and arranged so that they are immediately adjacent to the approved fire department access road. Fire department connections shall be located such that hose lines can be readily and conveniently attached to the inlets without interference from nearby objects, including but not limited to, buildings, fences, posts, vegetation or other fire department connections.

**Section 11.1.1.2 is hereby amended by adding the following:**

**11.1.1.2** When fire sprinkler systems are required in buildings of undetermined use other than warehouses, they shall be designed and installed to have a fire sprinkler design density of not less than that required for an Ordinary Hazard Group 2 use, with no reduction(s) in density or design area. Warehouse fire sprinkler systems shall be designed to Figure 16.2.1.3.2(a) curve "G". Use is considered undetermined if a specific tenant/occupant is not identified at the time of permit issuance. Where a subsequent occupancy requires a system with greater capability, it shall be the responsibility of the occupant to upgrade the system to the required density for the new occupancy.

**NFPA 13D 2016 Edition Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes** is hereby amended as follows:

**Section 4.1.3 is hereby added to read as follows:**

**4.1.3 Stock of Spare Sprinklers**

**4.1.3.1** A supply of at least two sprinklers of each type shall be maintained on the premises so that any sprinklers that are not functioning or have been damaged in any way can be promptly replaced.

**4.1.3.2** The spare sprinklers shall be the same types and temperature ratings as installed in the dwelling.

**4.1.3.3** The sprinklers shall be kept in a cabinet located where the temperature to which they are subjected will at no time exceed 100°F.

**4.1.3.4** A special sprinkler wrench shall be provided and kept in the spare head cabinet to be used in the removal and installation of sprinklers. One sprinkler wrench shall be provided for each type of sprinkler installed.

**Section 7.3.3 Pressure Gauges** is amended to add the following Subsection 7.3.3 to read as follows:

**7.3.3** At least one water pressure gauge shall be installed on the riser assembly.

**Section 7.6 Alarms** is hereby amended to read as follows:

**7.6 Alarms.** Exterior alarm indicating device shall be listed for exterior service and audible from the street from which the house is addressed. Exterior audible devices shall be placed on the front or side of the structure and the location subject to approval by the fire code official. Additional interior alarm devices shall be required to provide audibility throughout the structure and shall be powered from an uninterruptible circuit service normally servicing other appliances in the residence.

Exception:

1. When an approved water flow monitoring system is installed, interior audible devices may be powered through the fire alarm control panel.
2. When single- or multiple-station smoke alarms specified in CBC 907.2.11 are used to sound an alarm upon waterflow switch activation.

**NFPA 24, 2016 Edition, Installation of Private Fire Service Mains and Their Appurtenances** is hereby amended as follows:

**Section 6.2.10 Two points of connection** is hereby added to read as follows:

**“6.2.10 Two points of connection** When the underground fireline exceeds 500 lineal feet, two points of connection to the City water supply are required.

**15.12.43370** Amendment – Section B105.1 of Appendix B – One- and two-family dwellings.

Section B105.1 of Appendix B is amended in its entirety to read as follows:

**“B105.1 One- and two-family dwellings.** The minimum fire flow and flow duration for one- and two-family dwellings shall be as specified in Table B 105.1 ~~not be less than 1500 gpm at 20 psi for 2 hours.~~”

**15.12.44380** Amendment – Section B105.2 of Appendix B – Buildings other than one- and two-family dwellings, Group R-3 and R-4 buildings and townhouses.

Section B105.2 of Appendix B is amended in its entirety to read as follows:

**“B105.2 Buildings other than one- and two-family dwellings, Group R-3 and R-4 buildings and townhouses.** The minimum fire flow and flow duration for buildings other than one- and two-family dwellings shall be as specified in Table B 105.1.

**Exception:** A reduction in fire flow of up to 50 percent, as approved by the fire code official, is allowed when the building is provided with an approved automatic sprinkler system installed in accordance with Section 903.3.1.1 or 903.3.1.2. The resulting fire flow shall not be less than 1,500 gallons per minute (5677.5 L/min) for the prescribed duration.”

**15.12.45390 Amendment – Tables B105.1(1), B105.1(2) and B105.2 of Appendix B – Minimum required fire flow and flow duration for buildings.**

Tables B 105.1(1), B105.1(2) and B105.2 of Appendix B are deleted in their entirety and replaced with the following:

**“TABLE B105.1  
MINIMUM REQUIRED FIRE-FLOW AND FLOW DURATION FOR BUILDINGS\***

<i>Use</i>	Required Flow (gallons per minute)	Duration
One- and Two-Family Dwelling	1500 gpm	2 hours
Multi-Family Dwelling	2500 gpm	2 hours
Commercial	3000 gpm	3 hours
Industrial	3500 gpm	4 hours

\*Or as otherwise required by the ~~F~~Fire code official”

**15.12.46400 Amendment – Table C102.1 of Appendix C – Number and spacing of fire hydrants.**

Table C102.1 of Appendix C is amended in its entirety to read as follows:

**“TABLE C102.1  
NUMBER AND SPACING OF FIRE HYDRANTS**

<i>Use</i>	Maximum Distance Between Hydrants (feet)	Maximum Distance From Any Point on Street or Road Frontage or Fire Department Access to a Hydrant (feet)
One- and Two-Family Dwelling	300	150
Multi-Family Dwelling	250	125
Commercial/Industrial	250	125



**15.12.4710 Violation – Penalty.**

When authorized by the ~~F~~fire code official in writing, the Building Official shall enforce provisions of ~~the Fire Code~~this chapter under the provisions of the Corona Municipal Code, Chapter 15.70.”

**SECTION 12.** Chapter 15.20 of Title 15 of the Corona Municipal Code is hereby amended in its entirety to read as follows:

**"Chapter 15.20  
PLUMBING CODE**

15.20.010	Title.
15.20.020	Code adoption.
15.20.030	Administration.
15.20.040	Amendments – Generally.
15.20.050	Addition – Section 314.3-Open trenches.
15.20.060	Violation – Penalty.

**15.20.010 Title.**

This chapter shall be cited as the Plumbing Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Plumbing Code, or other plumbing code, refers and applies to this chapter.

**15.20.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as the ~~2016~~2019 California Plumbing Code, California Code of Regulations Title 24, Part 5, including any supplements, errata, and revisions made thereto, and including the following specifically identified appendices and portions thereof, are hereby adopted as the Plumbing Code of the City of Corona:

- (1) Chapter 1 Division II is not adopted as part of this code.
- (2) Appendices A, B, D, H and I are adopted as part of this code.
- (3) Appendices C, E, F, G, J, K, L and ~~L-M~~ are not adopted as part of this code.

(B) One certified copy of the ~~2016~~2019 California Plumbing Code shall be kept on file in the office of the Building Official, and any and all references thereto, are adopted as the Plumbing Code of the City of Corona and each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

**15.20.030 Administration.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

**15.20.040 Amendments – Generally.**

Designated sections of the ~~2016~~2019 California Plumbing Code are amended to read as set forth in Sections 15.20.040 and 15.20.050.

**15.20.050 Amendment – Section 314.3 - Open trenches.**

Section 314.3 is amended by adding the following paragraph to the end of said section to read as follows:

‘No permittee hereunder shall leave unattended at any time any excavation for sewer or sewage disposal facilities, unless the permittee shall have first provided a suitable and adequate barricade, which will prevent any person from being in any way injured as a result of said excavation. Said permittee shall at all times during the existence of said excavation maintain said barricade in a manner suitable to protect any person from being so injured.’”

**15.20.060 Violation--Penalty.**

The violation and penalties for Chapter 15.20 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 13.** Chapter 15.28 of the Corona Municipal Code is hereby amended in its entirety to read as follows:

**"CHAPTER 15.28  
ELECTRICAL CODE**

Sections:

15.28.010	Title.
15.28.020	Code adoption.
15.28.030	Administration.
15.28.040	Violation – Penalty.

**15.28.010 Title.**

This chapter shall be cited as the Electrical Code of the City of Corona and any reference in the city's municipal code or any chapter thereof to the California Electrical Code, or other electrical code, refers and applies to this chapter.

**15.28.020 Code adoption.**

(A) Subject to the particular additions, amendments and deletions set forth in this chapter, all the rules, regulations, provisions and conditions set forth in that certain document being marked and designated as ~~2016~~2019 California Electrical Code, California Code of Regulations Title 24, Part 3, including any supplements, errata, and revisions made thereto, and including the Tables and Annexes thereto, but excluding Annexes E, F, G, H, I, and J, are hereby adopted as the Electrical Code of the City of Corona.

(B) One certified copy of the ~~2016~~2019 California Electrical Code shall be kept on file in the office of the Building Official of the City of Corona, and any and all references thereto, are adopted as the Electrical Code of the City of Corona, subject to the changes contained in this chapter. Each and all of the regulations, provisions, penalties, conditions and terms thereof are referred to, adopted and made a part of this chapter, as though fully set forth at length.

#### **15.28.030 Administration.**

The administrative procedures as adopted in Chapter 15.02 of the Corona Municipal Code shall apply to this chapter.

#### **15.28.040 Violation--Penalty.**

The violation and penalties for Chapter 15.28 shall be as adopted in Chapter 15.02 and 15.70 of the Corona Municipal Code.”

**SECTION 14.** Chapter 15.54 (Safety Assessment Placards) is hereby added to Title 15 (Buildings and Construction) of the Corona Municipal Code to read as follows:

### **“CHAPTER 15.54 SAFETY ASSESSMENT PLACARDS**

#### **Sections:**

<u>15.54.010</u>	<u>Intent.</u>
<u>15.54.020</u>	<u>Application of provisions.</u>
<u>15.54.030</u>	<u>Definitions.</u>
<u>15.54.040</u>	<u>Placards.</u>
<u>15.54.050</u>	<u>Violation – Penalty.</u>

#### **15.54.010 Intent.**

This chapter establishes a procedure for affixing standard placards to buildings and structures to indicate whether and to what extent the building or structure may continue to be occupied after any natural or man-made disaster. The chapter further authorizes the Building Official and his or her authorized designee to post the appropriate placard at each entry point to a building or structure upon completion of a safety assessment.

#### **15.54.020 Application of provisions.**

The provisions of this chapter are applicable to all buildings and structures of all occupancies regulated by the City of Corona.

#### **15.54.030 Definitions.**

For purposes of this chapter, the term “Safety Assessment” refers to a visual, non-destructive examination of a building or structure for the purpose of determining the condition for continued occupancy.

#### **15.54.040 Placards.**

(A) The following are descriptions of the occupancy placards to be used to designate the condition for continued occupancy of buildings or structures:

- (1) **INSPECTED - Lawful Occupancy Permitted** (Green placard) is to be posted on any building or structure wherein no apparent hazard has been found. This placard is not intended to mean that there is no damage to the building or structure.
- (2) **RESTRICTED USE** (Yellow placard) is to be posted on each building or structure that has been damaged such that some form of restriction for continued occupancy is warranted. The placard will state in general terms the type of damage encountered and will clearly and concisely indicate the restrictions on continued occupancy.
- (3) **UNSAFE - Do Not Enter or Occupy** (Red placard) is to be posted on each building or structure that has been damaged such that entry or continued occupancy poses a threat to life safety. Buildings or structures posted with this placard shall not be entered under any circumstance except as authorized in writing by the Building Official, or his or her authorized representative. Safety assessment teams shall be authorized to enter these buildings at any time. This placard is not to be used or considered as a demolition order. The placard shall state in general terms the type of damage encountered.

(B) Each placard shall state that it is issued by the City of Corona pursuant to this chapter of the code and shall include the City’s address and telephone number.

(C) Once it has been attached to a building or structure, a placard shall not be removed, altered, or covered unless authorized by the Building Official or his/her designee. It shall be unlawful for any person, firm, or corporation to alter, remove, cover, or deface a placard posted pursuant to this chapter.

#### **15.54.050 Violation - Penalty.**

A violation of this chapter shall be enforced pursuant to and shall be subject to the penalties set forth in chapters 15.02 and 15.70 of this code."

**SECTION 15. Prior Ordinances Repealed.** Upon the effective date of this Ordinance, all former ordinances or parts thereof conflicting or inconsistent with the provisions of this Ordinance or the codes herein adopted by reference and any other ordinance in conflict herewith are hereby repealed and declared to be of no further force and effect.

**SECTION 16. CEQA.** The City Council finds that the adoption of the California Building Standards Code and the amendments proposed herein are exempt pursuant to Section 15061(b)(3) of the Guidelines for the California Environmental Quality Act (CEQA), which states that a project is exempt from CEQA if the activity is covered by the general rule that CEQA applies only to projects that have the potential for causing a significant effect on the environment. Where it can be seen with certainty that there is no possibility that the activity in question may have a significant effect on the environment, the activity is not subject to CEQA. This Ordinance, which adopts updated building and safety standards, is enacted to mitigate the threats posed to public peace, health and safety from earthquakes, high winds and fire. In this regard, the recitals set forth in this Ordinance are incorporated herein by reference as findings. Therefore, there is no possibility that adopting this Ordinance will have a significant effect on the environment and no further environmental analysis is required.. Staff is directed to file a notice of exemption within five (5) days of the adoption of this Ordinance.

**SECTION 17. Severability.** If any section, subsection, subdivision, paragraph, sentence, clause or phrase added by this Ordinance, or any part thereof, is for any reason held to be unconstitutional or invalid or ineffective by any court of competent jurisdiction, such decision shall not affect the validity or effectiveness of the remaining portions of this Ordinance or any part thereof. The City Council hereby declares that it would have passed each section, subsection, subdivision, paragraph, sentence, clause or phrase thereof irrespective of the fact that any one or more subsections, subdivisions, paragraphs, sentences, clauses or phrases are declared unconstitutional, invalid or ineffective.

**SECTION 18. Certification/Publication.** The Mayor shall sign this ordinance and the City Clerk shall attest thereto and shall within fifteen days of its adoption cause it or a summary of it to be published in the Press Enterprise, a newspaper published and circulated in the City of Corona; and thereupon and thereafter this ordinance shall take effect and be in force according to law.

**SECTION 19. Effective Date.** This Ordinance shall take effect thirty (30) days following its adoption by the City Council or on January 1, 2020, whichever is later.

**ADOPTED** this 20<sup>th</sup> day of November, 2019.

\_\_\_\_\_  
Mayor of the City of Corona, California

**ATTEST:**

---

City Clerk of the City of Corona

**CERTIFICATION**

I, SYLVIA EDWARDS, City Clerk of the City of Corona, California, do hereby certify that the foregoing Ordinance was regularly introduced at a regular meeting of the City Council of the City of Corona, California, duly held the 6<sup>th</sup> day of November, 2019 and thereafter at a regular adjourned meeting held on the 20<sup>th</sup> day of November, 2019, it was duly passed and adopted by the following vote of the Council:

**AYES:**

**NOES:**

**ABSENT:**

**ABSTAINED:**

**IN WITNESS WHEREOF**, I have hereunto set my hand and affixed the official seal of the City of Corona, California, this 20<sup>th</sup> day of November 2019.

---

City Clerk of the City of Corona, California

(SEAL)